
TABLE OF CONTENTS

	Page
LIST OF TABLES	IX
LIST OF FIGURERS	XII
INTRODUCTION	1
LITERATURE REVIEW	2
Fleshy fruit	2
Fruit growth pattern	3
General characteristic of fruits	13
Harvest indices	19
Harvest indices of apple	20
MATHERIALS AND METHODS	24
RESULTS	32
Fruit growth	32
Physical changes	32
Chemical changes	33
Qualities change after harvest	34
DISCUSSION	61
Growth observation Chiang Mai Univ	/ 61
Qualities change during growth	62
Chemical change during growth	64
Qualities change after harvest and	
sensory evaluation	68



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่ Copyright[©] by Chiang Mai University All rights reserved

LIST OF TABLE

Table		Page
1	Sugar content of some ripe fruits.	13
2	Average ascorbic acid content of fruits.	17
3	Change in fresh weight (gm) of fruit of Anna apple during 2 nd to 16 th week after	
	full bloom.	35
4	Change in width (cm) of fruit of Anna apple during 2 nd to 16 th week after full	503
	bloom.	36
5	Change in lenght (cm) of fruit of Anna apple during 2 nd to 16 th week after full	
	bloom.	37
6	Change in volume (cm ³) of fruit of Anna apple during 2 nd to 16 th week aftef rull	
	bloom.	38
7 8	The average specific gravity of fruit of	
	Anna apple during 2 nd to 16 th week after	
	full bloom. by Chiang Mai	Unive 39sity
8	The average flesh firmness (lb., Kg) of	
	fruit of Anna apple during 7 th to 16 th	

Table	,	Page
	week after full bloom by using Effegi	
	pressure tester (0.8 cm diameter plunger).	40
9	The average total soluble solids (%) of	
	fruit of Anna apple during 5 th to 16 th week	
	after full bloom by using Atago hand refrac-	
	tometer.	41
10	The average titratable acidity (% malic acid)	
	of fruit of Anna apple during 5 th to 10 th	
	week after full bloom.	42
11	The average total soluble solids and titra-	
	table acidity ratio (TSS/TA ratio) of fruit	
	of Anna apple during 5 th to 16 th week after	
	full bloom	43
12	The average vitamin C content (mg/100 g tresh	
	weight) of fruit of Anna apple during 5th to	
	16 th week after full bloom.	44
13	The average total chlorophyll content (mg/gm	
	peel) of fruit of Anna apple during 5 th to 16 th	
	week after full bloom.	/e458ity
14	Showing the average qualities after harvest of	
	Anna apple.	46

Table

Page

Showing the average sensory score of Anna apple harvested at 13, 14, 15 and 16 weeks after full bloom.

47



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่ Copyright[©] by Chiang Mai University All rights reserved

XII

LIST OF FIGURES

Figure		Page
1	The schematic of a single sigmoid growth	
	curve of fruit	5
2	The schematic of a double sigmoid growth	
	curve of fruit	6
3	Increase in mean weights and volume of	
	fruits which time	8
4	Increase of fruit-weight during development	
	of varieties of apple	9
5	Increase in volume of fruit of Early Harvest,	
	McIntosh and Rome apple from full bloom to	
	fruit ripening (water displacement method).	10
6	Increase in transverse diameters of entire	
	fruits, pith and core or outer boundary of	
	pericarp of Early Harvest, McIntosh, Twenty	
	Ounce, and Rome apple from full bloom to	
	fruit ripening.	11
70)	Days from full bloom to harvest maturity of	
	apples. ights reser	V21e C
8	Showing the starch-iodine scores for Granny	
	Smith apples.	27

XIII

Figure			Page
9	Increase in fresh weight (gm) of fruit of		
	Anna apple.		35
10	Increase in width (cm) of fruit of Anna		
	apple.		36
11	Increase in lenght (cm) of fruit of Anna		
	apple		37
12	Increase in volume (cm ³) of fruit of Anna		
	apple.		50.38
13	Specific gravity change of fruit of Anna		
	apple.		39
14	Decrease in fruit firmness (pound) of Anna	/ · .	
	apple.		40
15	Changing in percentage of sugar content in		
	fruit of Anna apple.		41
16	Changing in percentage of malic acid con-		
	tent in fruit of Anna apple.		42
17	Changing in sugar and acid ratio (TSS/TA		
	ratio) of fruit of Anna apple.		ive ₄₃ sity
18	Changing in vitamin C content (mg/100 gm		
	flesh) in fruit of Appe apple		,,

Figure		Page
19	Chlorophyll content (mg/gm peel) changes	
	in the peel of Anna apple.	45
20	Showing the flowers of Anna apple that	
	were tagged on 19 Feb. 1986.	48
21	Showing the fruits of Anna apple that were	
	wrapped at 9 th week after full bloom.	49
22-26	Showing the stage of fruit growth of Anna	
	apple.	50-54
27-32	Showing the starch-iodine test of Anna	
	apple during 5 th to 16 th week after full	
	bloom.	55 – 60

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่ Copyright[©] by Chiang Mai University All rights reserved