TABLE OF CONTENTS

| | PAGE |
|---|-------|
| ลมยนต | iii |
| ACKNOWLEDGEMENTS | 111 |
| ABSTRACT | iv |
| LIST OF TABLES | xi |
| LIST OF FIGURES | xiii |
| ABBREVIATIONS | xviii |
| INTRODUCTION | |
| | |
| 1. General aspects of asthma | 5 1 |
| 2. Airway hyperresponsiveness and inflammatory | 4 |
| mediators | |
| 3. Reference drugs used in this study | 11 |
| 4. Experimental models used for investigation | 14 |
| of bronchodilators | |
| 5. Purpose of the study | 16 |
| MATERIALS AND METHODS | |
| A. Experiments in vitro | |
| 1. Isolated guinea-pig tracheal chain preparation | 19 |
| 2. Isolated rat tracheal strip preparation | 23 |
| B. Experiments in vivo mang Mai Unive | |
| 1. Histamine-induced bronchoconstriction in | 26 |
| pentobarbital anesthetized guinea-pigs | |

| | | | PAGE |
|---------|----|---|----------------------|
| | | 2. Methacholine-induced bronchoconstriction in | 29 |
| | | pentobarbital anesthetized rats | |
| | | 3. Hippocratic screening test | 30 |
| | C. | List of drugs and solvents | -33 |
| | D. | Statistical analysis | 34 |
| RESULTS | | | |
| | Α. | Experiments in vitro | |
| | | 1. Effect of phenylalkane derivatives and | 35 |
| | | reference drugs in isolated guinea-pig | |
| | | tracheal chain preparation | |
| | | 1.1 Screening for potential bronchodilator | 35 |
| | | activity of phenylalkane derivatives | |
| | | 1.2 Comparison of the dose-response | 41 |
| | | relationship of PA-3 with reference | |
| | | drugs | |
| | | 1.3 Comparison of the antagonistic effect of | 46 |
| | | PA-3 and reference drugs on histamine- | |
| | | induced tracheal contraction in the | |
| | | presence of beta-adrenergic antagonist | |
| | | 2. Effect of PA-3 and reference drugs in isolated | C 47 C |
| | | rat tracheal strip preparation | |
| | | 2.1 Effect of PA-3 and reference drugs | 47 |
| | | 2.2 Comparison of the dose-response relations | hip 55 |
| | | of PA-3 with reference drugs | |

PAGE

| B. Exp | periments in vivo | |
|------------|---|-----|
| 1. | Effect of PA-3 and reference drugs on | 57 |
| | histamine-induced bronchoconstriction in | |
| | pentobarbital anesthetized guinea-pigs. | |
| 2. | Effect of PA-3 and reference drugs on the | 69 |
| | cumulative doses of methacholine-induced | |
| | bronchoconstriction in pentobarbital | |
| | anesthetized rats. | |
| 3. | Hippocratic screening test | 85 |
| | | |
| DISCUSSION | | 96 |
| REFERENCES | | 109 |
| ATT | | |

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่ Copyright[©] by Chiang Mai University All rights reserved

LIST OF TABLES

| TABL | E | PAGE |
|------|--|------|
| 1. | Pathologic changes in asthma and the mediators that may be | 2 |
| | responsible. | |
| 2. | Mediators involve in pathogenesis of asthma. | 3 |
| 3. | Chemical structures of phenylalkane derivatives. | 17 |
| 4. | Effect of phenylalkane derivatives (PAs) on histamine- | 38 |
| | induced contraction of isolated guinea-pig tracheal chain. | |
| 5. | Effect of isoproterenol, papaverine, compound D, | 44 |
| | verapamil and aminophylline on histamine-induced | |
| | contraction of isolated guinea-pig tracheal chain. | |
| 6. | Effect of PA-3 and reference drugs (atropine, papaverine, | 53 |
| | verapamil and aminophylline) as well as compound D on | |
| | methacholine-induced contraction of isolated rat | |
| | tracheal strip. | |
| 7. | Effect of PA-3 on histamine-induced bronchoconstriction | 60 |
| | in pentobarbital anesthetized guinea-pigs. | |
| 8. | Effect of reference drugs (isoproterenol, verapamil, | 62 |
| | papaverine and aminophylline) on histamine-induced | |
| | bronchoconstriction in pentobarbital anesthetized | |
| | guinea-pig. | |
| | | |

| | xii | |
|------|---|--------|
| TABL | E | PAGE |
| 9. | Effect of the cumulative doses of methacholine-induced | 72 |
| | bronchoconstriction in pentobarbital anesthetized rats. | |
| 10. | Effect of the first set of cumulative methacholine-induced | 75 |
| | bronchoconstriction in various groups of anesthetized rats | |
| | used for testing the activity of PA-3. | |
| 11. | Effect of PA-3 on the second set of methacholine-induced | 77 |
| | bronchoconstriction in pentobarbital anesthetized rats. | |
| 12. | Effect of isoproterenol on the second set of methacholine- | 80 |
| | induced bronchoconstriction in pentobarbital anesthetized rats. | 3. |
| 13. | Effect of papaverine on the second set of methacholine- | 84 |
| | induced bronchoconstriction in pentobarbital anesthetized rats. | |
| 14. | Effect of verapamil on the second set of methacholine- | 87 |
| | induced bronchoconstriction in pentobarbital anesthetized | |
| | rats. | |
| 15. | Effect of aminophylline on the second set of methacholine- | 90 |
| | induced bronchoconstriction in pentobarbital anesthetized | |
| | rats. ID UNITUIO ICIOIU O | |
| 16. | Effect of PA-1 given intraperitoneally in conscious rats | ersity |
| | recorded 1 hr after drug administration. | |

LIST OF FIGURES

| FIG | URE | PAGE |
|-----|---|------|
| 1. | Concept of the pathogenesis of asthma. | 10 |
| 2. | Chemical structure of compound D. | 16 |
| 3. | Experimental set for recording of tracheal contraction | 20 |
| | using isolated guinea-pig tracheal chain. | |
| 4. | Experimental set for recording of tracheal contraction | 25 |
| | using isolated rat tracheal strip. | |
| 5. | Experimental model for recording of intratracheal | 27 |
| | pressure in pentobarbital anesthetized guinea-pig | |
| | or rat. | |
| 6. | Standardized work sheet for Hippocratic screening test. | 32 |
| 7. | Effect of phenylalkane derivatives, PA-1, PA-2, PA-3, | 36 |
| | PA-4 and PA-5 on histamine-induced contraction of the | |
| | isolated guinea-pig tracheal chain. | |
| 8. | Comparison of the dose-response relationship of | 39 |
| | phenylalkane derivatives on the histamine-induced | |
| | contraction of isolated guinea-pig tracheal chain. | |
| 9. | Effect of isoproterenol, papaverine, compound D, | 42 |
| | verapamil and aminophylline on histamine-induced | |
| | contraction of isolated guinea-pig tracheal chain. | |

| FIGUR | E | PAGE |
|-------|---|------|
| 10. | Comparison of dose-response relationship of PA-3 and | 45 |
| | reference drugs on the histamine-induced contraction | |
| | of isolated guinea-pig tracheal chain. | |
| 11. | Antagonistic activity of PA-3, isoproterenol, verapamil, | 48 |
| | papaverine and aminophylline on histamine-induced tracheal | |
| | contraction in the presence of propranolol (B-adrenergic | |
| | antagonist). | |
| 12. | Effect of atropine, papaverine, verapamil, aminophylline, | 50 |
| | compound D and PA-3 on methacholine-induced contraction | |
| | of isolated rat tracheal strip. | |
| 13. | Comparison of the dose-response relationship of PA-3 and | 56 |
| | reference drugs on the methacholine-induced tracheal | |
| | contraction of isolated rat tracheal strip. | |
| 14. | A. Increase in intratracheal pressure in response to the | 58 |
| | first and the second dosesof histamine in pentobarbital | |
| | anesthetized guinea-pigs. | |
| | B. Blocking effect of chlorpheniramine on histamine-induced | |
| | bronchoconstriction in pentobarbital anesthetized | |
| | Dyguinea-pigs. by Chiang Mai University | |
| 15. | Effect of PA-3 on histamine-induced bronchoconstriction in | 59 |
| | pentobarbital anesthetized guinea-pigs. | |

| r igu | KE . | PAGE |
|-------|---|-------|
| 16 | Effect of isoproterenol on histmaine-induced | 63 |
| | bronchoconstriction in pentobarbital anesthetized | |
| | guinea-pigs. | |
| 17. | Effect of verapamil on histamine-induced bronchoconstriction | 64 |
| | in pentobarbital anesthetized guinea-pigs. | |
| 18. | Effect of papaverine on histamine-induced bronchoconstriction | n 6.5 |
| | in pentobarbital anesthetized guinea-pigs. | |
| 19. | Effect of aminophylline on histamine-induced | 66 |
| | bronchoconstriction in pentobarbital anesthetized | |
| | guinea-pigs. | |
| 20. | Comparison of the dose-response relationship of PA-3 and | 67 |
| | reference drugs on the histamine-induced bronchoconstriction | |
| | in pentobarbital anesthetized guinea-pigs in terms of PIPR. | |
| 21. | Comparison of the dose-response relationship of PA-3 and | 68 |
| | reference drugs on the histamine-induced bronchoconstriction | n |
| | in pentobarbital anesthetized guinea-pigs in terms of RA. | |
| 22. | A. Increase in intratracheal pressure in response to the | 71 |
| | first and the second cumulative doses of | |
| 32 | methacholine in pentobarbital anesthetized rats. | |
| | B. Blocking effect of atropine on the second cumulative | |
| Co | doses of methacholine-induced bronchoconstriction in | |
| | pentobarbital anesthetized rats. | |

| FIGU | RE | PAGE |
|------|--|------|
| 23. | Dose-related bronchoconstriction caused by methacholine | 73 |
| | (intravenously) in pentobarbital anesthetized rats. | |
| 24. | Effect of PA-3 on dose-related methacholine-induced | 78 |
| | bronchoconstriction in pentobarbital anesthetized rats. | |
| 25. | Effect of PA-3 on methacholine-induced | 79 |
| | bronchoconstriction in pentobarbital anesthetized rats, | |
| | assessed in terms of PIPR and RA. | |
| 26. | Effect of isoproterenol on the dose-related methacholine- induced bronchoconstriction in pentobarbital | 81 |
| | anesthetized rats. | |
| 27. | Effect of isoproterenol on methacholine-induced | 82 |
| | bronchoconstriction in pentobarbital anesthetized rats, | |
| | assessed in terms of PIPR and RA. | |
| 28. | Effect of papaverine on the dose-related methacholine- | 85 |
| | induced bronchoconstriction in pentobarbital | |
| | anesthetized rats. | |
| 29. | Effect of papaverine on the methacholine-induced | 86 |
| | bronchoconstriction in pentobarbital anesthetized | |
| | rats, assessed in terms of PIPR and RA. | |
| 30. | Effect of verapamil on the dose-related methacholine- | 88 |
| | induced bronchoconstriction in pentobarbital | |
| | anesthetized rats. | |

| FIGUR | E | PAGE |
|-------|---|------|
| 31. | Effect of verapamil on methacholine-induced | 89 |
| | bronchoconstriction in pentobarbial anesthetized rats, | |
| | assessed in terms of PIPR and RA. | |
| 32. | Effect of aminophylline on the dose-related methacholine- | 91 |
| | induced bronchoconstriction in pentobarbital | |
| | anesthetized rats. | |
| 33. | Effect of aminophylline on methacholine-induced | 92 |
| | bronchoconstriction in pentobarbital-anesthetized rats, | |
| | assessed in terms of PIPR and RA. | |
| | | |
| | | |
| | | |
| | | |
| | C man | |
| | | |

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่ Copyright[©] by Chiang Mai University All rights reserved

ABBREVIATIONS

phenylalkane derivatives PAs cyclic adenosine 3', 5'-monophosphate cAMP SRS→A slow reacting substance of anaphylaxis immunoglobulin E IgE NSS normal saline solution central nervous system CNS centimetrès cm grams g millilitres ml millimetres mmmin minutes hr hours millilitres per kilogram body weight ml/kg micrograms per kilogram body weight ug/kg milligrams per kilogram body weight mg/kg pg/m1 picograms per millilitre nanograms per millilitre ng/ml micrograms per millilitre ug/ml