

VII. REFERENCES

- Akpan Eyo, B.J. 1987. An investigation of the pathogenic responses of *Aedes triseriatus* (Say) (Diptera : Culicidae) to infection by *Leptolegnia* sp. (Oomycetes : Saprolegniales). M.Sc. Thesis, Michigan State University, USA. 207 pp.
- Alexopoulos, C.J. and Mims, C.W. 1979. in Introductory Mycology 3rd, New York, John Wiley and Sons.
- Annis, B., Krisnowandju, S., Atmosoedjono, S. and Supardi, P. 1989. Suppression of larval *Aedes aegypti* populations in household water storage containers in Jakarta, Indonesia, through releases of first-instar *Toxorhynchites splendens* larvae. J. Am. Mosq. Control Assoc. 5 : 235.
- Annis, B. and Rusmiarto, S. 1988. Trial of a quantified mass rearing method for *Toxorhynchites splendens*. J. Am. Mosq. Control Assoc. 4 : 368.
- Armitage, P. and Bery, G. 1987. in Statistical Methods in Medical Research 2nd, pp. 273-282, California, Blackwell Scientific Publications.
- Aronson, A.I., Bechman, W. and Dunn, P. 1986. *Bacillus thuringiensis* and related insect pathogens. Microbiol. Rev. 50 : 1.
- Bechtel, D.B. and Bulla, L.A., Jr. 1976. Electron microscope study of sporulation and parasporal crystal formation in *Bacillus thuringiensis*. J. Bacteriol. 127 : 1472.

- Benjaphong, N., Chohanadisai, L., Boonyabancha, S. and Phanthumachinda, B. 1987. A collection, isolation and efficiency test of local pathogenic bacilli against mosquito larvae. Bull. Dept. Med. Sci. 29 : 1.
- Bernardini, M., Carilli, A., Pacioni, G. and Santurbano, B. 1975. Isolation of beauvericin from *Paecilomyces fumoso-roseus*. Phytochemistry 14 : 1865.
- Bheema Rao, U.S., Krishnamoorthy, K., Reddy, C.B.S. and Panicker, K.N. 1982. Feasibility of mosquito larval control in casuarina pits using *Gambusia affinis*. Indian J. Med. Res. 76 : 684.
- Brey, P.T. and Lebrun, R.A. 1987. External morphology of *Lagenidium giganteum* zoospores. Mycopathologia 97 : 45.
- Brown, A.W.A. 1986. Insecticide resistance in mosquitoes : A pragmatic review. J. Am. Mosq. Control Assoc. 2 : 123.
- Brown, B.J. and Platzer, E.G. 1978. Salts and the infectivity of *Romanomermis culicivora*. J. Nematol. 10 : 53.
- Bulla, L.A., Jr., Kramer, K.J. and Davidson, L.I. 1977. Characterization of the entomocidal parasporal crystal of *Bacillus thuringiensis*. J. Bacteriol. 130 : 375.
- Castillo, J.M. and Roberts, D.W. 1980. *In vivo* studies of *Coelomomyces punctatus* from *Anopheles quadrimaculatus* and *Cyclops vernalis*. J. Invertebr. Pathol. 35 : 144.
- Cech, J.J., Jr. and Linden, A.L. 1987. Comparative larvivorosity performances of mosquito fish, *Gambusia affinis* and juvenile sacramento blackfish, *Orthodon microlepidotus*, in experimental paddies. J. Am. Mosq. Control Assoc. 3 : 35.

- Choochote, W., Sucharit, S. and Abeyewickreme, W. 1983. A note on adaptation of *Anopheles annularis* Van Der Wulp, Kanchanaburi, Thailand to free mating in a 30x30x30 cm. cage. Southeast Asian J. Trop. Med. Pub. Hlth. 14 : 559.
- Chowanadisai, L., Benjaphong, N. and Phanthumachinda, B. 1984. Laboratory observations on *Toxorhynchites splendens* Wiedemann in Thailand. Southeast Asian J. Trop. Med. Pub. Hlth. 15 : 337.
- Clark, T.B, Kellen, W.R., Fukuda, T. and Lindegren, J.E. 1968. Field and laboratory studies on the pathogenicity of the fungus *Beauveria bassiana* to three genera of mosquitoes. J. Invertebr. Pathol. 11 : 1.
- Cooper, R. and Sweeney, A.W. 1982. The comparative activity of the Australian and United States strains of *Culicinomyces clavosporus* bioassayed in mosquito larvae of three different genera. J. Invertebr. Pathol. 40 : 383.
- Couch, J.N. 1972. Mass production of *Coelomomyces*, a fungus that kills mosquitoes. Proc. Nat. Acad. Sci. USA 69 : 2043.
- Couch, J.N., Romney, S.A. and Rao, B. 1974. A new fungus which attacks mosquitoes and related Diptera. Mycologia. 66 : 374.
- Crisan, E.V. 1971. Mechanism responsible for release of toxin by *Metarhizium* spores in mosquito larvae. J. Invertebr. Pathol. 17: 260.
- Cruickshank, R., Duguid, J.P., Marmion, B.P. and Swain, R.H.A. 1975. in Medical Microbiology 12th, Vol.2. pp. 314-315, Edinburgh, Churchill Livingstone.
- Davidson, E.W. and Sweeney, A.W. 1983. Microbial control of vectors : a decade of progress. J. Med. Entomol. 20 : 235.

- Davey, R.B. and Meisch, M.V. 1977. Control of dark rice field mosquito larvae, *Psorophora columbiae* by mosquito fish, *Gambusia affinis* and green sunfish, *Lepomis cyanellus*, in Arkansas rice fields. Mosq. News. 37 : 258.
- Deacon, J.W. 1984. in Introduction to Modern Mycology 2nd, ed. Wilkinson, J.E. pp. 211-215, California, Blackwell Scientific Publications.
- Domnas, A.J., Fagan, S.M. and Jaronski, S.T. 1982. Factors influencing zoospore production in liquid cultures of *Lagenidium giganteum* (Oomycetes : Lagenidiales). Mycologia 74 : 820.
- Domnas, A.J., Srebro, J.P. and Hicks, B.F. 1977. Sterol requirement for zoospore formation in the mosquito-parasitizing fungus *Lagenidium giganteum*. Mycologia 69 : 875.
- Domsch, K.H., Gams, W. and Anderson, T. 1986. in Compendium of Soil Fungi, Vol.1., Academic Press (London) Ltd.
- Domsch, K.H., Gams, W. and Anderson, T. 1986. in Compendium of Soil Fungi, Vol. 2., Academic Press (London) Ltd.
- Emmons, C.W., Binford, C.H., Utz, J.P. and Kwon-Chung, K.J. 1977. in Medical Mycology 3rd, pp. 523, Philadelphia, Lea and Febiger.
- Fargues, J. and Remaudiere, G. 1977. Considerations on the specificity of Entomopathogenic fungi. Mycopathologia 62 : 31.
- Federici, B.A., Fetter-Lasko, J., Soares, G. and Tsao, P.W. 1980. Fungi show promise in biological control. Calif.Agric. 34 : 25.
- Focks, D.A. and Boston, M.D. 1979. A quantified mass - rearing technique for *Toxorhynchites rutilus rutilus* (Coquillett). Mosq. News 39 : 616.

- Focks, D.A., Hall, D.W. and Seawright, J.A. 1977. Laboratory colonization and biological observations of *Toxorhynchites rutilus rutilus* (Coquillett). Mosq. News 37 : 751.
- Focks, D.A., Sackett, S.R. and Bailey, D.L. 1982. Field experiments on the control of *Aedes aegypti* and *Culex quinquefasciatus* by *Toxorhynchites rutilus rutilus* (Diptera : Cuticidae). J. Med. Entomol. 19 : 336.
- Focks, D.A., Seawright, J.A. and Hall, D.W. 1978. Laboratory rearing of *Toxorhynchites rutilus rutilus* (Coquillett) on a non-living diet. Mosq. News 38 : 325.
- Foo, A.E.S. and Yap, H.H. 1982. Comparative bioassays of *Bacillus thuringiensis* H-14 formulations against four species of mosquitoes in Malaysia. Southeast Asian J. Trop. Med. Pub. Hlth. 13 : 206.
- Gall, G.A.E., Cech, J.J., Jr., Garcia, R., Resh, V.H., and Washino, R.W. 1980. Mosquito fish—an established predator. Calif. Agric. 34 : 21.
- Gardner, J.M. and Pillia, J.S. 1986. *Tolypocladium cylindrosporum* (Deuteromycotina : Moniliales), a fungal pathogen of the mosquito *Aedes australis* I. Influence of temperature, pH and salinity on the growth and sporulation of the fungus in the laboratory. Mycopathologia 96 : 87.
- Gardner, J.M. and Pillia, J.S. 1987a. *Tolypocladium cylindrosporum* (Deuteromycotina : Moniliales), a fungal pathogen of the mosquito *Aedes australis* II. Methods of spore propagation and storage. Mycopathologia 97 : 77.

- Gardner, J.M. and Pillai, J.S. 1987b. *Tolypocladium cylindrosporum* (Deuteromycotina : Moniliales), a fungal pathogen of the mosquito *Aedes australis* III. Field trials against two mosquito species Mycopathologia 97 : 83.
- Gardner, J.M., Ram, R.C., Kumer, S. and Pillai, J.S. 1986. Field trials of *Tolypocladium cylindrosporum* larvae of *Aedes polynesiensis* breeding in crab holes in Fiji. J. Am. Mosq. Control Assoc. 2 : 292.
- Gerberg, E.J. 1970. Manual for mosquito rearing and experimental techniques. Am. Mosq. Control Assoc. Bull. No. 5 : 1.
- Gerberg, E.T. and Visser, W.M. 1978. Preliminary field trial for the biological control of *Aedes aegypti* by means of *Toxorhynchites brevipalpis*, a predatory mosquito larvae. Mosq. News 38 : 197.
- Glenn, F.E, Jr. and Chapman, H.C. 1978. A natural epizootic of the aquatic fungus *Lagenidium giganteum* in the mosquito *Culex territans*. Mosq. News 38 : 522.
- Goettel, M.S. 1987a. Preliminary field trials with the entomopathogenic Hyphomycete *Tolypocladium cylindrosporum* in central Alberta. J. Am. Mosq. Control Assoc. 3 : 239.
- Goettel, M.S. 1987b. Studies on bioassay of the entomopathogenic Hyphomycete fungus *Tolypocladium cylindrosporum* in mosquitoes. J. Am. Mosq. Control Assoc. 3 : 561.
- Goulding, R. 1988. Accidental pesticide poisoning : the toll is high. World Health Forum. 9 : 526.
- Grove, J.F. and Pople, M. 1980. The insecticidal activity of beauvericin and the enniatin complex. Mycopathologia 70 : 103.

- Guzman, D.R. and Axtell, R.C. 1986. Effect of nutrient concentration in culturing three isolates of the mosquito fungal pathogen, *Lagenidium giganteum* (Oomycetes : Lagenidiales), on sunflower seed extract. J. Am. Mosq. Control Assoc. 2 : 196.
- Guzman, D.R. and Axtell, R.C. 1987a. Population dynamics of *Culex quinquefasciatus* and the fungal pathogen *Lagenidium giganteum* (Oomycetes : Lagenidiales) in stagnant water pools. J. Am. Mosq. Control Assoc. 3 : 442.
- Guzman, D.R. and Axtell, R.C. 1987b. Temperature and water quality effects in simulated woodland pools on the infection of *Culex* mosquito larvae by *Lagenidium giganteum* (Oomycetes : Lagenidiales) in north Carolina. J. Am. Mosq. Control Assoc. 3 : 211.
- Hall, R.A. 1980. Effect of repeated subculturing on agar and passaging through an insect host on pathogenicity, morphology and growth rate of *Verticillium lecanii*. J. Invertebr. Pathol. 36 : 216.
- Hembree, S.C. 1979a. Mosquito pathogens from mounted collection of Thai mosquito larvae. Mosq. News 39 : 677.
- Hembree, S.C. 1979b. Preliminary report of some mosquito pathogens from Thailand. Mosq. News 39 : 575.
- Hofmann, C., Vanderbruggen, H., Hofte, H., Van Rie, J., Jansens, S. and Van Mallaert, H. 1988. Specificity of *Bacillus thuringiensis* -endotoxins is correlated with the presence of high-affinity binding sites in the brush border membrane of target insect midgut. Proc. Nat. Acad. Sci. USA 85 : 7844.
- Hofte, H. and Whiteley, H.R. 1989 Insecticidal crystal proteins of *Bacillus thuringiensis*. Microbiol. Rev. 53 : 242.

- Hoy, J.B., Kauffman, E.E. and O'Breg, A.G. 1972. A-large-scale field test of *Gambusia affinis* and chlorpyrifos for mosquito control. Mosq. News 32 : 161.
- Hoy, J.B., O'Berg, A.G. and Kauffman, E.E. 1971. The mosquito fish as a biological control against *Culex tarsalis* and *Anopheles freeborni* in Sacramento Valley rice fields. Mosq. News 31 : 141.
- Hoy, J.B. and Reed, D.E. 1971. The efficacy of mosquito fish for control of *Culex tarsalis* in California rice fields. Mosq. News 31 : 567.
- Ignoffo, C.M., Garcia, C., Kroha, M.J., Fukuda, T. and Couch, T.L. 1981. Laboratory tests to evaluate the potential efficacy of *Bacillus thuringiensis* var. *israelensis* for use against mosquitoes. Mosq. News 41 : 85.
- Ishibashi, Y., Kaufman, H.E., Ichinoe, M. and Kagawa, S. 1987. The pathogenicity of *Beauveria bassiana* in the rabbit cornea. Mykosen 30 : 115.
- Jaronski, S.T. and Axtell, R.C. 1982. Effects of organic water pollution on the infectivity of the fungus *Lagenidium giganteum* (Oomycetes : Lagenidiales) for larvae of *Culex quinquefasciatus* (Diptera : Culicidae) : field and laboratory evaluation. J. Med. Entomol. 19 : 255.
- Jaronski, S.T. and Axtell, R.C. 1983a. Effect of temperature on infection, growth and zoosporogenesis of *Lagenidium giganteum*, a fungal pathogen of mosquito larvae. Mosq. News 43 : 42.
- Jaronski, S.T. and Axtell, R.C. 1983b. Persistence of the mosquito fungal pathogen *Lagenidium giganteum* (Oomycetes : Lagenidiales) after introduction into natural habitats. Mosq. News 43 : 332.

- Jaronski, S.T. and Axtell, R.C. 1984. Simplified production system for the fungus *Lagenidium giganteum* for operational mosquito control. Mosq. News 44 : 377.
- Jaronski, S.T., Axtell, R.C., Fagan, S.M. and Domnas, A.J. 1983. *In vitro* production of zoospores by the mosquito pathogen *Lagenidium giganteum* (Oomycetes : Lagenidiales) on solid media. J. Invertebr. Pathol. 41 : 305.
- Jenkins, D.W. 1964. Pathogens, parasites and predators of medically important arthropods. Bull. W.H.O. 30 (Suppl.), 150 pp.
- Kerwin, J.L., Simmons, C.A. and Washino, R.K. 1986. Oosporogenesis by *Lagenidium giganteum* in liquid culture. J. Invertebr. Pathol. 47 : 258.
- Kerwin, J.L. and Washino, R.W. 1983. Sterol induction of sexual reproduction in *Lagenidium giganteum*. Exp. Mycol. 7 : 109.
- Kerwin, J.L., Washino, R.K. 1986. Ground and aerial application of the sexual and asexual stages of *Lagenidium giganteum* (Oomycetes : Lagenidiales) for mosquito control. J. Am. Mosq. Control Assoc. 2 : 182.
- Kerwin, J.L. and Washino, R.K. 1987. Ground and aerial application of the asexual stage of *Lagenidium giganteum* for control of mosquitoes associated with rice culture in the central valley of California. J. Am. Mosq. Control Assoc. 3 : 59.
- Knight, A.L. 1980. Host range and temperature requirements of *Culicinomyces clavosporus*. J. Invertebr. Pathol. 36 : 423.

- Kramer, V.L., Garcia, R. and Colwell, A.E. 1987. An evaluation of the mosquito fish, *Gambusia affinis*, and the inland silverside, *Menidia beryllina*, as mosquito control agents in California wild rice fields. J. Am. Mosq. Control Assoc. 3 : 626.
- Larone, D.H. 1987. in Medically Important Fungi : A Guide to Identification 2nd, pp. 189, New York, Elsevier Science Publishers.
- Lee, H.L. and Cheong, W.H. 1987. Field evaluation of the efficacy of *Bacillus thuringiensis* H-14 for the control of *Aedes (Stegomyia) albopictus* (Skuse). Mosq. Borne Dis. Bull. 3 : 57.
- Linley, J.R. 1987. Dial rhythm and lifetime course of oviposition in *Toxorhynchites amboinensis* (Diptera : Culicidae). J. Med. Entomol. 24 : 99.
- Lord, J.C. and Fukuda, T. 1988. An ultrastructural study of the invasion of *Culex quinquefasciatus* larvae by *Leptolegnia chapmanii* (Oomycetes : Saprolegniales). Mycopathologia 104 : 67.
- Lord, J.C., Fukuda, T. and Daniels, E. 1988. Salinity tolerance of *Leptolegnia chapmanii* (Oomycetes : Saprolegniales), a fungal pathogen of mosquito larvae. J. Am. Mosq. Control Assoc. 4 : 370.
- Malikul, S. 1989. Paper presented at the Mahidol University Seminar on Malaria Vaccine Development, held at the Faculty of Tropical Medicine, Bangkok, Thailand. 17-18 May 1988 in "Current Situation of Malaria in Thailand". Mosq. Borne Dis. Bull. 6 : 23.
- Margalit, J. and Dean, D. 1985. The story of *Bacillus thuringiensis* var. *israelensis* (Bti). J. Am. Mosq. Control Assoc. 1 : 1.
- Mather, K. and Jinks, J.L. 1958. Cytoplasm in sexual reproduction. Nature 182 : 1188.

- McCray, E.M., Jr. 1985. Biological control of mosquitoes. Am. Mosq. Control Assoc. Bull. No. 6 : 87.
- McCray, E.M., Jr., Umphlett, C.J. and Fay, R.W. 1973. Laboratory studies on a new fungal pathogen of mosquitoes. Mosq. News 33 : 54.
- McGaughey, W.H. 1985. Insect resistance to the biological insecticide *Bacillus thuringiensis*. Science 229 : 193.
- McGinnis, M.R. 1980. in Laboratory Handbook of Medical Mycology. pp. 352-355, New York, Academic Press, Inc.
- McInnis, T., Jr., Schimmel, L. and Noblet, R. 1985. Host range studies with the fungus *Leptolegnia*, a parasite of mosquito larvae (Diptera : Culicidae). J. Med. Entomol. 22 : 226.
- McInnis, T., Jr. and Zattau, W.C. 1982. Experimental infection of mosquito larvae by a species of the aquatic fungi *Leptolegnia*. J. Invertebr. Pathol. 39 : 98.
- Merriam, T.L. and Axtell, R.C. 1982. Salinity tolerance of two isolates of *Lagenidium giganteum* (Oomycetes : Lagenidiales), a fungal pathogen of mosquito larvae. J. Med. Entomol. 19 : 388.
- Miller, L.K., Lingg, A.J., Bulla, L.A., Jr. 1983. Bacterial, viral and fungal insecticides. Nature 219 : 715.
- Ministry of Public Health, Annual Report, 1984, 1985. Division of Epidemiology, Thailand.
- Mulla, M.S., Darwazed, H.A., Davidson, E.W., Dulmage, H.T. and Singer, S. 1984. Larvicidal activity and field efficacy of *Bacillus sphaericus* strains against mosquitoes larvae and their safety to non target organisms. Mosq. News 44 : 166.

- Murakoshi, S., Ichinoe, M., Suzuki, A., Kanaoka, M., Isogai, A. and Tamura, S. 1978. Presence of toxin substance in fungus bodies of the entomopathogenic fungi, *Beauveria bassiana* and *Verticillium lecanii*. Appl. Ent. Zool. 13 : 97.
- Myers, P.S. and Yousten, A.A. 1980. Localization of a mosquito-larval toxin of *Bacillus sphaericus* 1593. Appl. Environ. Microbiol. 39 : 1205.
- Nakajyo, S., Shimizu, K., Kometani, A., Kato, K., Kamizaki, J., Isogai, A. and Urakawa, N. 1982. Inhibitory effect of bassianolide a cyclodepsipeptide on drug-induced contractions of isolated smooth muscle preparations. Jpn. J. Pharmacol. 32 : 55.
- Nnakumusana, E.S. 1986. Susceptibility of mosquito larvae to *Leptolegnia* sp. Indian J. Med. Res. 84 : 586.
- Nnakumusana, E.S. and Seymour, R. 1981. Laboratory bioassay of the fungus *Leptolegnia ornata* (Seymour) Ohio isolate against seven species in five genera of mosquito larvae and non-target aquatic vertebrates. Indian J. Med. Sci. 41 : 219.
- Ohtomo, T., Murakoshi, S., Sugiyama, J. and Kurata, H. 1975. Detection of aflatoxin B₁ in silkworm larvae attacked by an *Aspergillus flavus* isolate from a sericultural farm. Appl. Microbiol. 30 : 1034.
- Panter, C. and Russell, R.C. 1984. Rapid kill of mosquito larvae by high concentrations of *Culicinomyces clavisporus* conidia. Mosq. News 44 : 242.

- Paterson, R.R.M., Simmonds, M.S.J. and Blaney, W.M. 1987. Mycopesticidal effect of characterized extracts of *Penicillium* isolates and purified secondary metabolites (including mycotoxins) on *Drosophila melanogaster* and *Spodoptera littoralis*. J. Invertebr. Pathol. 50 : 124.
- Peeters, H., Zocher, R. and Kleinkauf, H. 1988. Synthesis of beauvericin by a multifunctional enzyme. J. Antibiotics 41 : 352.
- Peeters, H., Zocher, R., Madry, N., Oelrichs, P.B., Kleinkauf, H. and Kraepelin, G. 1983. Cell-free synthesis of the depsipeptide beauvericin. J. Antibiotics 36 : 1762.
- Petersen, J.J. and Willis, O.R. 1972. Procedures for the mass rearing of mermithid parasite of mosquito. Mosq. News 32 : 226.
- Petersen, J.J., Willis, O.R. and Chapman, H.C. 1978a. Release of *Romanomermis culicivorax* for the control of *Anopheles albimanus* in El Salvador I. Mass production of the nematode. Am. Soc. Trop. Med. Hyg. 27 : 1265.
- Petersen, J.J., Chapman, H.C., Willis, O.R. and Fukuda, T. 1978b. Release of *Romanomermis culicivorax* for the control of *Anopheles albimanus* in El Salvador II. Application of the nematode. Am. J. Trop. Med. Hyg. 27: 1268.
- Philpot, C.M. 1977. The use of nutritional tests for the differentiation of dermatophytes. Sabouraudia 15 : 141.
- Pinnock, D.E., Garcia, R. and Cubbin, C.M. 1973. *Beauveria tenella* as a control agent for mosquito larvae. J. Invertebr. Pathol. 22 : 143.
- Platzer, E.G. and MacKenzie-Graham, L.L. 1980. *Cyclops vernalis* as a predator of the preparasitic stages of *Romanomermis culicivorax*. Mosq. News 40 : 252.

- Pont, W.P., Fontaine, R.E. and Gratz, N.D. 1977. A review of the World Health Organization Vector Biology and Control Program. Mosq. News 37 : 595.
- Ramoska, W.A., Watts, S. and Watts, H.A. 1981. Effects of sand formulated *Metarhizium anisopliae* spores on larvae of three mosquito species. Mosq. News 41 : 725.
- Rao, C.K., Sundarm, R.M., Venkatanarayane, M., Rao, S.J., Chandrasekharan, A., Rao, C.K. 1981. Epidemiological studies on bancroftian filariasis in East Godowari district (Andhra Pradesh). Entomological aspects. J. Commun. Dis. 13 : 81.
- Raphael, S.S. (ed.) 1983. in Lynch's Medical Laboratory Technology 4th, pp. 824-825, Philadelphia, W.B. Saunders Company.
- Rawlings, P., Herath, P.R.J. and Kelly, S. 1985. *Anopheles culicifacies* (Diptera : culicidae) : DDT resistance in Sri Lanka prior to and after cessation of DDT spraying. J. Med. Entomol. 22 : 361.
- Reed, L.V. and Muench, H. 1938. A simple method of estimating fifty percent end points. Am. J. Hyg. 27 : 493.
- Roberts, D.W. 1969. Toxins from the entomogenous fungus *Metarrhizium anisopliae* : Isolation of destruxins from submerged cultures. J. Invertebr. Pathol. 14 : 82.
- Roberts, D.W. 1977. Fungal pathogens, except *Coelomomyces*, of Culicidae (mosquitoes). Bull. W.H.O. 55 (Suppl.1), 154 pp.
- Roberts, D.W. and Aist, J.R. (eds.) 1984. in Infection Processes of Fungi. The Rockefeller Foundation, USA.
- Roberts, D.W. and Castillo, J.M. (eds.) 1980. Bibliography on pathogens of medically important arthropods : 1980. Bull. W.H.O. 58 (Suppl.1), 197 pp.

- Roberts, D.W. and Strand, M.A. (eds.) 1977. Pathogens of medically important arthropods. Bull. W.H.O. 55 (Suppl.1), 419 pp.
- Rojanapremsuk, J., Keittivuti, B., Temcharoen, P., Keittivuti, A, Palasudhi, K and Pinichpongse, S. 1986. Control of malaria vectors by means of environmental modification and manipulation. J. Parasitol. Trop. Med. Assoc. Thailand 9 : 1.
- Romoska, W.A., Watts, S. and Watts, H.A. 1981. Effects of sand formulated *Metarhizium anisopliae* spores on larvae of three mosquito species. Mosq. News 41 : 725.
- Rubio, Y. and Ayesta, C. 1984. Laboratory observations on the biology of *Toxorhynchites theobaldi*. Mosq. News 44 : 86.
- Sachs, S.W., Baum, J. and Mies, C. 1985. *Beauveria bassiana* keratitis. Br. J. Ophthalmol. 69 : 548.
- Samuels, R.I., Charnley, A.K. and Reynolds, S.E. 1988. The role of destruxins in the pathogenicity of 3 strains of *Metarhizium anisopliae* for the tobacco hornworm *Manduca sexta*. Mycopathologia 104 : 51.
- Schaerffenberg, B. 1964. Biological and environmental conditions for the development of mycoses caused by *Beauveria* and *Metarhizium*. J. Insect Pathol. 6 : 8.
- Sebasteien, R.J. and Brust, R.A. 1981. An evaluation of two formulations of *Bacillus thuringiensis* var. *israelensis* for larval mosquito control in Sodlined simulated pools. Mosq. News 41 : 508.
- Serit, M.A. and Yap, H.H. 1984. Comparative bioassays of *Tolypocladium cylindrosporum* Gams (California strain) against four species of mosquitoes in Malaysia. Southeast Asian J. Trop. Med. Pub. Hlth. 15 : 331.

Service, M.W. 1983. Biological control of mosquitoes-Has it a future ?

Mosq. News 43 : 113.

Seymour, R.L. 1984. *Leptolegnia chapmanii*, an oomycete pathogen of mosquito larvae. Mycologia 76 : 670.

Seymour, R. and Briggs, J.D. 1985. Occurrence and control of *Aphanomyces* (Saproleginales : fungi) infections in laboratory colonies of larval *Anopheles*. J. Am. Mosq. Control Assoc. 1 : 100.

Seymour, R., Cowgill, U.M., Klecka, G.M., Gersich, F.M. and Mayers, M.A. 1984. Occurrence of *Aphanomyces daphniae* infection in laboratory cultures of *Daphnia magna*. J. Invertebr. Pathol. 43 : 109.

Silapanuntakul, S., Pantuwatana, S., Bhumiratana, A. and Charoensiri, K. 1983. The comparative persistence of toxicity of *Bacillus sphaericus* strain 1593 and *Bacillus thuringiensis* serotype H-14 against mosquito larvae in different kinds of environments. J. Invertebr. Pathol. 42 : 387.

Soares, G.G., Jr. 1982. Pathogenesis of infection by the Hyphomycetous fungus, *Tolyposcladium cylindrosporum* in *Aedes sierrensis* and *Culex tarsalis* [Dip : Culicidae]. Entomophaga 27 : 283.

Sparrow, F.K., Jr. 1960. in Aquatic Phycomycetes 2th, Ann Arbor, The University of Michigan Press.

Suchitra, N. 1987. Dengue haemorrhagic fever in Thailand. Southeast Asian J. Trop. Med. Pub. Hlth. 18 : 291.

Sucharit, S. (ed.) 1988. in Filariasis in Thailand. Bangkok, Krung Siam Publishers.

- Suzuki, A., Kanaoka, M., Isogai, A., Murakoshi, S., Ichinoe, M. and Tamura, S. 1977. Bassianolide, a new insecticidal cyclodepsipeptide from *Beauveria bassiana* and *Verticillium lecanii*. Tetrahedron Letters (25) : 2167.
- Sweeney, A.W. 1975. The mode of infection of the insect pathogenic fungus *Culicinomyces* in larvae of the mosquito *Culex fatigans*. Aust. J. Zool. 23 : 49.
- Sweeney, A.W. 1981. Preliminary field tests of the fungus *Culicinomyces* against mosquito larvae in Australia. Mosq. News 41 : 470.
- Sweeney, A.W., Cooper, R. and Medcraft, B.E. 1983. Field tests of the mosquito fungus *Culicinomyces clavisporus* against the Australian encephalitis vectors *Culex annulipotriss*. Mosq. News 43 : 290.
- Takahashi, M. and Yasutomi, K. 1987. Insecticidal resistance of *Culex tritaeniorhynchus* (Diptera : culicidae) in Japan : genetics and mechanisms of resistance of organophosphorus insecticides. J. Med. Entomol. 24 : 595.
- Thevasagayam, E.C. 1985. Environmental management in mosquito control. Southeast Asian J. Trop. Med. Pub. Hlth. 16 : 145.
- Umphlett, C.J., and Huang, C.S. 1972. Experimental infection of mosquito larvae by a species of the aquatic fungus *Lagenidium*. J. Invertebr. Pathol. 20 : 326.
- Ungchusak, K. 1989. Dengue haemorrhagic fever in Thailand, 1988. Dengue Newsletter W.H.O. 14 : 23.
- Van Essen, F. and Hembree, S.C. 1982. Simulated field studies with four formulations of *Bacillus thuringiensis* var. *israelensis* against mosquitoes : Residual activity and effect of soil constituents. Mosq. News 41 : 66.

- Walstad, J.D., Anderson, R.F. and Stambaugh, W.J. 1970. Effects of environmental conditions on two species of muscardine fungi (*Beauveria bassiana* and *Metarhizium anisopliae*). J. Invertebr. Pathol. 16 : 221.
- Webster, J. 1980. in Introduction to Fungi 2nd, pp. 150, Cambridge University Press, Cambridge.
- Willis, O.R., Chapman, H.C. and Petersen, J.J. 1980 Additional field testing of the mermithid parasite *Romanomeris culicivorax* against *Anopheles albimanus* in El Salvador. Mosq. News 40 : 71.
- Whisler, H.C., Zebold, S.L. and Shemanchuk, J.A. 1975. Life history of *Coelomomyces psorophorae*. Proc. Nat. Acad. Sci. USA 72 : 693.
- Wongsiri, S. and Andre, R.G. 1984. Biological control of mosquitoes in Thailand. J. Sci. Soc. Thailand. 10 : 37.
- World Health Organization 1970. Pesticide residues in food. Report of the 1969 Joint Meeting of the FAO Working Party of Experts on Pesticide Residues and the WHO Expert Group on Pesticide Residues. WHO. Tech. Rpt. Ser. No.458, 43 pp.
- World Health Organization 1971. Pesticide residues in food. Report of the 1970 Joint FAO/WHO Meeting. WHO. Tech. Rpt. Ser. No.474, 44 pp.
- World Health Organization 1980a. Data sheet on the biological control agent; *Metarhizium anisopliae*. WHO/VBC/80. 758, 9 pp.
- World Health Organization 1980b. Resistance of vectors of disease to pesticides. Fifth Report of the W.H.O. Expert Committee on Vector Biology and Control. WHO. Tech. Rpt. Ser. No.655, 82 pp.

- World Health Organization 1982. Biological control of vectors of disease. Sixth report of the WHO Expert Committee on Vector Biology and Control. WHO. Tech. Rpt. Ser. No. 679, 40 pp.
- Yasuno, M. and Tonn, R.J. 1970. Bionomics of *Toxorhynchites splendens* in the larvae habitat of *Aedes aegypti* in Bangkok, Thailand. Bull. W.H.O. 43 : 762.
- Yasutomi, K. and Takahashi, M. 1987. Insecticidal resistance of *Culex tritaeniorhynchus* (Diptera : culicidae) in Japan : a country-wide survey of resistance to insecticides. J. Med. Entomol. 24 : 604.
- Yousten, A.A. and Davison, E.W. 1982. Ultrastructural analysis of the spores and parasporal crystals formed by *Bacillus sphaericus* 2297. Appl. Environ. Microbiol. 44 : 1449.
- Zaim, M., Ladonni, H., Ershadi, M.R.Y., Manouchehri, A.V., Sahabi, Z., Nazari, M. and Shahmohammadi, H. 1988. Field application of *Romanomeris culicivorax* (Mermithidae : Nematoda) to control Anopheline larvae in Southern Iran. J. Am. Mosq. Control Assoc. 4 : 351.
- Zattau, W.C. and McInnis, T., Jr. 1987. Life cycle and mode of infection of *Leptolegnia chapmanii* (Oomycetes) parasitizing *Aedes aegypti*. J. Invertebr. Pathol. 50 : 134.