

## REFERENCES

- Allen, J.R.L., 1964, "Studies in Fluvial Sedimentation : Six Cyclothem from the Lower Old Red Sandstone Anglo Welsh Basin", Sedimentology, V.3, p.163-198.
- Asnachinda, P., 1978, Tin mineralization in the Burmese-Malayan Peninsular : A Plate Tectonic Model, In: Nutalaya, P. (ed.), Proc. Reg. Conf. Geol. Min. Res. SE Asia, 3, p.293-300.
- Aramprayoon, B., 1981, Photolineament and Folding Map of Thailand, Scale 1:1,000,000, Geol. Surv. Div., DMR., Bangkok.
- ASTM, 1989, Annual Book of American Standard for Testing Materials, V.05, U.S.A., 459 p.
- Baker, C., 1980, Organic Geochemistry in Petroleum Exploration", Continuing Education Course Note Series No.10, AAPG. p.107-122.
- Baum, F., Hahn, E.V., Hess, A., Koch, K.E., Kraus, G., Quarch, H., and Seibenhuhner, M., 1970, "On the Geology of Northern Thailand", Report on the German Geological Mission in Thailand, Bangkok, Thailand, 33 pp.
- Beicip, 1988, Geochemical studies applied to the oil and gas explorations, France, 53 pp.
- Brown, C.A., 1960, Palynological techniques, Baton Rouge., 188 pp.
- Brown, G.F., Buravas, S., Charaljanaphet, J., Jalichandra, N., Johnston, W.D., Sresthaputra, V., and Taylor, G.C., 1953, "Geological Reconnaissance of the Mineral Deposits of Thailand", U.S. Geo. Surv. Bull. V.984; Geol. Surv. em.e, Roy. Dept. Mines, Bangkok, Thailand, 183 pp.

- Bunopas, S., 1976, "On the Stratigraphic Succession in Thailand - A Preliminary Summary, "Jour. Geol. Soc. Thailand, 2(1-2), p.31-58.
- Bunopas, S., 1981, Paleogeographic History of Western Thailand and Part of Southeast Asia - A Plate Tectonic Interpretation, Ph.D. Thesis, Victoria University of Wellington, New Zealand, 810 pp.
- Buravas, S., 1975, "Age of the Mae Soon Oil Field of Fang Basin, Chiang Mai Province", Spec. Publ. of Dept. Geol. Sci., Chiang Mai University, 2, p.61-65.
- Burton, C.K., 1984, The Tectonic Frameworks of Mainland Southeast Asia, In : Thiramongkol, N., Nakaphadungrat, S., and V., Pisutha-Arnond (eds.), Conference on Application of Geology and the National Development, Nov. 19-22, p.255-268, Bangkok.
- Bustin, R.M., Cameroon, A.R., Grieve, D.A., and Kalkrenth, W.D., 1983, Coal petrology: its principles, methods and applications, 2nd edition : Geological Association of Canada Short Course Notes, V.3, 229 p.
- Cant, D.J., and Walker, R.G., 1978, Fluvial processes and facies sequences in the Sandy Braided South Saskatchewan River, Canada, Sedimentology 25 : 625-648.
- Carrol, D., 1970, Clay minerals, A guide to their X-ray identification, Geol. Soc. of America, Spec. Publ. 126, 80 pp.
- Chaodumrong, P., Ukakimapan, Y., Snansieng, S., Janmaha, S., Pradidtan, S., Leow, N., 1983, "A review on the Tertiary sedimentary rocks of Thailand", Proc. Workshop on Stratigraphic Correlation of Thailand and Malaysia Vol.1 Technical Paper, Haad Yai, Thailand, p.159-187.

- Chaturongkawanich, S., Wongwanich, T., Chuaviroj, S., 1980, "Geology of Amphoe Fang, Changwat Chiang Mai", Final Report on Geothermal Resources of Northern Thailand submitted to the Electricity Generating Authority of Thailand, 49 pp.
- Chuaviroj, S., Chaturongkawanich, S., 1984, "Geology and Geothermal Resources in Northern Thailand", Geological Survey of Japan Report, No.263.
- Chinbunchorn, N., Pradidtan, S., and Sattayarak, N., 1989, Petroleum Potential of Intermontane Basins in Thailand, Proc. of Int. Symposium on Intermontane Basins : Geology and Resources (Thanasuthipitak, T., and Ounchanum, P., eds.), Chiang Mai, Thailand.
- Cook, A.C., and Kantsler, A.J., 1982, The Origin and Petrology of Organic Matter in Coals, Oil Shales, and Petroleum Source Rocks, The Univ. of Wollongong, Wollongong, N.S.W., Australia, 106 pp.
- \_\_\_\_\_, and Ranasinghe, S.P., 1990, Organic Geochemistry and Its Application To The Oil Industry, Chulalongkorn Univ., Bangkok, 126 pp.
- Defence Energy Department (D.E.D.), 1987, Geological report of well IF 30 03S, Ban Nong Yao, Fang Basin, Bangkok, Thailand, 16 pp.
- Demaison, G.J., and Moore, G.T., 1980, Anoxic environments and oil source bed genesis, Am. Assoc. Pet. Geol. Bull., 64, p.1179-1209.
- Dutescu, P., and Enache, V., 1980, "Consideration on the Present Stage of the Exploration and Exploitation for Oil in Fang Basin", Department of Defence Energy, Thailand, 38 pp. (unpublished).
- Elsik, W.C., 1969, Late Neogene palynomorphic diagrams, Northern Gulf of Mexico, Transactions Gulf Coast Association of Geol. Societies, Vo.XIX, p.509-525.

- Elsik, 1978, Classification and Geological History of Microthyriaceous fungi. Proc. IV int. Palynol. Conf. Lucknow (1976-77) 1 : 331-342.
- \_\_\_\_\_, 1990, Hypoxylonites and Spirotremesporites form genera for Eocene to Pleistocene fungal spores bearing a single furrow, Paleontogeographica, 216, p.137-169.
- ETSPADR, 1989, Early Tertiary Spore - Pollen Assemblage from Dongu Region, Series on stratigraphy and paleontology of oil and gas bearing areas in China, Petroleum Ind. Press, 182 pp.
- Galloway, W.E., and Hobday, D.K., 1983, Terrigenous clastic depositional systems, Springer-Verlag., New York, 423 pp.
- Geophysical Service International Ltd. (G.S.I.), 1961, "Final Field Report and Interpretation, Mae Fang Basin, Thailand for Thailand's Defence Energy Department" Werle, L.H. (Party chief), Party 860, 18 pp. (unpublished).
- German Geological Mission to Thailand (G.G.M.), 1972, "Final Report of the German Geological Mission to Thailand" Geological Survey of the Federal Republic of Germany, Hannover.
- Germeraad, J.H., Hopping, C.A.; Muller, J., 1968, Palynology of Tertiary Sediments from Tropical Areas, Rev. Paleobotany and Palyno.6, p.186-348.
- Gibling, M.R., and Ratanasthien, B., 1980, "Cenozoic basins of Thailand and their coal deposits", Open-file report 8105-1, Dept. of Geol. Sci., Chiang Mai Univ., 12 pp.
- \_\_\_\_\_, Tantisukrit, C., Uttamo, W., Thanasuthipitak, T., and Haraluck, M., 1985, Oil Shale Sedimentology and Geochemistry in Cenozoic Mae Sot Basin, Thailand, AAPG, Vol.69, No.5, p.767-780.

- Glass and Elsik, 1986, Fungal Spores from the Upper Eocene Manning Formation Jackson Group, East and South Central Texas, U.S.A., *Pollen Et. Spore*, Vol. XXVIII, No. 3-4, p. 403-420.
- Heroux, Y., Chagnon, A., and Bertrand, R., 1979, Compilation and Correlation of Major Thermal Maturation Indicators, *Bull. Amer. Assoc. Petrol. Geol.*, 63, p. 2128-2144.
- Hunt, J.M., 1979, *Petroleum Geochemistry and Geology*, San Francisco, W.H. Freeman and Co., 617 pp.
- Hutton, A.C., Kantsler, A.J., Cook, A.C., and Mackirdy, D.M., 1980, Organic matter in oil shales, Australian Petroleum Exploration Association, 20 : 44-67.
- ICCP, 1963, International Committee For Coal Petrology, International Handbook of Coal Petrology, 2<sup>nd</sup> ed. Cent. Nat. de la Rech. Scie., Paris, France.
- \_\_\_\_\_, 1971, International Committee For Coal Petrology, International Handbook of Coal Petrology, 1<sup>st</sup> Supplement to 2<sup>nd</sup> ed. Cent. Nat. de la Rech. Scie., Paris, France.
- Kar, R.K., and Kumar, M., 1986, Paleocene palyno-stratigraphy of Maghalya, India, *Pollen Et Spores*, Vol. XXVIII (1986) No. 2, p. 177-218.
- Khantaprab, C., and Kaewsang, K., 1987, Sedimentary facies analysis and Petroleum potential assessment of Fang Basin, Chulalongkorn University, Bangkok, Thailand, 292 pp.
- Krauskopf, K.B., 1979, Introduction to Geochemistry, McGraw-Hill, New York, 617 pp.

- Kukal, Z., 1971, Geology of Recent Sediments, Academic Press, London, 490 pp.
- Kulsing, P., 1984, Reserves of Fang Oil Field, Division of Raw Material Exploration and Production, Defence Energy Department.
- Lee, W., 1923, Reconnaissance Geological Report of the Districts of Payap and Maharashtra, Northern Siam, Dept. of Strat. Railways, Bangkok.
- Meesuk, R.D., 1986, Geology of the Tertiary Coal Basins of Thailand, M.Sc. Thesis, Univ. of Aston, Dept. of Geology, 331 pp.
- Miall, A.D., 1978, "Lithofacies Types and Vertical Profile Models in Braided River", Fluvial Sedimentology (Miall, A.D., ed.), Can. Soc. Petrol. Geol. Mem.5, p.597-604.
- Nutalaya, P., 1975, "Cenozoic Rocks" Spec. Publ. Dept. Geol. Sci., Chiang Mai Univ., Vol.1, p.129-142.
- North, F.K., 1985, Petroleum Geology, Allen and Unwin, Boston, U.S.A., 607 pp.
- Peters, K.E., 1986, Guide lines for evaluating petroleum source rocks using programmed pyrolysis, AAPG Bull. V.70, p.318-329.
- Picard, M.D., and High, L.R., 1972, "Criteria for Recognising Lacustrine Rocks", Recognition of Ancient Sedimentary Environments (Rigby, J.K., and W.K., Hamblin, eds.), Special Publ. No.6, Soc. of Econ. Paleontologists, p.108-141.
- Polachan, S., and Sattayarak, 1989, Strike-Slip Tectonics and the Development of Tertiary Intermontane Basins in Thailand. In Thanasuthipitak, T., and Ounchanum, P., (eds.), Proceedings of the National Symposium on Intermontane Basins : Geology and Resources, Jan. 30 - Feb. 2, pp.243-253, Chiang Mai, Thailand.

- Pompilian, D., and Vasile, E., 1980, "Consideration on the Present Stage of the Exploration and Exploitation Activity for Oil in Fang Basin". Defence Energy Department, (Unpublished paper).
- Potter, E., Maynard, J.B., and Pryor, W.A., 1980, Sedimentology of Shale, Springer-Verlag, New York, 303 pp.
- Powell, T.G., 1978, An assessment of the hydrocarbon source rock potential of the Canadian Arctic Islands : Geological Survey of Canada Paper, 78-12, 82 p.
- Praditnan, S., 1989, Characteristics and Controls of Lacustrine Deposits of Some Tertiary Basins in Thailand, Proceedings of Int. Symp. on Intermontane Basins (Thanasuthipitak, T., and Ounchanum, P., eds.), Chiang Mai, Thailand, p.133-145.
- Ratanasthien, B., 1988, Correlation of Neogene tectonic events in Thailand by means of radiometric dating and biostratigraphy (including palynology), Proceedings of International Symposium IGCP-246, Workshop on Pacific Neogene Continental and Marine Events, Nanjing, China, 2-8 Jan., 1988, p.175-194.
- \_\_\_\_\_, B., and Haraluck, M., 1988, Palynological evidence of Fang Oil Bearing Formation : Proc. of 1987, Annual Technical Meeting on Geology and Mineral Resources of Thailand, Dept. of Geol., Chiang Mai Univ., Chiang Mai, Thailand, p.83-98.
- \_\_\_\_\_, B., and Uttamo, W., 1991, Coal petrography of Wiang Haeng deposits, Proceedings of Annual Technical Meeting, 1989 : Geology and Mineral Resources of Thailand, Indochina and Myanmar and Pacific Neogene Events in Southeast Asia (Ounchanum, P., and Ratanasthien, B., eds.), Chiang Mai, Thailand, p.17-27.

- RCPLSA, 1985, A Research on Cenozoic Palynology of the Longjing Structural Area in the Shelf Basin of the East China Sea (Donghai) Region, Anhui Science and Technology Publishing House, China, 209 p.
- Reading, H.G., 1978, In Sedimentary Environments and Facies (Reading, H.G., ed.), p.1-14, Blackwell Scientific Publication, Oxford-London-Edinburgh-Melbourne.
- RLCPBS, 1989, Research on Late Cenozoic Palynology of the Bohai Sea, Nanjing Univ. Press, 195 pp.
- RTPQB, 1985, A research on Tertiary Palynology from Qaidam Basin, Qunghai Province, China, The Petrol. Ind. Press, 297 pp.
- Selly, R.C., 1970, Ancient Sedimentary Environments, Chapman and Hall, London, 237 pp.
- Settakul, N., 1984, Pong Nok Oil Field : Proc. of Symp. on Cenozoic Basins in Thailand (Thanasuthipitak, P., ed.), Dept. of Geol., Chiang Mai University, p.21-42.
- \_\_\_\_\_, N., 1985, Petroleum Geology of Fang Basin, Division of Oil Exploration and Exploitation, Defence Energy Department, Chiang Mai.
- \_\_\_\_\_, N., and Pimsarn, V., 1991, Source rock screening and oil source rock correlation in IF 30-01G and IF 30-02S, Proceedings of the Annual Technical Meeting 1991 : Geology and Mineral Resources of Thailand, Indochina and Myanmar and Pacific Neogene Events in Southeast Asia (Ounchanum, P., and Ratanasthien, B., eds.), Chiang Mai, Thailand, p.111-140.
- Sheffy, M.V., and Dilcher, D.L., 1971, Morphology and taxonomy of fungal spores, *Palaeontogeographica*, 133, Stuttgart, p.33-51.

- Sherwood, N.R., Cook, A.C., Gibling, M., and Tantisukrit, C., 1984, Petrology of a suite of sedimentary rocks associated with some coal bearing basins in Northern Thailand, *Int. Journal of Coal Geol.* 4, p.45-71.
- Stach, E., Mackowsky, M.Th., Teichmuller, M., Taylor, M., Chandra, G.H., Teichmuller, R., 1975/1982, Stach's Text Book of Coal Petrology, Berlin, 2<sup>nd</sup> edn., 428 pp., 3<sup>rd</sup> edn., 535 pp.
- Stuchlik, L., 1964, Pollen analysis of the Miocene deposits at Rypin. *Acta Palaeobot.*, 5(2), p.1-113.
- Suensilpong, S., Burton, C.K., Workman, P.R., and Nopadol, M., 1979a, Outline of the Geological Evolution and Igneous Activities of Thailand and Adjacent areas, Granite Project Paper No.5, Geol. Surv. Div., DMR., Bangkok.
- Teodorovich, G.I., 1961, Authigenic Minerals in Sedimentary Rocks, Consultants Bureau, New York, 120 pp.
- Thomson, P.W., and Pflug, H., 1953, Pollen and Sporen des Mitteleu Palschen Tertiars, *Paleogeographica*, B.94, p.1-138.
- Tissot, B.P., and Welte, D.H., 1978/1984, Petroleum Formation and Occurrence : a new approach to oil and gas exploration, New York, Springer-Verlag, 1<sup>st</sup> edn., 538 pp., 2<sup>nd</sup> edn., 538 pp.
- \_\_\_\_\_, B.P., 1984, Recent advances in petroleum geochemistry applied to hydrocarbon exploration, *AAPG Bulletin*, V.68, p.545-563.
- Uttamo, W., 1989, "Field guide to Fang Basin", In : International Symposium on Intermontane Basins, Chiang Mai, Thailand, 30 p.
- Visher, G.S., 1965, Use of Vertical Profile in Environment Reconstruction, *Bull. Amer. Assoc. Petrol. Geol.*; V.49, p.41-61.

- Watanasak, M., 1989, Palynological Zonation of Mid-Tertiary Intermontane Basins in Northern Thailand : Proceedings of the Int. Symp. on Intermontane Basins in Northern Thailand : Geology and Resources (Thanasuthipitak, T., and Ounchanum, P., eds.), Chiang Mai, Thailand, p.216-255.
- Wilkinson, G.C., and Boutler, M.C., 1980, Oligocene Pollen and Spores from the Western part of the British Isles. *Paleontographica B*, 175 : 27-83.
- Williams, H., Turner, F.J., and Gilbert, C.M., 1985, *Petrography : An introduction to the study of rocks*, 2<sup>nd</sup> ed. CBS Bpu. and Dis., India, 629 pp.
- Ziembinska-Tworzdlo, M., 1974, Palynological characteristics of the Neogene of Western Poland-*Acta Palaeontologica and Polonica*, 19, 309-432.