

VII

CONTENTS


	Page
ABSTRACT IN THAI	I
ABSTRACT IN ENGLISH	III
ACKNOWLEDGMENT	VI
CHAPTER 1 INTRODUCTION	1
1.1 General	1
1.2 Location	4
1.3 Physiography	4
1.4 Scope of the study	6
1.5 Objectives	6
1.6 Study methodology	7
1.7 Previous work	12
CHAPTER 2 GEOLOGICAL OVERVIEW	16
2.1 Regional geological setting	16
2.2 Structural framework of Northern Thailand	19
2.3 Geology of Fang Basin	22
2.4 Cenozoic stratigraphy of Fang Basin	29
2.4.1 Mae Sot Formation	31
2.4.2 Mae Fang Formation	33
CHAPTER 3 SUBSURFACE GEOLOGY OF OIL WELL IF 30 03S	34
3.1 General	34
3.2 Lithologic sequence	35

VIII

	Page
3.2.1 Unit 1	35
3.2.2 Unit 2	43
3.2.3 Unit 3	45
3.2.4 Unit 4	46
3.2.5 Unit 5	47
3.2.6 Unit 6	47
3.3 Facies sequences and depositional environments	48
3.3.1 Lower lacustrine facies	49
3.3.2 Fluvio-lacustrine facies	51
3.2.3 Upper lacustrine facies	52
3.2.4 Lower braided fluvial facies	54
3.2.5 Meandering fluvial facies	54
3.2.6 Upper braided fluvial facies	55
CHAPTER 4 MINERALOGY AND ORGANIC PETROLOGY	58
4.1 General characteristics	58
4.1.1 Description of hand specimens	58
4.1.2 Thin section study	60
4.2 X-ray diffraction analysis (Mineralogy)	60
4.2.1 Sample analysis	62
4.2.2 Semiquantitative analysis	62
4.2.3 Interpretation of X-ray data	70
4.3 Environment of deposition	70
4.4 Organic petrology	73
4.4.1 Introduction	73

	Page
4.4.2 Organic petrological method	74
4.4.3 Organic petrological features (Results and discussion)	76
4.4.4 Thermal maturity	85
CHAPTER 5 PALYNOLOGY	90
5.1 Introduction	90
5.2 Sample preparation	92
5.3 Selected palynomorphs	93
5.4 Systematic palynology	106
5.5 Palynologic assemblages and paleoenvironmental interpretation	109
5.5.1 Palyno-assemblage 1	112
5.5.2 Palyno-assemblage 2	114
A. Palyno-assemblage 2.1	114
B. Palyno-assemblage 2.2	115
5.6 Age Approximation	117
CHAPTER 6 GEOCHEMICAL ANALYSIS AND PETROLEUM SOURCE ROCK FACIES	125
6.1 Introduction	125
6.2 Geochemical methods	125
6.2.1 Rock-Eval pyrolysis/TOC method	127
6.3 Geochemical analysis (Results and discussion)	129
6.3.1 Abundance of organic matter	130
6.3.2 Organic matter type	132
6.3.3 Level of thermal maturity	135

	Page
6.3.4 Petroleum (Genetic) potential	139
6.4 Petroleum source rock facies	140
CHAPTER 7 SUMMARY AND CONCLUSION	146
REFERENCES	152
APPENDIX	162
VITA	165



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
 Copyright© by Chiang Mai University
 All rights reserved

LIST OF TABLES

Tables	Page
1.1 List of hydrocarbon analyses	11
2.1 Comparative stratigraphic classifications and nomenclatures of Cenozoic deposits of the Fang Basin (after Khantaprab and Kaewsang, 1987)	30
4.1 Relative abundance of minerals of shale samples from Oil Well IF 30 03S	69
4.2 Terminology, origin and optical properties of macerals (ICCP, 1963, 1971)	75
4.3 Volumetric composition and fluorescence colors and intensity of exinite macerals of shale samples (Oil Well IF 30 03S)	77
4.4 Spore color index and vitrinite reflectance data (after D.E.D., 1987)	86
5.1 Samples for palynological studies	91
5.2 Possible botanical affinities of Tertiary palynomorphs from IF 30 03S	110
5.3 Distribution of palynomorphs and the corresponding sedimentary facies of Oil Well IF 30 03S	124
6.1 Rock-Eval pyrolysis and TOC contents (after D.E.D., 1987)	126
6.2 Solvent extraction data (after D.E.D., 1987)	126

LIST OF FIGURES

Figures	Page
1.1 Map showing important petroleum exploration/production areas of the Fang Basin mentioned in the text (modified after Khantaprab and Kaewsaeng, 1987)	2
1.2 Location map of Oil Well IF 30 03S, Ban Nong Yao, Fang Basin	5
1.3 A generalised scheme (research design) representing the sedimentological, palynological, petrological and geochemical studies	8
2.1 Geological map of Northern Thailand (after Suensilpong, 1978)	17
2.2a Major tectonic features of continental southeast Asia (after Burton, 1984)	20
2.2b Structural map of northern Thailand (after Songpope Polachan and Nares Sattayarak, 1989)	21
2.3 Photolineament map of the Fang Basin and adjacent areas (after Aramprayoon, 1981)	23
2.4 Geological map of Chiang Mai - Fang area (after Uttamo, 1989)	25
2.5 Fang basin play types (Based on GSI), Seismic line F2/F6 (after Settakul and Pimasarn, 1991)	27
3.1 The subsurface lithological sequence of Oil Well IF 30 03S interpreted from gamma-ray geophysical log	36
3.2 Subsurface sedimentary facies and depositional environments of Oil Well IF 30 03S	57
4.1 XRD analysis of lowermost shale (Unit 1)	63
4.2 XRD analysis of lowermost shale (Unit 1)	64
4.3 XRD analysis of a shale sample from the lower part of Unit 2	65
4.4 XRD analysis of shale from the middle part of Unit 2	66
4.5 XRD analysis of shale from the lower part of Unit 3	67
4.6 XRD analysis of claystone from the upper part of Unit 3	68

Figures	Page	
4.7	Vitrinite reflectance against depth (after D.E.D., 1987)	88
4.8	Spore color index against depth (after D.E.D., 1987)	89
5.1	Known stratigraphic ranges of selected palynomorphs of Oil Well IF 30 03S	118
6.1	Cycle of analysis and example of record by the pyrolysis method and its application to the petroleum industry (after Tissot and Welte, 1984)	128
6.2	Geochemical log of Oil Well IF 30 03S	131
6.3	Hydrogen index/Tmax diagram (Organic matter type and thermal maturity)	133
6.4	HI vs. TOC diagram showing increased source rock potential from lower left to upper right of the plot for shale samples from Oil Well IF 30 03S	136
6.5	Maturation range chart indicating oil and gas windows, for the major macerals and kerogen types (after Cook and Ranasinghe, 1990)	138
6.6	Source rock quality (potential) from the upper and lower lacustrine shales. Classification of source rock quality is after Cook and Ranasinghe (1990)	141
6.7	Source rock quality based on TOC content and extractable hydrocarbon yields of two samples from Oil Well IF 30 03S. Classification of source rock quality is after Powell (1978)	142

XIV

LIST OF PLATES

Plates	Page
4.1 Figure 1 Photomicrograph of distinctly laminated shale showing alternation of organic and mineral matter rich laminae from the lower lacustrine facies (mag. 400 x)	59
Figure 2 Photomicrograph of massive-microlaminated shale from the upper lacustrine facies (mag. 400 x)	59
4.2 Figure 1 Photomicrograph of sandstone from the lower lacustrine facies (mag. 400 x)	61
Figure 2 Photomicrograph of conglomeratic sandstone from the fluvio-lacustrine facies (mag. 400 x)	61
4.3 Figure 1 Lower lacustrine shale showing <i>Botroyococcus</i> related Telalginite (oil imm., mag. 400 x)	79
Figure 2 Sclerotinite from the lower lacustrine shale (oil imm., mag. 400 x)	79
4.4 Figure 1 <i>Botroyococcus</i> related Telalginite partially replaced by fine aggregates of pyrite and mineral matter (oil imm., mag. 400 x)	81
Figure 2 <i>Botroyococcus</i> related Telalginite from the lower lacustrine shale (oil imm., mag. 400 x)	81
4.5 Figure 1 Common forms of vitrinite and fine aggregates of pyrite (oil imm., mag. 400 x) from the upper part of the fluvio-lacustrine facies). Note also the sparse inertodetrinite	82
Figure 2 Lamalginite lying parallel to bedding plane (oil imm., mag. 400 x)	82
4.6 Figure 1 Typical field of view showing abundant liptodetrinite from the lower lacustrine shales (oil imm., mag., 400 x)	84
Figure 2 Framboids of pyrite (oil imm., mag., 400 x) from the lower lacustrine shales	84
1-5 Selected Palynomorphs	94-105