

CONTENTS

	Page
ACKNOWLEDGEMENTS	iii
ABSTRACT (English)	iv
ABSTRACT (Thai)	vi
LIST OF TABLES	xiii
LIST OF FIGURES	xvii
LIST OF SCHEMES	xxiii
ABBREVIATIONS	xxiv
CHAPTER 1 : INTRODUCTION	1
1.1 Poly- α -Esters	1
1.2 Ring-Opening Polymerisation	4
1.2.1 Ring-Opening Polymerisation of Glycolide Intermediates	5
1.2.2 Ring-Opening Polymerisation of Anhydrosulphite or Anhydrocar- boxylate Heterocycles	6
1.3 Scope and Objectives of This Work	9

	Page
CHAPTER 2 : KINETICS OF POLYCONDENSATION	10
2.1 Introduction	10
2.1.1 Mechanisms of Polycondensation	10
2.1.2 Kinetics of Polycondensation	13
2.1.2.1 Case 1 : Self-Catalysed Polyesterification	15
2.1.2.2 Case 2 : Acid-Catalysed Polyesterification	18
2.1.3 Time-Dependence of the Average Degree of Polymerisation and the Average Molecular Weight	19
2.2 Experimental Aspects	23
2.2.1 Chemicals and Apparatus	23
2.2.2 Polyesterification Methodology Used in This Work	25
2.2.3 Uncatalysed Polyesterification of Glycolic Acid	26
2.2.4 Catalysed Polyesterification of Glycolic Acid	55
2.2.4.1 p-Toluenesulfonic Acid- Catalysed Polyesterification	56
2.2.4.2 Antimony Trioxide- Catalysed Polyesterification	71

	Page
2.2.5 Structural Analysis of Low Molecular Weight Poly(glycolic acid) by Infrared Spectrometry	86
CHAPTER 3 : SYNTHESIS OF HIGHER MOLECULAR WEIGHT POLY(GLYCOLIC ACID)	92
3.1 Previous Work	92
3.2 Synthesis of Glycolide	94
3.2.1 RUN 1 : Uncatalysed Polyesteri- fication followed by Antimony Trioxide-Catalysed Thermal Decomposition	96
3.2.2 RUN 2 : p-Toluenesulfonic Acid- Catalysed Polyesterification followed by Antimony Trioxide- Catalysed Thermal Decomposition	97
3.2.3 RUN 3 : Antimony Trioxide- Catalysed Polyesterification followed by Antimony Trioxide- Catalysed Thermal Decomposition	98
3.2.4 Structural Analysis of Glycolide by Infrared Spectrometry	100
3.2.5 Discussion of Glycolide Synthesis	103

	Page
3.3 Polymerisation of Glycolide	109
3.3.1 Introduction	109
3.3.1.1 Previous Work	109
3.3.1.2 Anionic Polymerisation	110
3.3.1.3 Cationic Polymerisation	111
3.3.2 Experimental Aspects	112
3.3.2.1 Polymerisation using Aluminium Triethyl as Initiator	112
3.3.2.2 Polymerisation using Antimony Trifluoride as Initiator	138
3.3.2.3 Polymerisation using Stannous Octoate as Initiator	157
3.3.2.4 Polymerisation using Stannous Oxalate as Initiator	174
CHAPTER 4 : CONCLUSIONS	190
4.1 Kinetics of Polycondensation of Glycolic Acid	190
4.2 Synthesis of Glycolide	197

	Page
4.3 Synthesis of Higher Molecular Weight Poly(glycolic acid)	202
SUGGESTIONS FOR FURTHER WORK	207
REFERENCES	209
APPENDIX	215
VITA	218



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright© by Chiang Mai University
All rights reserved

LIST OF TABLES

Table		Page
1.1	Structure and nomenclature of some poly- α -esters	2
2.1	Chemicals used in the kinetic experiments	23
2.2	Data obtained from RUN 1 : uncatalysed polyesterification of glycolic acid at 150 °C/atm/N ₂	31
2.3	Data obtained from RUN 2 : uncatalysed polyesterification of glycolic acid at 180 °C/reduced pressure (after initial solidification at 150 °C/atm/N ₂)	35
2.4	Data obtained from RUN 3 : uncatalysed polyesterification of glycolic acid at 200 °C/reduced pressure (after initial solidification at 150 °C/atm/N ₂)	39
2.5	Comparison of kinetic parameters for uncatalysed polyesterification of glycolic acid under different conditions	46
2.6	Data obtained from RUN 4 : p-toluenesulfonic acid- catalysed polyesterification of glycolic acid at 150 °C/atm/N ₂	57
2.7	Data obtained from RUN 5 : p-toluenesulfonic acid- catalysed polyesterification of glycolic acid at 180 °C/reduced pressure (after initial solidification at 150 °C/atm/N ₂)	60

Table		Page
2.8	Data obtained from RUN 6 : p-toluenesulfonic acid-catalysed polyesterification of glycolic acid at 200 °C/reduced pressure (after initial solidification at 150 °C/atm/N ₂)	63
2.9	Comparison of kinetic parameters for p-toluenesulfonic acid-catalysed polyesterification of glycolic acid under different conditions	67
2.10	Data obtained from RUN 7 : antimony trioxide-catalysed polyesterification of glycolic acid at 150 °C/atm/N ₂	72
2.11	Data obtained from RUN 8 : antimony trioxide-catalysed polyesterification of glycolic acid at 180 °C/reduced pressure (after initial solidification at 150 °C/atm/N ₂)	75
2.12	Data obtained from RUN 9 : antimony trioxide-catalysed polyesterification of glycolic acid at 200 °C/reduced pressure (after initial solidification at 150 °C/atm/N ₂)	78
2.13	Comparison of kinetic parameters for antimony trioxide-catalysed polyesterification of glycolic acid under different conditions	81
2.14	Infrared spectra interpretation for glycolic acid and poly(glycolic acid)	90
3.1	The synthesis of glycolide : comparison of results of RUNS 1-3	99

Table	Page
3.2 Comparison of the infrared spectra of a recrystallised glycolide product (from RUN 3) and a commercial (Polysciences, Inc.) sample	102
3.3 Variation in colour of the poly(glycolic acid) products obtained at different polymerisation times and temperatures using aluminium triethyl as initiator	114
3.4 Interpretation of infrared spectra of crude and purified poly(glycolic acid) products initiated by aluminium triethyl	117
3.5 Physical characterisation for poly(glycolic acid) initiated by aluminium triethyl at 180 °C	124
3.6 Physical characterisation for poly(glycolic acid) initiated by aluminium triethyl at 200 °C	125
3.7 Physical characterisation for poly(glycolic acid) initiated by aluminium triethyl at 220 °C	126
3.8 Variation in colour of the poly(glycolic acid) products obtained at different polymerisation times and temperatures using antimony trifluoride as initiator	139
3.9 Physical characterisation for poly(glycolic acid) initiated by antimony trifluoride at 180 °C	143
3.10 Physical characterisation for poly(glycolic acid) initiated by antimony trifluoride at 200 °C	144

Table	Page
3.11 Physical characterisation for poly(glycolic acid) initiated by antimony trifluoride at 220 °C	145
3.12 Variation in colour of the poly(glycolic acid) products obtained at different polymerisation times and temperatures using stannous octoate as initiator	159
3.13 Physical characterisation for poly(glycolic acid) initiated by stannous octoate at 180 °C	162
3.14 Physical characterisation for poly(glycolic acid) initiated by stannous octoate at 200 °C	163
3.15 Physical characterisation for poly(glycolic acid) initiated by stannous octoate at 220 °C	164
3.16 Variation in colour of the poly(glycolic acid) products obtained at different polymerisation times and temperatures using stannous oxalate as initiator	176
3.17 Physical characterisation for poly(glycolic acid) initiated by stannous oxalate at 180 °C	179
3.18 Physical characterisation for poly(glycolic acid) initiated by stannous oxalate at 200 °C	180
3.19 Physical characterisation for poly(glycolic acid) initiated by stannous oxalate at 220 °C	181
4.1 Comparison of kinetic parameters for glycolic acid polyesterification experiments	192
4.2 Glycolide polymorphs (taken from [31])	201

LIST OF FIGURES

Figure		Page
2.1	Apparatus used in the polyesterification of glycolic acid ; (a) polyesterification under an atmospheric pressure of nitrogen gas; (b) polyesterification under reduced pressure	24
2.2	Third-order rate plot for the uncatalysed polyesterification of glycolic acid at 150 °C/atm/N ₂ ; RUN 1	32
2.3	Average degree of polymerisation of poly(glycolic acid) as a function of time at 150 °C/atm/N ₂ with no catalyst added; RUN 1	33
2.4	Third-order rate plot for the uncatalysed polyesterification of glycolic acid at 180 °C/reduced pressure (after initial solidification at 150 °C/atm/N ₂); RUN 2	36
2.5	Average degree of polymerisation of poly(glycolic acid) as a function of time at 180 °C/reduced pressure (after initial solidification at 150 °C/atm/N ₂) with no catalyst added; RUN 2	37

Figure		Page
2.6	Third-order rate plot for the uncatalysed polyesterification of glycolic acid at 200 °C/reduced pressure (after initial solidification at 150 °C/atm/N ₂); RUN 3	40
2.7	Average degree of polymerisation of poly(glycolic acid) as a function of time at 200 °C/reduced pressure (after initial solidification at 150 °C/atm/N ₂) with no catalyst added; RUN 3	41
2.8	Extent of reaction of functional groups in the uncatalysed polyesterification of glycolic acid as a function of time ; comparison of RUNS 1-3	42
2.9	Second-order rate plot for the p-toluenesulfonic acid-catalysed polyesterification of glycolic acid at 150 °C/atm/N ₂ ; RUN 4	58
2.10	Second-order rate plot for the p-toluenesulfonic acid-catalysed polyesterification of glycolic acid at 180 °C/reduced pressure (after initial solidification at 150 °C/atm/N ₂); RUN 5	61
2.11	Second-order rate plot for the p-toluenesulfonic acid-catalysed polyesterification of glycolic acid at 200 °C/reduced pressure (after initial solidification at 150 °C/atm/N ₂); RUN 6	64
2.12	Second-order rate plot for the antimony trioxide-catalysed polyesterification of glycolic acid at 150 °C/atm/N ₂ ; RUN 7	73

Figure	Page
2.13	76
Second-order rate plot for the antimony trioxide-catalysed polyesterification of glycolic acid at 180 °C/reduced pressure (after initial solidification at 150 °C/atm/N ₂); RUN 8	
2.14	79
Second-order rate plot for the antimony trioxide-catalysed polyesterification of glycolic acid at 200 °C/reduced pressure (after initial solidification at 150 °C/atm/N ₂); RUN 9	
2.15	88
Comparison of the infrared spectra of the glycolic acid starting material and the poly(glycolic acid) product (from RUN 3)	
2.16	89
Reference infrared spectra of :	
(a) glycolic acid [41];	
(b) commercial poly(glycolic acid) sample (Polysciences, Inc.)	
3.1	95
Apparatus used in the two-stage preparation of glycolide :	
(a) glycolic acid polycondensation to low mol. wt. PGA;	
(b) thermal degradation of low mol. wt. PGA to glycolide	
3.2	101
Infrared spectrum of recrystallised glycolide product (RUN 3)	
3.3	101
Infrared spectrum of commercial glycolide sample (Polysciences, Inc.)	

Figure		Page
3.4	Apparatus used for the polymerisation of glycolide	113
3.5	Infrared spectrum of crude PGA obtained using aluminium triethyl as initiator at 200 °C after 1 hour	115
3.6	Infrared spectrum of purified PGA obtained using aluminium triethyl as initiator at 200 °C after 1 hour	116
3.7	DSC curves of crude PGA initiated by aluminium triethyl showing the effect of reaction time	127
3.8	DSC curves of crude PGA initiated by aluminium triethyl showing the effect of reaction temperature	127
3.9	DSC curves of PGA initiated by aluminium triethyl showing the effect of purification by reprecipitation	128
3.10	Infrared spectrum of crude PGA obtained using antimony trifluoride as initiator at 200 °C after 1 hour	140
3.11	Infrared spectrum of purified PGA obtained using antimony trifluoride as initiator at 200 °C after 1 hour	141
3.12	DSC curves of crude PGA initiated by antimony trifluoride showing the effect of reaction time	146
3.13	DSC curves of crude PGA initiated by antimony trifluoride showing the effect of reaction temperature	146

Figure		Page
3.14	DSC curves of PGA initiated by antimony trifluoride showing the effect of purification by reprecipitation	147
3.15	Infrared spectrum of crude PGA obtained using stannous octoate as initiator at 200 °C after 1 hour	160
3.16	DSC curves of crude PGA initiated by stannous octoate showing the effect of reaction time	165
3.17	DSC curves of crude PGA initiated by stannous octoate showing the effect of reaction temperature	165
3.18	DSC curves of PGA initiated by stannous octoate showing the effect of purification by reprecipitation	166
3.19	Infrared spectrum of crude PGA obtained using stannous oxalate as initiator at 200 °C after 1 hour	175
3.20	Infrared spectrum of crude PGA obtained using aluminium triethyl as initiator at 200 °C after 1 hour	177
3.21	DSC curves of crude PGA initiated by stannous oxalate showing the effect of reaction time	182
3.22	DSC curves of crude PGA initiated by stannous oxalate showing the effect of reaction temperature	182

Figure	Page
3.23 DSC curves of PGA initiated by stannous oxalate showing the effect of purification by reprecipitation	183
3.24 DSC curves of PGA showing the effect of varying the initiator at 180 °C	188
3.25 DSC curves of PGA showing the effect of varying the initiator at 200 °C	189
3.26 DSC curves of PGA showing the effect of varying the initiator at 220 °C	189
4.1 DSC curves showing the results of purity analysis [73] :	200
(a) recrystallized glycolide product (from RUN 3);	
(b) commercial glycolide sample (Polysciences, Inc.)	
4.2 Comparison of infrared spectra showing the sequence of structural changes in the synthesis of PGA :	206
(a) glycolic acid (starting material);	
(b) low molecular weight PGA;	
(c) glycolide;	
(d) higher molecular weight PGA (crude)	

LIST OF SCHEMES

Scheme	Page
1.1 Poly- α -ester synthesis via the ring-opening polymerisation of glycolide intermediates	7
1.2 Poly- α -ester synthesis via the ring-opening polymerisation of anhydrosulphite or anhydrocarboxylate heterocycles	8
3.1 Mechanism of thermal degradation of poly(glycolic acid) to glycolide via intramolecular ester interchange	105
3.2 Proposed mechanism for the aluminium triethyl initiated ring-opening polymerisation of glycolide	135
3.3 Proposed mechanism for the antimony trifluoride initiated cationic ring-opening polymerisation of glycolide	151
3.4 Proposed mechanism for the stannous octoate initiated anionic ring-opening polymerisation of glycolide	169
3.5 Proposed mechanism for the stannous oxalate initiated anionic ring-opening polymerisation of glycolide	185

ABBREVIATIONS

atm	atmospheric pressure
°C	degrees Celcius
DMSO	dimethylsulfoxide
DSC	Differential Scanning Calorimetry
Fig.	Figure
GA	glycolic acid
M	molar concentration
mm Hg	millimeters of mercury
mol. wt.	molecular weight
PGA	poly(glycolic acid)
PTSA	p-toluenesulfonic acid
°T	องศาเซลเซียส

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่

Copyright© by Chiang Mai University

All rights reserved