

VII


TABLE OF CONTENTS

	PAGE
ACKNOWLEDGEMENT	I
ABSTRACT	II
LIST OF TABLES	X
LIST OF FIGURES	XI
ABBREVIATIONS	XIII
I. INTRODUCTION	1
II. LITERATURE REVIEW	3
1. Structure and expression of human hemoglobins	3
2. The α -globin gene cluster	4
3. Molecular defects of α -thalassemia	8
3.1 α -Thalassemia 2 or α^+ thalassemia : one deleted α globin gene per chromosome-designated ($-\alpha /$)	8
3.2 α -Thalassemia 1 or α^0 thalassemia : total deletion of two α globin genes per chromosome-designated (-- /)	11
3.3 Nondeletional α -thalassemia	12
4. Interaction between α -thalassemia determinant	16
5. Hb H disease	16
6. Purpose of the study	18

VIII

III. MATERIALS AND METHODS	19
1. Blood samples	19
2. Transformed bacterial strain	19
3. Preparation of genomic DNA	23
4. Restriction endonuclease digestion of genomic DNA	24
5. Agarose gel electrophoresis	24
6. Southern blots	24
7. Large-scale preparation of recombinant plasmid DNA	26
8. Purification of recombinant plasmid DNA by equilibrium ultracentrifugation in CsCl-ethidium bromide gradients	27
9. Preparation of α_2 - and ζ - globin specific probes	28
10. Probe biotinylation with BioNick Labelling System TM	31
11. Hybridization	33
12. Washing	33
13. Detection	34
IV. RESULTS	38
1. Preparation of genomic DNA	38
2. Restriction endonuclease digestion of genomic DNA	38
3. Preparation of the α_2 - and ζ -globin specific probes	38
4. α Globin genes analysis	41
V. DISCUSSION	51

VI. CONCLUSION	58
VII. REFERENCES	59
VIII. APPENDIX	69
IX. BIOGRAPHY	78



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่

Copyright© by Chiang Mai University

All rights reserved

LIST OF TABLES

TABLES		PAGE
1	Non-deletion mutants that cause α -thalassemia	15
2	Some hematological data of Hb H patients according to out-patients department (OPD) cards	20
3	Restriction fragment length (kb) deleted with the α - and ζ -globin specific probes in various conditions	49
4	Frequency of different genotypes observed in patients with Hb H disease	50

LIST OF FIGURES

Figure		PAGE
1	The organization of the α -globin complex	5
2	The mechanism of unequal crossover that give rise to the $-\alpha^{3.7}$ and $-\alpha^{4.2}$ deletions	10
3	Summerizes the deletions that give rise to α^0 -thalassemia	13
4	The recombinant plasmid containing α_2 probe	21
5	The recombinant plasmid containing ζ probe	22
6	Isolation of the DNA specific fragments from the gel by using DNA trapping cell TM	30
7	Principle of BioNick Labelling System TM	32
8	<i>Eco</i> R I restriction endonuclease maps of the area around the α - globin gene cluster in normal, α -thalassemia 2 and α -thalassemia 1	36
9	<i>Bgl</i> II restriction endonuclease maps of the area around the α -globin gene cluster in normal and both α -thalassemia 2 genotypes	37
10	A pattern of genomic DNA digested with restriction endonuclease after running in 0.7 % agarose gel in 0.5xTBE and staining with EtBr solution (0.05 μ g/ml)	39

XII

- 11 A pattern of the recombinant plasmids digested with restriction endonuclease after running in 0.65 % agarose gel in 0.5xTBE and staining with EtBr solution (0.05 $\mu\text{g/ml}$) 40
- 12-15 Autoradiogram of genomic DNA digested with *Eco* R I and hybridized with the ζ -globin specific probe 42
- 16-18 Autoradiogram of genomic DNA digested with *Bgl* II and hybridized with the α -globin specific probe 46


XIII

ABBREVIATIONS

Hb	hemoglobin
N	nucleoside triphosphate
A	Adenine
C	Cytosine
G	Guanine
T	Thymine
U	Uracil
cm	centrimeter
nm	nanometer
cm ²	centrimeter square
g	gram
µg	microgram
ng	nanogram
µl	microlitre
mM	millimolar
M	molar
bp	base pair
kb	kilobase
°C	degree celcius
h	hour
rpm	revolution per minute
WHO	World Health Organization
PCR	polymerase chain reaction

XIV

EDTA	ethylene diamine tetraacetic acid
MgCl ₂	magnesium chloride
NaCl	sodium chloride
SDS	sodium dodecyl sulfate
TBE	Tris/borate/EDTA
TBS	Tris buffer saline
SSC	standard saline citrate
OD	optical density



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่

Copyright© by Chiang Mai University

All rights reserved