

## REFERENCES

- Albitar M, Care A, Peschle C, and Liebhaber SA. (1992). Developmental switching of messenger RNA expression from the human  $\alpha$ -globin cluster ; fetal/adult pattern of  $\theta$ -globin gene expression. *Blood*: 80; 1586-1591.
- Bowden DK, Hill AVS, Higgs DR, Oppenheimer SJ, Weatherall DJ, and Clegg JB. (1987). Different hematologic phenotypes are associated with leftward ( $\alpha$ -4.2) and rightward ( $\alpha$ -3.7)  $\alpha^+$ -thalassemia deletion. *J. Clin Invest*: 79; 39-43.
- Bowden DK, Vickers MA, and Higgs DR. (1991). A PCR-based strategy to detect the common severe determinants of  $\alpha$  thalassemia. *Brit J Haematol*: 81; 104-108.
- Bunn HF, and Forget BG. (1986). *Hemoglobin : Molecular Genetic and Clinical Aspects*. Philadelphia, Saunders: p 257-261.
- Chamrasratanakorn T. (1990). Alpha thalassemia gene in northern Thailand: incidence of deletional and hemoglobin Constant Spring types. Thesis for Master of Science, Chiang Mai University.
- Chan V, Chan TK, Liang ST, Ghosh A, Kan YW, and Todd D. (1985). Hydrops fetalis due to an unusual form of Hb H disease. *Blood*: 66; 224-228.
- Chang JG, Tseng WP, Yang LH, Lee LS, Chen PH, and Liu TC. (1993). Rapid diagnosis of hemoglobin Constant Spring and hemoglobin E by amplified created restriction sites. [letter]. *Blood*; 81; 5645-5646.
- Clegg JB, and Weatherall DJ. (1967). Haemoglobin synthesis in  $\alpha$ -thalassemia (Haemoglobin H disease). *Nature*: 215; 1241-1243.

- Clegg JB, and Weatherall DJ. (1974). Hemoglobin Constant Spring, an unusual  $\alpha$ -chain variant involved in the etiology of Hemoglobin H disease. *Ann NY Acad Sci*: 232; 168-178.
- Clegg JB, Weatherall DJ, and Milner PG. (1971). Hemoglobin Constant Spring - a chain termination mutant ? *Nature*: 234; 337-340.
- Deisseroth A, Neinhuis A, Turner P, Velez R, Anderson WF, Ruddle FH, Lawrence J, Creagan R, and Kucherlapati R. (1977). Localization of the human  $\alpha$ -globin structural gene to chromosome 16 in somatic cell hybrids by molecular hybridization assay. *Cell*: 12; 205-218.
- Deisseroth A, Neinhuis A, Lawrence J, Giles R, Turner P, and Ruddle FH. (1978). Chromosomal localization of human  $\alpha$ -globin gene on human chromosome 11 in somatic cell hybrids. *Proc Natl Acad Sci USA*: 75;1456-1460.
- Dozy AM, Kan YW, Embury SH, Mentzer WC, Wang WC, Lubin B, Davis JR, and Konig HM. (1979).  $\alpha$ -Globin gene organization in blacks precludes the severe form of  $\alpha$ -thalassemia. *Nature*: 280; 605-607.
- Erlich HA. (1992). *PCR Technology: Principles and applications for DNA amplification*. W.H. Freeman and Company, New York: p 1-16.
- Fodde R, Losekoot M, Van Den Brock MH, Oldenberg M, Rashida N, Schreuder A, Wijnen JT, Giordano PC, Nayudu NV, and Khan PM. (1988). Prevalence and molecular heterogeneity of  $\alpha^+$  thalassemia in two tribal populations from Andhra Pradesh, India. *Hum Genet*: 80; 157-160.
- Fucharoen S, and Winichagoon P. (1987). Hemoglobinopathies in Southeast Asia. *Hemoglobin*: 11; 65-88.

- Fucharoen S, Fucharoen G, and Fukumaki Y. (1990). Simple non radioactive method for detecting haemoglobin Constant Spring gene. [letter]. *Lancet*: 335; 1527.
- Guyer RL, and Koshland Jr DF. (1990). The molecule of the year. *Science*: 246; 1543-1544.
- Higgs DR, and Weatherall DJ. (1983).  $\alpha$ -Thalassemia. In S. Piomelli (Ed), *Current Topics in Hematology*. New York. AR Liss.
- Higgs DR, Vickers MA, Wilkie AOM, Pretorius IM, Jarman AP, and Weatherall DJ. (1989). A review of the molecular genetics of the human  $\alpha$ -globin gene cluster. *Blood*: 73; 1081-1104.
- Higgs DR, Hill AVS, Bowden DK, Weatherall DJ, and Clegg JB. (1984). Independent recombination events between duplicated human  $\alpha$ -globin genes: Implication for their concerted evolution. *Nucleic Acids Res*: 12; 6965-6977.
- Hsia YE, Ford CA, Shapiro LJ, Hunt JA, and Ching NSP. (1989). Molecular screening for haemoglobin Constant Spring. *Lancet*: 1; 988-991.
- Huehns ER, Flynn FU, Butler EA, and Beaven GH. (1961). Two new haemoglobin variants in a very young human embryo. *Nature*: 189; 496-498.
- Hundrieser J, Sanguansermisri T, Pape T, Laig M, and Flatz G. (1988).  $\alpha$ -Thalassemia in northern Thailand: Deletional types characterized at the DNA level. *Hum Hered*: 38; 211-215.
- Hundrieser J, Laig M, Yongvanit P, Sribunlue P, Sanguansermisri T, Kuhnau UV, Pape M. and Flatz G. (1990). Study of  $\alpha$ -thalassemia in northeastern Thailand at the DNA level. *Hum Hered*: 40; 85-88.
-

- Hunt DM, Higgs DR, Winichagoon P, Clegg JB, and Weatherall DJ. (1982). Haemoglobin Constant Spring has an unstable  $\alpha$ -chain messenger RNA. *Br J Haematol*: 51; 405-413.
- Innis AM, Gelfand DH, Sninsky JJ, and White TJ. (1990). PCR protocol: A guide to methods and applications. Academic Press, California: p 1-20 and p 450.
- Kaltsoya A, Fessas P, and Stravropulos A. (1966). Hemoglobins of early human embryonic development. *Science*: 153, 1417-1419.
- Kanavakis E, Tzotzos S, Liapaki K, Metaxotou-Mavromati A, and Kattamis C. (1988). Molecular basis and prevalence of  $\alpha$ -thalassemia in Greece. *Birth Defects*: 23; 377-380.
- Kattamis C, Tzotzos S, kanavakis E, Synodinos J, and Metaxotou-Mavrommati A. (1988). Correlation of clinical phenotype to genotype in Haemoglobin H disease. *Lancet*: 1: 442-444.
- Kosasih EN, Cai SP, Kan YW, and Lie-Injo LE. (1988). Hemoglobin Constant Spring defined by specific oligonucleotide hybridization and hemoglobin D Punjab ( $\beta$  21---Gln) in a Batak Indonesian family. *Am J Hematol*: 29; 22-26.
- Kropp GL, Fucharoen S, and Embury SH. (1989). Selective enzymatic amplification of  $\alpha_2$ -globin DNA for detection of the hemoglobin Constant Spring mutation. *Blood*: 73; 1987-1992.
- Kropp GL, Fucharoen S, and Embury SH. (1991). Asymmetrically primed selective amplification/temperature shift fluorescence polymerase chain reaction to detect the hemoglobin Constant Spring mutation. *Blood*: 78; 26-29.

- Laig M, Pape M, Hundrieser J, Flatz G, Sanguansermsri T, Das BM, Deka R, Yongvanit P, and Mularlee N. (1990). The distribution of the Hb Constant Spring gene in Southeast Asian populations. *Hum Genet*: 84; 188-190.
- Lauer J, Shen CK, and Maniatis T. (1980). The chromosomal arrangement of human  $\alpha$ -like globin gene : sequence homology and  $\alpha$ -globin gene deletions. *Cell*: 20; 119-130.
- Liebhaber SA, Goossens MJ, and Kan YW. (1980). Cloning and complete nucleotide sequence of human 5' $\alpha$ -globin gene. *Proc Natl Acad Sci USA*: 77; 7054-7058.
- Liebhaber SA, and Kan YW. (1981). Differentiation of the mRNA transcripts originating from the  $\alpha_1$ -and  $\alpha_2$ -globin loci in normals and  $\alpha$ -thalassemics. *J Clin Invest*: 68; 439-446.
- Liebhaber SA, Cash FE, and Main DM. (1985). Compensatory increase in  $\alpha_1$ -globin gene expression in individuals heterozygous for the  $\alpha$ -thalassemia2 deletion. *J Clin Invest*: 76; 1057-1064.
- Liebhaber SA, Cash FE, and Ballas SK. (1986). Human  $\alpha$ -globin gene expression. The dominant role of the  $\alpha_2$ -locus in mRNA and protein synthesis. *J Biol Chem*: 261; 15327-15333.
- Liebhaber SA. (1989).  $\alpha$ -Thalassemia. *Hemoglobin*: 13; 685-731.
- Makonkawkeyoon L, Chamrasratanakorn T, Buaseangchan S, and Sanguansermsri T. (1990).  $\alpha$ -Thalassemia genes in northern Thailand. Proceeding of the International Conference on Biotechnology and Environmental Science: Molecular Approaches. Bangkok. August; 21-24.



- Makonkawkeyoon L, Sanguansermisri T, Asato T, Nakashima Y, and Takei H. (1993). Rapid detection of chain termination mutations in the  $\alpha_2$ -globin gene. [letter]. *Blood*; 82; 3503-3504.
- Miller MA, Dykes DD, and Polesky HF. (1988). A Simple salting out procedure for extracting DNA from human nucleated cells. *Nucleic Acids Res*: 16; 1215.
- Moi P, Cash FE, Liebhaber SA, Cao A, and Pirastu M. (1987). An initiation codon mutation (AUG---GUG) of the human  $\alpha_1$ -globin gene. Structural characterization and evidence for a mild thalassemic phenotype. *J Clin Invest*: 80; 1416-1421.
- Muangmoonchai R. (1994). Characterization of molecular defects in hemoglobin H patients by non-radioactive Southern hybridization. Thesis for Master of Science, Chiang Mai University.
- Na-Nakorn S, and Wasi P. (1970).  $\alpha$ -Thalassemia in northern Thailand. *Am J Hum Genet*: 22; 645-651.
- Nathan DG, and Gunn RB. (1966). Thalassemia: The consequences of unbalanced hemoglobin synthesis. *Am J Med*: 41; 815-830.
- Nathan DG, Stossel TB, Gunn RB, Zarkowsky HS, and Laforet MT. (1969). Influence of hemoglobin precipitation on erythrocyte metabolism in  $\alpha$ - and  $\beta$ -thalassemia. *J Clin Invest*: 48; 33-41.
- Nicholls RD, Fischel-Ghodsian N, and Higgs DR. (1987). Recombination at the human  $\alpha$ -globin gene cluster: Sequence features and topological constraints. *Cell*: 49; 369-378.
- Oppenheimer SJ, Higgs DR, Weatherall DJ, Barker J, and Spark RA. (1984).  $\alpha$ -Thalassemia in Papua New Guinea. *Lancet*: 1; 424-426.
-

- Orkin SH, and Goff SC. (1981). The duplicated human  $\alpha$ -globin genes : Their relative expression as measured by RNA analysis. *Cell*: 24; 345-351.
- Paglietti E, Galanello R, Moi P, Pirastu M, and Cao A. (1986). Molecular pathology of haemoglobin H disease in Sardinians. *Br J Haematol*: 63; 485-496.
- Panich V, Pornpatkul M, and Sriroongrueng W. (1992). The problem of thalassemia in Thailand. *Southeast Asian J Trop Med Public Health*: 23; 1-6.
- Pootrakul S, Kemathorn B, Pravatmuang P, Pongsamart S, and Na-Nakoon S. (1976). Hemoglobin Constant Spring : degradation and synthesis studies. *Proceeding of the 16<sup>th</sup> International Congress of Hematology*. Kyoto. Excerpta Medica, Amsterdam. P 310.
- Pootrakul P, Winichagoon P, Fucharoen S, Pravatmuang P, Piankijagum A, and Wasi P. (1981). Homozygous haemoglobin Constant Spring: A need for revision of concept. *Hum Genet*: 59; 250-255.
- Pressley L, Higgs DR, Clegg JB, Perrine RP, Pembrey ME, and Weatherall DJ. (1980). A new genetic basis for hemoglobin H disease. *N Engl Med*: 303; 1383-1388.
- Rachmilewitz EA , Shohet SB, and Lubin BH. (1976). Lipid membrane peroxidation in  $\beta$ -thalassaemia major. *Blood*: 47; 495-505.
- Sambrook J, Fritsch EF, and Maniatis T. (1989). *Molecular Cloning: A laboratory manual*. 2<sup>nd</sup> edition. Cold Spring Harbor Laboratory Press.

- Shakin SH, and Liebhaber SA. (1986). Translational profiles of  $\alpha_1$ -,  $\alpha_2$ -, and  $\beta$ -globin messenger ribonucleic acids in human reticulocytes. *J Clin Invest*: 78; 1125-1129.
- Sicard D, Lieurzou Y, Lapoumeroulie C, and Labie D. (1979). High genetic polymorphism of hemoglobin disorders in Laos: Complex phenotypes due to associated thalassemic syndromes. *Hum Genet*: 50; 327-336.
- Sriroongrueng W, Pornpatkul M, Panich V, and Fucharoen S. (1991).  $\alpha$ -Thalassemia incidence by restriction endonuclease analysis of globin DNA from placental blood at Songkhlanagarind Hospital. Research report submitted to the National Research Council of Thailand.
- Steinberg MH, and Adams JG. (1983). Thalassemic hemoglobinopathies. *Am J Pathol*: 113; 396-409.
- Tanphaichitr VS, Pung-amritt P, and Puchaiwatananon O. (1988). Studies of hemoglobin Bart's and deletion of  $\alpha$ -globin genes from cord blood in Thailand. *Birth Defects*: 23; 15-21.
- Thonglairoam V, Winichagoon P, Fucharoen S, Tanphaichitr VS, Pungamritt P, Embury SH, and Wasi P. (1991). Hemoglobin Constant Spring in Bangkok: Molecular screening by selective enzymatic amplification of the  $\alpha_2$ -globin gene. *Am J Hematol*: 38; 277-280.
- Trent RJ, Wilkinson T, Yakas J, Carter J, Lammi A, Kronenbory H. (1986). Molecular defects in 2 examples of severe Hb H disease. *Scand J Haematol*: 36; 271-279.
- Wasi P, Pootrakul S, Pootrakul P, Pravatmuang P, Winichagoon P, and Fucharoen S. (1980). Thalassemia in Thailand. *Ann NY Acad Sci*: 344; 353-363.



Weatherall DJ, Clegg JB, and Naughton MA. (1965). Globin synthesis in thalassemia: an in vitro study. *Nature*: 208; 1061-1065.

Weatherall DJ, and Clegg JB. (1981). *The Thalassemia Syndromes*. (ed3). Liverpool. Blackwell.

Weiss I, and Liebhaber SA. (1990). Destabilization of  $\alpha$ -globin Constant Spring mRNA is mediated by translation into the 3' noncoding region. *Blood*: 76; 309.

Winichagoon P, Fucharoen S, and Wasi P. (1992). The molecular basis of  $\alpha$ -thalassemia in Thailand. *Southeast Asian J Trop Med Public Health*: 23; 7-13.