

## CONTENTS

	Page
Acknowledgments	iii
Abstract	vi
บทคัดย่อ	viii
List of Tables	xi
List of Figures	xiii
List of Abbreviations	xviii
Chapter I. Introduction	1
Chapter II. Review of Literature	3
Chapter III. Sites Descriptions	8
Chapter IV. Materials and Methods	20
Chapter V. Results	31
Chapter VI. Discussion	70
Chapter VII. Conclusions	92
Chapter VIII. Literature Cited	94
Chapter IX. Appendices	104
Curriculum Vitae	107

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่

Copyright© by Chiang Mai University

All rights reserved

## LIST OF TABLES

Table Number		Page
1	Physico-chemical properties of Doi Chang Kian and Ban Nong Hoi streams in two seasons	3 2
2	Macroinvertebrate families collected in the Surber sampler and drift net in Doi Chang Kian and Ban Nong Hoi streams	38-39
3	Total, percentages and drift indices of drifting macroinvertebrates during the night and day time in stations 1 and 2 of Doi Chang Kian and station 2 of Ban Nong Hoi streams	44
4	Day-night drift of selected invertebrate families	44
5	List of sensitive macroinvertebrate families to the applied pesticides	55
6	Population densities ( $N/m^2$ ) of benthos collected by Surber sampler in Doi Chang Kian and Ban Nong Hoi streams	59
7	Percent composition of each major group in the benthos in Doi Chang Kian and Ban Nong Hoi streams	60

8	Similarity of different stations based on taxa collected by drift net using Sorensen's equations	63
9	Similarity of different stations based on taxa collected by Surber sampler using Sorensen's equation	63
10	Macroinvertebrate families collected in Doi Chang Kian stream but were not recovered in Doi Suthep streams	85
11	Taxa collected by Bishop in Sungai Gombak, Malaysia but were not recovered in the two Thai streams	86
12	Taxa collected in Doi Chang Kian and Ban Nong Hoi streams, Thailand not recorded by Bishop in Malaysian river	87

## LIST OF FIGURES

Figure Number		Page
1	Map of Ban Nong Hoi stream showing the three stations selected for sampling	9
2	Photo of station 1 of Ban Nong Hoi stream	10
3.0	Photo of station 2 of Ban Nong Hoi stream	12
3.1	Photo of the land-use of station 2 of Ban Nong Hoi stream	12
4.0	Photo of station 3 of Ban Nong Hoi stream	13
4.1	Photo of the land-use of station 3 of Ban Nong Hoi stream	13
5	Map of Doi Chang Kian stream showing the three stations selected for sampling	15
6	Photo of station 1 of Doi Chang Kian stream	17
7	Photo of station 2 of Doi Chang Kian stream	17


8.0	Photo of station 3 of Doi Chang kian stream	18
8.1	Photo of the land-use of station 3 of Doi Chang Kian stream	18
9	Surber sampler used in the study	25
10	Drift net used in the study	25
11	Day-night changes in water temperature in stations 1 and 2 of Doi Chang Kian stream and station 2 of Ban Nong Hoi stream	34
12	Day-night changes in dissolved oxygen in stations 1 and 2 of Doi Chang Kian stream and station 2 of Ban Nong Hoi stream	34
13	Day-night changes in percent oxygen saturation in stations 1 and 2 of Doi Chang Kian stream and station 2 of Ban Nong Hoi stream	35
14	Day-night changes in conductivity in stations 1 and 2 of Doi Chang Kian stream and station 2 of Ban Nong Hoi stream	35
15	Similarity of different stations in Doi Chang Kian and	36

## Ban Nong Hoi streams based on physico-chemical properties

16	Day-night fluctuations in drift in stations 1 and 2 of Doi Chang Kian stream and station 2 of Ban Nong Hoi stream	43
17	Monthly drift indices of Ban Nong Hoi stream	46
18	Monthly flow velocity of Ban Nong Hoi stream	46
19	Monthly drift indices of Doi Chang Kian stream	47
20	Monthly flow velocity of Doi Chang Kian stream	47
21	Pesticide-induced drift in station 2 of Ban Nong Hoi stream	50
22	Pesticide-induced drift at different hours in station 2 of Ban Nong Hoi stream	50
23	Increase in drift in the post-spray collection in station 2 of Ban Nong Hoi stream	51
24	Composition of drift induced by pesticide	53


25	Composition of Dipteran drift induced by pesticide	53
26	Number of taxa netted in the pre- and post-spray collection	54
27	Monthly natural drift diversity of Ban Nong Hoi stream	57
28	Monthly natural drift diversity of Doi Chang Kian stream	57
29	Pesticide-induced drift diversity	58
30	Diversity of benthos collected by Surber sampler in Doi Chang Kian and Ban Nong Hoi streams during the rainy season	62
31	Seasonal changes in benthos diversity in stations 1 and 2 of Doi Chang Kian stream and station 2 of Ban Nong Hoi stream	62
32	Association of drifting macroinvertebrates in Doi Chang Kian and Ban Nong Hoi streams using the rotated factor analysis	65
33	Association of benthos in Doi Chang Kian and Ban Nong Hoi streams using the rotated factor analysis	66

34	Similarity of different samplings for drift	68
35	Similarity of all stations in Doi Chang Kian and Ban Nong Hoi streams based on benthic community collected by Surber sampler	69



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่  
Copyright© by Chiang Mai University  
All rights reserved

## LIST OF ABBREVIATIONS



a.i.	- active ingredients
BNH	- Ban Nong Hoi
DCK	- Doi Chang Kian
HCRDC	- Highland Coffee Research Development Center
SEMG	- Scientific Environmental Monitoring Group
SPSS	- Statistical Package for Social Sciences

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่

Copyright© by Chiang Mai University

All rights reserved

---