

## TABLE OF CONTENTS

	Page
Acknowledgement	i
Abstract	ii
Thai Abstract	iv
Table of Contents	vi
List of Tables	viii
List of Figures	ix
List of Appendix Tables	xi
List of Appendix Figures	xiii
Chapter 1 Introduction	1
Chapter 2 Literature review	3
2.1 Land Evaluation	3
2.2 Land Suitability Classification	4
2.2.1 USDA System	4
2.2.2 USBR System	6
2.2.3 FAO Land Evaluation Method	7
2.3 Land Evaluation in Thailand	11
2.4 Automated Method in Land Evaluation	12
2.5 Automated Land Evaluation System (ALES)	13
2.6 Crop Yield Assessment for Land Evaluation	15
2.7 Evaluation of Results	17
Chapter 3 Research Methodology	19
3.1 The Study Area	19
3.2 Framework of the Study	22
3.3 Model Construction	24
3.3.1 Land Mapping Unit (LMU) and Land Characteristic (LC)	24
3.3.2 Land Utilization Type (LUT) Condition for Each Land Use	25
3.3.3 Land Use Requirement (LUR)	30
3.3.4 Determination of Physical Suitability Class	33
3.3.5 Determination of Proportional Yields	34
3.3.6 Determination of Economic Suitability Class	36
3.4 The Land Evaluation Results	37
Chapter 4 Results and Discussion	39
4.1 The Physical Suitability	39
4.1.1 Current Physical Suitability	40

4.1.2 Potential Physical Suitability	47
4.2 Comparing the Evaluation Results	55
4.2.1 Comparing the ALES Physical Suitability Classes with the Land Suitability Class by DLD	55
4.2.2 Comparing the ALES Physical Suitability Classes with Land Use in 1992	63
4.3 The Economic Suitability Ratings	68
Chapter 5 Conclusion and Recommendation	79
References	83
Appendix	91

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่  
 Copyright© by Chiang Mai University  
 All rights reserved

## LIST OF TABLES

Tables	Page
1 The symbols used in the FAO land evaluation method	9
2 Attributes of Land Utilization Types considered for rainfed corn (RCorn) in Phrao district	27
3 Attributes of Land Utilization Types considered for rainfed peanut (RPea) in Phrao district	27
4 Attributes of Land Utilization Types considered for rainfed rice (RRice) in Phrao district	28
5 Attributes of Land Utilization Types considered for rainfed soybean (RSoy) in Phrao district	28
6 Attributes of Land Utilization Types considered for rainfed peanut-peanut (RP-P) in Phrao district	29
7 Attributes of Land Utilization Types considered for irrigated rice-soybean (IR-S) in Phrao district	29
8 Guideline for definitions of classes for factors rating. The classes refer to a single land quality rated concerning a specified crop or land utilization type	36
9 Area (percentage) of different current physical suitability subclasses	54
10 Area (percentage) of different potential physical suitability subclasses	55
11 Land suitability classification defined by DLD (1990)	60
12 Overall Kappa between ALES and DLD	62
13 Land use in 1992 Phrao agricultural area	67
14 Overall Kappa between ALES method and actual land use in 1992	68
15 Area (percentage of agricultural area) of the current physical suitability subclass and the potential suitability subclass	77
16 Area (ha and percentage of agricultural area) of each economic suitability class as the results of using three methods of estimating S1 yield Y1 Y2 and Y3	78

## LIST OF FIGURES

Figure		Page
1	Procedures in land evaluation	8
2	ALES program flow	14
3	The location of Phrao district in Chiang Mai Province	20
4	Distribution of agricultural land in Phrao district	21
5	Framework of land evaluation procedure	23
6	Climatic data used for determining the growing period in Phrao district	32
7	Current physical suitability classes and subclasses for rainfed corn production in Phrao district	41
8	Current physical suitability classes and subclasses for rainfed peanut production in Phrao district	42
9	Current physical suitability classes and subclasses for rainfed peanut-peanut production in Phrao district	43
10	Current physical suitability classes and subclasses for rainfed soybean production in Phrao district	44
11	Current physical suitability classes and subclasses for rainfed rice production in Phrao district	45
12	Current physical suitability classes and subclasses for irrigated rice-soybean production in Phrao district	46
13	Potential physical suitability classes and subclasses for rainfed corn production in Phrao district	48
14	Potential physical suitability classes and subclasses for rainfed peanut production in Phrao district	49
15	Potential physical suitability classes and subclasses for rainfed peanut-peanut production in Phrao district	50
16	Potential physical suitability classes and subclasses for rainfed soybean production in Phrao district	51
17	Potential physical suitability classes and subclasses for rainfed rice production in Phrao district	52

Figure		Page
18	Potential physical suitability classes and subclasses for irrigated rice-soybean production in Phrao district	53
19	Land suitability classes by the DLD method for rainfed corn production in Phrao district	56
20	Land suitability classes by the DLD method for rainfed peanut production in Phrao district	57
21	Land suitability classes by the DLD method for rainfed soybean production in Phrao district	58
22	Land suitability classes by the DLD method for rainfed rice production in Phrao district	59
23	Land use in 1992, Phrao district	64
24	Field crop area in 1992, Phrao district	65
25	Paddy rice area in 1992, Phrao district	66
26	Economic suitability classes as the results of three methods of estimating yield for rainfed corn in Phrao district	70
27	Economic suitability classes as the results of three methods of estimating yield for rainfed peanut in Phrao district	71
28	Economic suitability classes as the results of three methods of estimating yield for rainfed peanut-peanut in Phrao district	72
29	Economic suitability classes as the results of three methods of estimating yield for rainfed soybean in Phrao district	73
30	Economic suitability classes as the results of three methods of estimating yield for rainfed rice in Phrao district	74
31	Economic suitability classes as the results of three methods of estimating yield for irrigated rice-soybean in Phrao district	75

## LIST OF APPENDIX TABLES

Appendix Table	Page
1 Land Characteristics of each Land Mapping Unit (LMU)	91
2 Land use requirements (LUR) for rainfed corn in different suitability ratings	108
3 Land use requirements (LUR) for rainfed peanut in different suitability ratings	109
4 Land use requirements (LUR) for rainfed peanut-peanut in different suitability ratings	110
5 Land use requirements (LUR) for rainfed soybean in different suitability ratings	111
6 Land use requirements (LUR) for rainfed rice in different suitability ratings	112
7 Land use requirements (LUR) for irrigated rice-soybean in different suitability ratings	113
8 The severity level of each land quality for particular land utilization type	114
9 The examples physical suitability decision trees of rainfed RCorn, RPea and RRice	136
10 Proportional yield decision tree	182
11 Physical suitability subclasses proceeded by matching soil data from DLD and the land use requirements from CSR/FAO (1983)	186
12 Error matrix of DLD method (columns) against ALES method (rows) for current suitability evaluation. (express by the number of pixels)	190
13 Error matrix of DLD method (columns) against ALES method (rows) for potential suitability evaluation. (express by the number of pixels)	191
14 Error matrix of land use in Phrao district area in 1992 (columns) against ALES method (rows) for current suitability evaluation. (express by the number of pixels)	192

Appendix Table	Page
15 Error matrix of land use in Phrao district area in 1992 (columns) against ALES method (rows) for potential suitability evaluation. (express by the number of pixels)	193
16 Overall suitability of each Land Mapping Unit for specified Land Utilization Type.	194

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่  
 Copyright© by Chiang Mai University  
 All rights reserved

## LIST OF APPENDIX FIGURES

Appendix Figure	Page
1 Computation of land quality values	201
2 Computation of economic and physical suitability classes	202
3 Computation of predict cost	203

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่  
 Copyright© by Chiang Mai University  
 All rights reserved