References

- Abel, P.D. (1989). Water Pollution Biology. Ellis Horwood Ltd. John Wiley and Sons. England.
- Adam, et al. (1989) The Use of Bioindicators for Aassessing the Effects of Pollutants Stress in Fish. Marine Environmental Research. Great Britain. pp-459-464
- APHA and AWWA. 1989. Standard Methods for the Examination of Water and Wastewater. American Public Health Association Washington.
- Annonymous. 1994. "Rescuing Rapidly Polluted Aseans". Bangkok Post. November 20.
- Arnoux, A., G. Stora and C. Diana. 1985. In Situ Experimental Study of the Evolution and Recolonization of Polluted Sediments. Marine Pollution Bulletin. Great Britain. Vol-16. No. 8. pp- 313-318.
- Bekken, T. and K.J. Aames. 1991. Pesticides in Norwegian Agriculturre. Their Effects on Benthic Fauna in Lotic Environmens. Preliminary Results. Verh. Internat. Verein Limnol. Stuttgart. Vol. 24. pp- 2278-2281.
- Bishop, John, E.1973. Limnology of a Small Malayan River. Sungai, Gombak. Dr. W. Junk., Publishers, The Hague. pp-63-67.
- Bull, D. 1982. Pesticides and the Third World Environment. A growing Problem: Pesticides and the Third World Poor. @ OXFAM, Oxford OX.2 7 DZ. pp- 64-68.
- Chomthong District Hospital / Agricultural Extension Department Report. 17 th May, 12 th September, 12 March. Amphoe Chomthong, N. Thailand.

- Chu, H.F. 1969. How to Know the Immature Insects. M.C. brown Company Publishers. Dubuque. Lowa.
- Chorthern, C.R (1993). Comparitive Environmental Risk Assessment. Lewis Publishers. U.S. pp- 259-277.
- Dao, T.H.; T.L. Lavy and J. Dragun. (1983). Ratinoale of the Solvent Selection for Soil Extraction of Pesticides. Residue Reviews. Springer- Verlag. Vol- 87. pp- 91-100.
- DikKorn, C.P. 1992. Thai NGO Support Project and Friedrich Naumann Foundation. Edison Press Products Co. Ltd. Bangkok. Thailand
- Dudgeon, D. 1989. Seasonal and Long Term Changes in the Hydrobiology of Lam Tsuen river, New Territories, Hongkong with Reference to Macrinvertebrate Distribution and Abundance. Arch. Hydrobiol. Suppl., 69: 56-129.
- Ford, J. (1991). Effects of Chemical Stress Conditions based on Community Structure. Ecosystem research Centre. Cornell University. Ithaca. New York. pp- 100-115.
- Francis Ludwig, J. A. and J.F. Renolds. (1988) Statistical Ecology- A Primer on Methods and Computing. John Wiley and Sons. USA.
- Gasth, A., A. S. Perry. (1978) Fate of Parathion in a fish pond Ecosystem ans its impact on food chain organisms. Agrochemical Residues. FAO/ IAEA. Vienna.
- Gauch, H. G., Jr. 1989. Mutivariate Analysis in Community Ecology. Cambridge University Press. USA
- Gaufin, A.R. et al. 1961. Bioassays Determine Pesticide Toxicity to aquatic invertebrates. Water and sewage works.355-9.

- Goldman, C.R. and Alexender J. Horne. 1983. Limnology. McGraw Hill Book Company.
- Gorden, Nancy D.1992. Stream Hydrology. John Wiley and Sons. New York. pp- 405- 409.
- Gray, J.S., A. D. McIntyre and J. Strin. 1992. Manual Mathods in Aquatic Environmental Research. Part II Biological Assessment of Marine Pollution- with particular reference to benthos. United Nations Environment Programme. Mediterranean Action Plan. FAO Fisheries Technical Paper. Rome.
- Greenberg, A.E and L.S. Clesceri and A.D. Eaton. 1992. Standard Methods for the Examination of Water and Waste Water. American Public Health Association. Washington.
- Harris, P.D., G.R. Francis. 1990. Ecotoxicology and Ecosystem Integrity: The great Lakes Examined. Enironmental Science and Technology. 24 (5): 598 603.
- Hartfield, C.J. 1969. Cand. Fish Cult. 40, 01-72.
- Hassall, Kenneth A. 1982. Other Insecticides and Related Compounds. In: The Chemistry of Pesticides: Their Metabolism, Mode of Actions and use in crop protection. Verlag Chemie. Weinheim. Deerfield Beach. Florida. pp- 149-175.
- Hawkes, H.A. 1979. Invertebrates as Indicators of River Water Quality. In: Biological Indicators of Water Quality. John wiley and Sons. great ritain.
- Heckman, C. W. 1981. Long Term effects of Intensive pesticide Application on aquatic community in Orchard drainage Ditches near Hamburg, Germany. Environmental Contm. Toxicology. New York.
- Heckmen, C.W. 1982. Pesticide effects on Aquatic habitats. Environmental Science and Technology. Vol 16. pp 48A-57 A.

- Heckman, C.W. 1993. The fate of pesticides in heavily polluted aquatic systems in Hydrophobic and Polluted Freshwater Ecosystem: Ecological Bases for water Resource Management. Department of Botany. University of Dhaka, Dhaka, Bengladesh. pp 39-90.
- Hellawell, J.M.1986. Biological indicators of Freshwater Pollution and Environmental Management. Elseir applied science. London.
- Hickey, J.J. and D.W. Anderson. 1968. Chlorinated Hydrocharbons and eggshell changes in raptorial fish eating birds. Science 162, 271.
- Hopkin, S.P. 1993. In Situ Biological Monitoring of Pollution .In: Terrestrial and Aquatic Ecosystem. Lewis Publishers. USA. pp 397-427.
- Hynes, B.N. 1970. The Ecology of Running Waters. Liverpool University Press. Liverpool. Great Britain. 196-235.
- Jeffries, M. and Derck Mills. 1990. Freshwater Ecology. Belhaen Press. London.
- Johnson, D.T, C.R Saunders, H.O. Saunders and R.S. Campbell. Biological Magnification and degradation of DDT and aldrin by freshwater invertebrates. J. Fisheries Res. Bd. Canada 28. 705.
- Keen, F.G.B. 1969- 70. Upland Tenure and Land Use in Northern Thailand. The SEATO cultural Programme. Bangkok.
- Kelly, J.R. and M.A. Harwell. (1991) Indicators of Ecosystem Response and Recovery. Ecosystem Research System. Cornwell University. New York. pp- 11-35.
- Kern, K. (1992) Rehabilitation of Streams in SW Germany. In: River Conservation and Management. John Wiley and Sons.pp- 321-335.
- Kothari, C.R. 1992. Research Methodology Methods and Techniques. Wiley Eastern Ltd. Jaipur. India.

- Krebs, C J. 1989. Ecological Methodology. Harper Collins Publishers. USA.
- Kreutzweiser, D.p.1990. Response of Brook Trout population to a reduction in stream benthos following an insecticide treatment. Can. J.
- Lohani, B.N. 1984. Water Quality Index for Chao Phrya River. Journal of Env. Engineering. Vol. 110, No. 6.
- Luidwig ,J.A .and J.F.Redlds. A Primer on Methods and Computing. John Wiley and Sons.
- MacCarthy, J.F and L.R. Shugart (1990) Biomarkers of Environmental Contamination. Lewis Publishers. U.S. pp- 3-13.
- Manopimoke, Supachit. 1994. Rescuing Rapidly Polluted Aseans. The Nation Nov. 18
- Marble, L.K. and J.J. Delfino (1989). Extraction and Solid Phase Clean up Methods for Pesticidesin Sediment and Fish. International Laboratory. Florida. pp- 16-22.
- Mathlessen, Peter. 1988. Recent attempts to measure the behavior of impacts of pesticide on aquatic invertebrates in: Field methods forthe study of environmental effects of pesticides. BCPC. Mono. No. 40 Cambridge. U.K.
- Maughan, James T. 1993. Evaluation of Contaminants in Sediments. In: Ecological Assessment of Hazardous Waste Sites. Van Nostrand. Reinhold. Canada.pp- 176- 188.
- Maxwell, J.F. 1994. Vegetation of Mae Soi Conservation Area, Chomthong District. Paper sent for publication in Tiger Paper. Faculty of Science. Chiang Mai University. Chiang Mai.
- McCarthy, J.F. and Lee R. 1990. Biological Markers of Environmental Contaminants. Lewis Publishers. USA.

- McCarthy, W.P. 1981. Aquatic Entomology. Jones bartlett Publishers, In. Boston. Portola valley
- Merit, R. Wand Kenntth W Cumminus. 1984. Aquatic Insects of North America. Edt. by Richard W. Meritt and Kenneth W. Cumminus. kendall/ Hunt Publishing Company. Dubuque. Lowa.
- Muirhead and Thompson. 1971. Impact of pesticides on stream invertebrates. Lewis Publiation.. Myres, N.1984. The primary Source. W. Norton. U.K.
- Neboiss, A. (1992). Illustrated Keys to the Families of Australian Tricoptera. Australian Societyfor Limnology. Special publication No. 9.
- Needham, J. G. 1962. A Guide to the Study of Freshwater Biology. Holden Day Inc. San Francisco. California
- Patrick, R. 1949. A Proposed biological measure of stream conditions based on survey of the Conestoga Basin, Lancaster County, Pennsylvania.

 Proc.Acad.Nat. Sci.Philadelphia.101: 272-341.
- Perry, A.S., A. Gath. (1978) Fate of Parathion in a Fish Pond Ecosystem and its Impact on Food Chain Organisms. FAO/ Iaea Vieana. pp- 125- 149.
- Persoone, G. and N. De Pauw (1977) Systems of Biological Indicators of Water Quality. In: Biological Aspect of Freshwater Pollution. Pergamn Press. Italy. pp-39-69.
- Peterssen, R.C. L.B.M. Petersenand L. La Courisiere. 1992. A Building block Model for stream Restoration. River Conservation. John Wiley and Sons.
- Policansy, D. 1993. Application of Ecological Knowledge to Environmental Problems: Ecological Risk Assessment. In: Comparitive Environmental Risk assessment. Lewis Publishers. USA. pp -37-50.

- Porapongsa et al. (1990). Compiled report on International Water Quality Standard. Chulalongkon University. Thailand
- Prapamontol, T. And D. Stevenson. 1994. A Note to the Determination of Organochlorine Pesticide in water. In: Sample Preparation for Biomedical and Environmental analysis. Plenum Press. New York and London. Pp. 183-9.
- Putprichapong, P. 1992. Diagnosis on Pesticide Qualification. Paper presented at DOA conference on Policy and Management of Agrochemical use in Thailand. 7-8 September. Chiang Mai, Thailand.
- Rasool, Sahid and S.H. Raza. 1994. Pesticide not a boon for Human race. Dawn Economics and Business Reviews. Oct. 29- Nov 4.
- Ravera, O. (ed). 1978. Biological aspect of Freshwater pollution commission of the European committee. Pergamon. Luxembourg.
- Reynoldson, T.B. and K.E. Day (1993). Biological Assessment of Contaminated Sediments. Hydrobiologia. pp. 188-189.
- Rosenberg, D. M. and Vincent H. Resh. (Ed) .1993. Freshwater Biomonitoring and Benthic Macroinvertebrates. Chapman and Hall. New York.
- Robert, S. 1991. Recognized and Possible Exposure to pesticides. : In Handbook of Pesticide Toxicology. Vol. 1. General Principles. Academic Press.
- Sammant, J and Pugh Thomas. 1979. Effects of an Organophosphorous insecticides, abate, used in the control of Simulium Damnosum on non target benthic fauna. Gordeon and Breach Science Publishers. Ltd. Great Britain.
- Siegefried, B.D., Young L.J.. 1993. Activity of Detoxification Enzymes in Aquatic and Terrestrial insects. Entomological Society of America. P. 958-964
- Sloof, W., et al., 1983. Comparison Susceptibility of 22 Freshwater Species to 15 Chemicals compounds.(sub)acute toxicity tests. Aquatic toxicology. 113-128. Elsevier. pp-113-128.

- Sprear, Robert. 1991. Recognized and Possible Exposure to Pesticides: Handbook of Pesticide Toxicology, Vol. -I. General Principles. academic Press. 245-271.
- Strin, Joze., 1981. Manual Methods in Aquatic Environment research. Guidelines for FAO/UNEP joint Coordination Project on Pollution in Mediterranean. FAO. Rome.
- Tingsabadh, Charit. 1992. Building Operational Strategies of Sustainable development upon People's Initiatiatives: Management and Development of local Resources. Thailand Country Paper (Draft). Institute of Environmental Research. Chulalongkorn university.
- Titayavan, M. 1993. Pesticide in our environment- the Thai Experience. Paper presented to the national Conference on man and Environment. Chiang mai University, Thailand.
- Thai- Australian Highland Agricultural Project. Final Report on Agricultural Research and Development in Highlands of Northern Thailand. 1981. Dept. Of Agriculture. University of Queensland. St. Lucia. Australia.
- Turcotte, P. and P.P Harper. 1982. The Macro invertebrate fauna of a small Andrean Stream. Freshwater Biology. Vol- 12. 411-419
- Tuyor, J.B. 1993. Impact of Highland Agriculture on Benthic Macroinveretebrates. M.S. Thesis. Chiang Mai University. Thailand.
- Wallace, J. B.; G.J. Lugthart; T.F. Cuffney, G.A. 1989. Hydrobiologia. Vol. 179. No. 2. pp. 135-147.
- Ware, w. George. 1979. Effects of Pesticides on nontarget organisms. Residue reviews vol.- 76. new York PP- 174- 201.
- Welch, P.S. 1980, Limnological Methods. McGraw Hill Book Company. Inc. USA