

## REFERENCES

1. Matsushita, H., M.S. Tabucanon and S. Koottatep (1987) Comparative study on carcinogenic polycyclic aromatic hydrocarbons in airborne particulate in Bangkok, Chiang Mai and Tokyo. Proceedings of the third joint conference of air pollution studies in Asian areas.
2. Saipunkaew, W. (1994) Lichens as bioindicators of air pollution monitoring in Doi Suthep mountain and Chiang Mai City. M.S. Thesis, Graduate School, Chiang Mai University.
3. Rahim, S. (1994) Biomonitoring of water pollution of Chaing Mai Moat. M.S. Thesis, Graduate School, Chaing Mai University.
4. Martin, N., W. Changwaitit, S. Srisukho, H. Trakultivakorn, S. Sumitswan and M. Suttajit (1991) Population-based cancer incidence and mortality rate in Chiang Mai Province during five years, 1983-1987. Cancer overview 1991, volume 1. Faculty of Medicine, Chiang Mai University.
5. Vatanasapt, V., N. Martin, H. Sriplung, K. Chindavijak, S. Sontipong, S. Siramporn, D.M. Parkin and J. Ferlay (1993) Cancer in Thailand 1988-1991, IARC technical report, No. 16, Lyon.
6. Yang, S.Y.N., D.W. Connell, D.W. Hawker and S.I. Kayal (1991) Polycyclic aromatic hydrocarbons in air, soil and vegetation in the vicinity of an urban roadway. The science of total environment, 102, 229-240.
7. Xue, W., Z. Jin, A. Wang, S. Liu and D. Sun (1990) Research on carcinogen benzo(a) pyrene in grain, vegetable and soil in Yuncheng Suburbs, China Environmental Science, 10(2):152-155.
8. Donnelly, K.C., K.W. Brown, C.S. Giam and B.R. Scott (1993) Acute and genetic toxicity of extracts of munitions wastewater contaminated soils. Chemosphere, 27(8) :1439-1450.

9. Toatis, L., A. Aitio , N.E. Day, E. Heseltine, J. Kaldor, A.B. Miller, D.M. Parkin and E. Riboli (1990) Cancer: Causes, occurrence and control. IARC scientific publications, Lyon, pp135-142.
10. IARC (1987) IARC Monographs on the evaluation of carcinogenic risks to humans, Suppl.7, Overall evaluations of carcinogenity: An updating of IARC volumes 1-42. Lyon, pp35-74.
11. Joseph, M. (1987) HPLC detector options for the determination of polycyclic aromatic hydrocarbon. LC Varian application note, number 7.
12. Verschueren, K. (1983) "Handbook of environmental data on organic chemicals." Second edition. Van Nostrand Reinhold Company Limited.
13. Mingelbrin, U. and Z. Gerstl (1983) Reevaluation of partitioning as a mechanism of nonionic chemicals adsorption in soils, *J. Environ. Qual.*, 12(1):1-11.
14. Auer, W. and H. Malissa (1990) Determination of trace amounts of polycyclic aromatic hydrocarbons in soil. *Analytica Chimica Acta.*, 237:451-457.
15. Tebaay, R.H. and G.W. Brummer (1993) Contents of polycyclic aromatic hydrocarbons (PAH) and their distribution pattern in soils with different contamination levels. *Z. Pflanzenernahr.*, 156:1-10.
16. Kautenburger, R. (Unpublished) Ph.D. Dissertation. Institute of Biogeography, University of Saarland, Germany.
17. Bagley, S.T., L.D. Gratz, D.G. Leddy, and J.H. Johnson (1993) Characterization of particle- and vapor-phase organic fraction emissions from a heavy-duty diesel engine equipped with a particle trap and regeneration controls. *Res. rep. health. eff. inst.*, 56:1-121.
18. Lewtas, J. (1992) Complex mixtures of air pollutants: Characterizing the cancer risk of polycyclic organic matter (POM). *Environmental health perspective*
19. Eganhouse, R.P. and R.W. Gossett (1991) Historical decomposition and

- biogeochemical fate of polycyclic aromatic hydrocarbons in sediments near a major submarine waster outfull on Southern California. In Baker R.A.(ed): "Organic substances and sediments in water." Lewis Publishers, Inc., volume 2, pp191-220.
20. Eadie, B.J., J.A. Robbins, W.R. Faust and P.F. Landrum (1991) Polycyclic aromatic hydrocarbons in sediments and pore waters of the Lower Great Lakes: reconstruction of a regional benzo(a)pyrene source function. In Baker R.A.(ed): "Organic substances and sediments in water." Lewis Publishers, Inc., volume 2, pp171-190.
21. Cerniglia, C.E. (1991) Biodegradation of organic contaminants in sediments: overview and examples with polycyclic aromatic hydrocarbons. In Baker R.A.(ed): "Organic substances and sediments in water." Lewis Publishers, Inc., volume 3, pp267-282.
22. Fawell, J.K. and S. Hunt (1988) Environmental toxicology: Organic pollutants, pp 241-284. Raven Press, New York.
23. Boogaard, P.J. and N.J. Van-Sittert (1994) Exposure to polycyclic aromatic hydrocarbons in petrochemical industries by measurement of urinary 1-hydroxypyrene. Occupational environmental medicine, 51(4):250-8.
24. Copeland, T.L., D.J. Paustanbach, M.A. Harris and J. Otani (1993) Comparing the results of a Monte Carlo analysis with EPA's reasonable maximum exposed individual (RMEI): a case study of a former wood treatment site. Regul. toxicol. pharmacol., 18 (2): 275-312.
25. Boulos, B.M. (1978) High risks in exposure to polycyclic aromatic hydrocarbons. In: Jones P.W. and Freudenthal R.I. (eds): "Carcinogenesis - A comprehensive survey. Volume 3, polycyclic aromatic hydrocarbons: second international symposium on analysis, chemistry, and biology. Raven Press, pp439-449.
26. Linjinsky, W. (1993) Species differences in carcinogenesis. *In vivo*, 7:65-72.
27. Lehr, R.E., H. Yagi, D.R. Thakker, W. Levin, A.W. Wood, A.H. Conney, and D.M. Jerina (1978) The bay region theory of polycyclic aromatic hydrocarbon-induced carcinogenicity. In Jones P.W. and Freudenthal R.I. (eds): "Carcinogenesis - A comprehensive survey. Volume 3, polycyclic aromatic hydrocarbons: second

- international symposium on analysis, chemistry, and biology. Raven Press, pp231-243.
28. Smart, R.C. (1994) Carcinogenesis. In: E. Hodgson and P.E. Levis (eds) "Introduction to biochemical toxicology", second edition, Chap17.
  29. Waters, M.D., A.L. Brady, H.F. Stack and H.E. Brockman (1990) Antimutagenicity profiles for some model compounds.
  30. Weaton, A. and E.D. Bowman (1991) Fluorescence detection of benzo[a]pyrene-DNA adducts in human lung. *Carcinogenesis*, 12(8):1445-1550.
  31. Van-Schooten, F.J., M.J.X. Hillebrand, F.E. van Leeuwen, N. van Zandwijk, H.M. Jansen, L. den Engelse and E. Kriek (1992) Polycyclic aromatic hydrocarbon-DNA adducts in white blood cells from lung cancer patients: no correlation with adducts levels in lung. *Carcinogenesis*, 13(6):987-994.
  32. Rojas, M., A.M. Camus, K. Alexandrov, K. Husgafvel-Pursianinen, S. Anttila, H. Vaioio and H. Bartsch (1992) Stereoselective metabolism of (-)-benzo[a]pyrene-7,8-diol by human lung microsomes and peripheral blood lymphocytes: effect of smoking. *Carcinogenesis*, 13(6):929-934.
  33. Jaklin, J. and P. Kenmyr (1985) In J. Albaiges and R.W. Frei (Eds.), "Fate of Hydrocarbons in the Environment", Gordon and Breach, New York, 1985, P. 73
  34. Speer, K., E. Stees, P. Horstmann, T. Kuehn and A. Montag (1990) Determination and distribution of polycyclic aromatic hydrocarbons in native vegetable oils, smoked fish products, mussels and oyster, and bream from the River Elbe. *J. High Resolut. Chromatogram.*, 13:104-111.
  35. Karasek, F.W., O. Hutzinger and S. Safe (1985) "Mass Spectrometry in Environmental Sciences". Plenum Press, New York.
  36. Blyshak, L.A. and I.M. Warneer (1990) Evidence for non-inclusional association between a-cyclodextrin and polynuclear aromatic hydrocarbons. *Anal.Chim.Acta*, 232 :239-243.

37. Nunez, M.D. and F. Centrich (1990) Liquid chromatographic method with fluorescence detection for the determination of polycyclic aromatic hydrocarbons in environmental samples. *Anal. Chim. Acta*, 234:269-273.
38. Takeuchi, T. and D. Ishii (1981) High-performance micro packed flexible columns in liquid chromatography. *J. of chromatography*, 213:25-32.
39. Walling, J.F. (1986) Standard operating procedure for ultrasonic extraction and analysis of residual benzo(a)pyrene from Hi-Vol Filters via thin-layer chromatography, EMSL/RTP-SOP-MDAD-015.
40. US-EPA (1989) Toxicology handbook. Government institutes, Inc. pp4-8:4-11.
41. Edler, L. (1992) Statistical methods for short-term tests in genetic toxicology: The first fifteen year. *Mutation research*, 277:11-33.
42. Suttajit, M. (1994) Short-term screening test for genotoxic compounds: Application for human and environmental health. Third Southeast Asian workshop on environmental mutations and carcinogens.
43. Matsushima, T. (1991) Utility and application of short-term mutation assay for prediction of carcinogens. Environmental mutagens, carcinogens and teratogens: principle and short-term assays. Thai environmental mutagen society, pp105-111.
44. Kuroda, Y. (1991) Kada memorial lecture: the characteristic and the usage of various short-term test systems. Environmental mutagens, carcinogens, teratogens: principle and short-term assays. Thai environmental mutagen society, pp40-59.
45. Maron, D.M. and B. N. Ames (1983) Revised methods for the *Salmonella* mutagenicity test. *Mutation research*, 113:173-215.
46. Claxton, L., J. Lewtas, G. Becking and M. Shelby (1992) Mutagenicity of complex mixtures in *Salmonella typhimurium*. A report of the international programme on chemical safety's collaborative study on complex mixtures, special issue of mutation research, Vol. 276.

47. Machado, M.L., P.W. Beatty, J.C. Fetzer, A.H. GLickman and E.L. McGinnis (1993) Evaluation of the relationship between PAH content and mutagenic activity of fumes from roofing and paving asphalts and coal tar pitch. *Fundamental and applied toxicology*, 21:492-499.
48. Brown, K.W., K.C. Donnelly, J.C. Thomas and P. Davol (1985) Mutagenicity of three agricultural soils. *The science of the total environment*, 41:173-186.
49. Jones, K.C. and R.A. Page (1989) Short-term mutagenicity bioassay applied to evaluating contaminated land. *Chemosphere*, 18:2423-2432.
50. Ames, B.N., W.E. Durston, E. Yamasaki and F.D. Lee (1973) Carcinogens are mutagens: A simple test system combining liver homogenates for activation and bacteria for detection. *Proc. Natl. Acad. Sci. USA* 70:2281-2285.
51. McCann, J.E., Choi E., Yamasaki and B.N. Ames (1975) Detection of carcinogens in the *Salmonella*/microsome test: Assay of 300 chemicals. *Proc. Natl. Acad. Sci.* 72: 5135-5139.
52. Nagao, M. and T. Sugimura (1978) Environmental mutagens and carcinogens. *Ann. Rev. Genet.* 12:117-159.
53. Parchase, I.R.M., E. Longstaff, J.A. Styles, D. Anderson, D.A. Lefevre and F. R. Westwood (1976) Evaluation of six short term tests for detecting organic chemical carcinogens and recommendation for their use. *Nature* 264:624-627.
54. Lijinsky, W. (1989) A view of the relation between carcinogenesis and mutagenesis. *Environmental and molecular mutagenesis*, volume 14, supplement 16:78-84.
55. Matsushima, T., M. Sawamura, K. Hara and T. Sugimura (1976) A safe substitute for polychlorinated biphenyls as an inducer of metabolic activation system. In F.J. de Serres, J.R. Fouts and R.M. Philpot (eds.) "In vitro metabolic activation in mutagenicity testing", Elsevier 1 North Holland, Amsterdam, pp 85-88.
56. Garner, R.C., E.C. Miller and J.A. Miller (1972) Liver microsomal metabolism of aflatoxin B<sub>1</sub> to a reactive derivative toxic to *Salmonella typhimurium* TA 1530, *Cancer*

- research, 32: 2058-2066.
57. Matsushima, T., T. Sugimura, T. Nagao, A. Shirai and M. Sawamura (1980) Factors modulating mutagenicity in microbial test. In: K.H. Norpeth and R.C. Garner (eds.) "Short-term test system for detecting mutagens and carcinogens". Springer Berlin, pp237-285.
58. Chu, K.C., K.M. Patel, A.H. Lin, R.E. Tarone, M.S. Linhart and V.C. Dunkel (1981) Evaluating statistical analysis and reproducibility of microbial mutagenicity assays. Mutation research, 85:119-132.
59. VROM NL (Ministerie van Volkshuisvesting, Ruimtelijke Ordening en Milieubeheer, Nederlande) (1988) Leidraad Bodemsanering, Deel II, Technisch-inhoudelijk Deel - Afl.4 -Sdu uitgeverij, "s-Graenhage".
60. Donnelly, K.C., K.W. Brown, C.S. Anderson, G.C. Barbee and S.H. Safe (1990) Metabolism and bacterial mutagenicity of binary mixtures of benzo(a)pyrene and polychlorinated aromatic hydrocarbons. Environmental and molecular mutagenesis, 16(4):238-245
61. Ankley, G.T., K. Lodg, D.J. Call, M.D. Balcer, L.T. Brooke, P.M. Cok and R.G. Jr. Kreis (1992) Integrated assessment of contaminated sediments in the lower Fox River and Green Bay, Wisconsin. Ecotoxicol. Environ. Safety, 23(1):46-63.
62. Jones, K.C. and E.A. Peace (1989) The Ames mutagenicity assay applied to a range of soil. Chemosphere, 18:1657-1664.
63. Lewtas, J. (1988) Genotoxicity of complex mixtures:Strategies or the identification and comparative assessment of airborne mutagens and carcinogens from combustion sources. Fundamental and applied toxicology, 10:571-589.
64. Flessel, P., Y.Y. Wang, I.S. Kim, K.I.Chang (1988) Monitoring for polycyclic aromatic hydrocarbons and mutagens in air particulate matter from Santa Clara County, California. Environ. Mol. Mutagen, 11(S11):80.
65. Hermann, M. (1981) Synergistic effects of individual polycyclic aromatic hydrocarbons

- on mutagenicity of their mixtures. *Mutation research*, 90:399-409.
66. Schmaltz, I., J. Tosk, J. Hirota, D. Hoffmann and E.L. Wynder (1978) Bioassays of naphthalene and alkylnaphthalenes for co-carcinogenic activity. Relation to tobacco carcinogenesis. In: Jones P.W. and Freudenthal R.I. (eds): "Carcinogenesis - A comprehensive survey. Volume 3, polycyclic aromatic hydrocarbons: second international symposium on analysis, chemistry, and biology. Raven Press, pp47-60.
67. Donnelly, K.C., K.W. Brown and D.G. DiGiulio (1988) Bacterial mutagenicity of soil and water samples from a superfund sites. *Nuclear chem waster mgmt*, 8:135-141.
68. Meester, C. (1989) Bacterial mutagenicity of heterocyclic amines found in heat-processed food. *Mutation research*, 221:235-262.
69. Bjeldanes, L.F., M.M. Morris, H.T. Mourian and F. Hatch (1983) Effect of meat composition and cooking conditions on mutagen formation in fried ground beef. *J. Agric. Fd. Chem.* 31:18-21.
70. Paustenbach, D.P. (1989) A comprehensive methodology for assessing the risk to humans and wildlife by contaminated soils: a case study involving dioxin. In: Paustenbach D.P.(ed). "The risk assessment of environmental and human health hazards: a textbook of case study. John Wiley & Sons, Inc. Canada, pp296-328.
71. Paustenbach, D.P., H.P. Shu and F.J. Murry (1986) A critical analysis of risk assessment of TCDD contaminated soil. *Regul. Toxicol. Pharmacol.*, 6:284-307.
72. Wester, R.C., H.I. Maibach, D.A.W. Buck, L. Sedik, J. Melendres, C. Liao and S Dizio (1990) Percutaneous absorption of [<sup>14</sup>C]DDT and [<sup>14</sup>C]benzo(a)pyrene from soil. *Fundamental and applied toxicology*, 15:510-516.
73. Eisler, R. (1987) Polycyclic aromatic hydrocarbon hazards to fish, wildlife, and invertebrates. U.S. Fish and Wildlife Service Biological Report, 85:1-11.
74. Kappleman, W.B. (1993) Pine street canal ecological assessment: a case study. In J.T. Maughan (ed) "Ecological assessment of hazardous waste sites. Van Nostrand Reinhold, USA.