

VII. REFERENCES

- Abbas, A.K., Lichtman, A.H., and Pober, J.S. (1994). *Cellular and Molecular Immunology 2nd edition*. Philadelphia: W.B. Saunder company.
- Andersson, L.C., Nilsson, K., Gahmberg, C.G. (1979). K-562-- a human erythroleukemic cell line. *Int. J. Cancer*, 23(2):143-147.
- Andersson, L.C. et al. (1985). *Gene Expression during normal and malignant differentiation*. London: London Academic Press.
- Bargmann, C.I., Hung, M-C, Weinberg, R.A. (1986). The *neu* oncogene encodes an epidermal growth factor receptor related protein. *Nature*, 319:226-230.
- Berridge, M.J., Heslop, J.P., Irvine, R.F., et al. (1985). Inositol lipids and cell proliferation. *Trans. Biochem. Soc.*, 13:67-71.
- Berridge, M.J., Irvine, R.F. (1989). Inositol phosphates and cell signalling. *Nature*, 341:197-205.
- Besmer, P., Murphy, J.E., George, P.C. et al. (1986). A new acute transforming feline retrovirus and relationship of its oncogene v-kit with the protein kinase gene family. *Nature*, 320:415-421.
- Buick, R.N., Tannock, I.F. (1992). Properties of malignant cells. in I.F. Tannock and R.P. Hill (Eds.), *The basic science of oncology second edition* (pp.139-153), New York: McGraw-Hill.
- Cambier, J.C., Ransom, J.T. (1987). Molecular mechanisms of transmembrane signalling in B lymphocytes. *Ann. Rev. Immunol.*, 5:175-199.
- Campbell, R.D., Carroll, M.C., Porter, R.R., (1986). The molecular genetics of components of complement. *Advances in Immunology*, 38:203-244.

Cantly, L.C., Auger, K.R., Carpenter, C., et al. (1991). Oncogenes and signal transduction. *Cell*, 64:281-302.

Chantry, D., Turner, M., Brennan, F., Feldman, M. (1990). Granulocyte-macrophage colony stimulating factor induces both HLA-DR expression and cytokine production by human monocytes. *Cytokine*, 2:60-67.

Clendeninn, N.S., Jolivet, J., Curt, G.A., Cysyk, R.L., Myers, C.E., and Chabner, B.A. (1984). *Hematology I Leukemias*. London: Butterworths & Co (Publishers) Ltd.

Clevers, H., Alarcon, B., Wileman, T., & Terhost, C. (1988). The T cell receptor/CD3 complex: A dynamic protein ensemble. *Ann. Rev. Immunol.*, 6:629-632.

Collins, S.J. (1987). The HL-60 promyelocytic leukemia cell line: proliferation, differentiation, and cellular oncogene expression. *Blood*, 70(5):1233-1244.

Collins, S.J., Gallo, R.C., Gallagher, R.E. (1977). Continuous growth and differentiation of human myeloid leukemic cells in suspension culture. *Nature*, 270:347-349.

Cross, M., Dexter, T.M. (1991). Growth factors in development, transformation and tumorigenesis. *Cell*, 64:271-280.

Dimery, I.W., Ross, D.D., Testa, J.R., Gupta, S.K., Felsted, R.L., et al., (1983). Variation amongst K-562 cell cultures. *Exp. Hematol.*, 11:601-610.

Dukovich, M., Wano, Y., Thuy, L.B. et al. (1987). A second human interleukin 2 binding protein that may be a component of high affinity interleukin 2 receptor. *Nature*, 327:518-522.

Fenton, M.J., Clark, B.D., Collins, K.L., Webb, A.C., Rich, A., Auron, P.E. (1987). Transcriptional regulation of the human prointerleukin 1 beta gene. *J. Immunol.*, 138(11):3972-3979.

- Fett, J., Strydom, D.J., Lobb, R.R., Alderman, E.M., Bethune, J.L., Riordan, J.F., et al. (1985). Isolation and characterization of angiogenin, an angiogenic protein from human carcinoma cells. *Biochemistry*, 24:5480-5486.
- Folkman, J. (1990). What is the evidence that tumors are angiogenesis dependent?. *J. Natl. Cancer Inst.*, 82:4-6.
- Freeman, G., Lombard, D.B., Gimmi, C.D., Hafler, D., Brod, S.A., Lee, K., et al. (1992). CTLA-4 and CD28 mRNA are coexpressed in most T cells after activation: expression of CTLA-4 and CD28 mRNA does not correlate with the pattern of lymphokine production. *J. Immunol.*, 149:3795-3801.
- Freedman, A.S., Freeman, G., Horowitz, J.C., Daley, J., Nadler, L.M. (1987). B7, a B cell-restricted antigen that identifies preactivated B cells. *J. Immunol.*, 139:3260-3267.
- Frey, J., Engelhardt, W. (1987). Characterization and structural analysis of Fc gamma receptors of human monocytes, a monoblast cell line (U937) and a myeloblast cell line (HL-60) by a monoclonal antibody. *Eur. J. Immunol.*, 17(5):583-591.
- Furukawa, Y., Ohta, M., Kasahara, T., Miura, Y., Saito, M. (1987). Constitutive production of interleukin 1 by human monocytic leukemia cell line JOSK-1 and the production mechanism. *Cancer Res.*, 47(10):2589-2593.
- Gallagher, R.E., Collins, S.J., Trujillo, J., McCredie, K., et al. (1979). Characterization of the continuous, differentiating myeloid cell line (HL-60) from a patient with acute promyelocytic leukemia. *Blood*, 54:713-733.
- Gasson, J.C., Kaufman, S.E., Weisbart, R.H., Tomonaga, M., Golde, D.W. (1986). High-affinity binding of granulocyte-macrophage colony-stimulating factor to normal and leukemic human myeloid cells. *Proc. Natl. Acad. Sci. USA.*, 83(3):669-673.

- Goyert, S.M., Tesio, L., Ashman, L.K., Ball, E., Bazil, V., Garrido, F., et al. (1989). Report on the CD14 cluster workshop. in W. Knapp, B. Dorken, W.R. Gilks, E.P. Rieber, R.E. Schmidt, H. Stein and A.E.G.K. von dem Borne (Eds.), *Leukocyte typing IV* (pp.789-794), Oxford: Oxford University Press.
- Hemler, M.E. (1990). VLA proteins in the integrin family: structure, functions, and their role on leukocytes. *Ann. Rev. Immunol.*, 8:365-400.
- Holers, V.M., Kinoshita, T., Molina, H. (1992). The evolution of mouse and human complement C3-binding proteins: divergence of form but conservative of function. *Immunology Today*, 13:231-237.
- Holter, W., Majdic, O., Lischka, K., Stockinger, H., Knapp, W. (1985). Kinetics of activation antigen expression by *in vitro*-stimulated human T lymphocytes. *Cell. Immunol.*, 90:322-330.
- Howard, A., Pelc, S.R. (1951). Nuclear incorporation of P^{32} as demonstrated by autoradiographs. *Exp. Cell. Res.*, 2:178-187.
- Hunt, S.V. (1987). Preparation of lymphocytes and accessory cells. in G.G.B. Klaus (Ed.), *Lymphocytes a practical approach* (pp.1-32), Oxford: IRL Press Limited.
- Hunter, T. (1987). A thousand and one protein kinases. *Cell*, 50:823-829.
- Kasinrerk, W. (1992). Molecular cloning of human leukocyte surface antigens 3B2 and 132 one round panning immunoselection in COS cell expression system. Doctoral's thesis. University of Vienna, Vienna, Austria.
- Kasinrerk, W., Baumruker, T., Majdic, O., Knapp, W., Stockinger, H. (1993). CD1 molecule expression on human monocytes induced by granulocyte-macrophage colony-stimulating factor. *J. Immunol.*, 150:579-584.

- Kishimoto, T.K., Larson, R.S., Corbi, A.L., Dustin, M.L., Staunton, D.E., Springer, T.A. (1989). The leukocyte integrins. *Advances in Immunology*, 46:149-182.
- Knapp, W., Stockinger, S., Majdic, O. (1990). Antibody-defined cell surface molecules of the immune system. *Curr. Opin. Immunol.*, 2:884-891.
- Knapp, W., Dorken, B., Gilks, W.R., Rieber, E.P., Schmidt, R.E., Stein, H., and von dem Borne, A.E.G.K. (1989). *Leukocyte typing IV*. Oxford: Oxford University Press.
- Knight, S.C. (1987). Lymphocyte proliferation assays. in G.G.B. Klaus (Ed.), *Lymphocytes: a practical approach* (pp.189-207), Oxford: IRL Press.
- Kohler, G., Milstein, C. (1975). Continuous cultures of fused cells secreting antibody of predefined specificity. *Nature*, 256:495-497.
- Koeffler, H.P., Golde, D.W. (1978). Acute myelogenous leukemia: A human responsive to colony-stimulating activity. *Science*, 200:1154.
- Koeffler, H.P., Golde, D.W. (1980). Human myeloid leukemia cell lines: A review. *Blood*, 56:344-350.
- Laemmli, U.K. (1970). Cleavage of structural proteins during the assembly of the head of bacteriophage T4. *Nature*, 227:680-685.
- Larsen, C.P., Ritchie, S.C., Pearson, T.C., Linsley, P.S., Lowry, R.P. (1992). Functional expression of the co-stimulatory molecule; B7/BB1, on murine dendritic cell populations. *J. Exp. Med.*, 176:1215-1220.
- Linsley, P.S., Green, J.L., Tan, P., Bradshaw, J., Ledbetter, J.A., Anasetti, C, et al. (1992). Coexpression and functional cooperation of CTLA-4 and CD28 on activated T lymphocytes. *J. Exp. Med.*, 176:1595-1604.


- Linsley, P.S., Ledbetter, J.A. (1993). The role of the CD28 receptor during T cell responses to antigen. *Ann. Rev. Immunol.*, 11:191-212.
- Lozzio, B.B., Lozzio, C.B., Bamberger, E.G., Feliu, A.S. (1981). A multipotential leukemia cell line (K-562) of human origin (41106). *Proc. Soc. Exp. Biol. Med.*, 166:546-550.
- Lowenthal, J.W., Greene, W.C. (1987). Contrasting interleukin 2 binding properties of the α (p55) and β (p70) protein subunits of the human high-affinity interleukin 2 receptor. *J. Exp. Med.*, 166: 1156-1161.
- Lydyard, P., Grossi, C. (1993). Cells involved in immune responses. in I.M. Roitt, J. Brostoff and D.K. Male (Eds.), *Immunology 3rd edition* (pp.2.2-2.20), London: Mosby-Year Book Europe Limited.
- Lyons, A.B., Ashman, L.K. (1987). Studies on the differentiation of the human myelomonocytic cell line RC-2A in response to lymphocyte-derived factors. *Leuk. Res.*, 11(9):797-805.
- Lyons, A.B., Cooper, S.J., Cole, S.R., Ashman, L.K. (1988). Human myeloid differentiation antigens identified by monoclonal antibodies to the myelomonocytic leukemia cell line RC-2A. *Pathology*, 20:137-146.
- Maes, P., Damart, D., Rommens, C., Montreuil, J., Spik, G., Tartar, A. (1988). The complete amino acid sequence of bovine milk angiogenin. *FEBS Lett.*, 241:41-45.
- Mahadevan, V., Hart, I.R. (1990). Metastasis and angiogenesis. *Rev. Oncol.*, 3:97-103.
- Martin-Zanca, D., Hughes, S.H., Barbacid, M. (1986). A human oncogene formed by the fusion of truncated tropomyosin and protein kinase sequences. *Nature*, 319:743-748.

- Melchers, F., Andersson, J. (1986). Factors controlling the B cell cycle. *Ann. Rev. Immunol.*, 4:13-36.
- Minden, M.D., Pawson, A.J. (1992). Oncogene. in I.F. Tannock and R.P. Hill (Eds.), *The basic science of oncology second edition* (pp.61-87), New York: McGraw-Hill.
- Moore, A.E., Sabachewsky, L., Toolan, H.W. (1955). Culture characteristics of 4 permanent lines of human cancer cells. *Cancer Res.*, 15:598-602.
- Morgan, D.A., Ruscetti, F.W., Gallo, R.C. (1976). Selective *in vitro* growth of T lymphocytes from normal bone marrow. *Science*, 193: 1007-1008.
- Olson, K.A., French, T.C., Vallee, B.L., Fett, J.W. (1994). A monoclonal antibody to human angiogenin suppresses tumor growth in athymic mice. *Cancer Res.*, 54:4576-4579.
- Olsson, I., Gullberg, U., Ivhed, I., Nilsson, K. (1983). Induction of differentiation of the human histiocytic lymphoma cell line U-937 by 1 α ,25-dihydroxycholecalciferol. *Cancer Res.*, 43:5862-5867.
- Pardee, A.B. (1989). G₁ events and regulation of cell proliferation. *Science*, 246:603-608.
- Park, L.S., Friend, D., Gillis, S., Urdal, D.L. (1986). Characterization of the cell surface receptor for human granulocyte/macrophage colony-stimulating factor. *J. Exp. Med.*, 164(1):251-262.
- Pennica, D., Nedwin, G.E., Hayflick, J.S., Seeburg, P.H., Derynck, R., Palladino, M.A., et al. (1984). Human tumor necrosis factor: precursor structure, expression and homology to lymphotoxin. *Nature*, 312(5996):724-729.
- Razi-Wolf, Z., Freeman, G.J., Galvin, F., Benacerraf, B., Nadler, L., Reiser, H. (1992). Expression and function of the murine B7 antigen, the major costimulating molecule expressed by peritoneal exudate cells. *Proc. Natl. Acad. Sci. U.S.A.*, 89:4210-4214.

- Robb, R.J., Greene, W.C., Rusk, C.K. (1984). Low and high affinity cellular receptors for interleukin 2: implications for the level of Tac antigen. *J. Exp. Med.*, 160:1126-1146.
- Robb, R.J., Rusk, C.M., Yodoi, J., Greene, W.C. (1987). Interleukin 2 binding molecule distinct from the Tac protein: analysis of its role information of high affinity receptors. *Proc. Natl. Acad. Sci. USA.*, 84:2002-2006.
- Schandene, L., Alonso-Vega, C., Willems, F., Gerard, C., Delvaux, A., Velu, T., et al. (1994). B7/CD28-dependent IL-5 production by human resting T cells is inhibited by IL-10. *J. Immunol.*, 152:4368-4374.
- Schlossman, S., Boumsell, L., Gilks, W., Harlan, J., Kishimoto, T., Morimoto, C., et al. (1994). *Leukocyte typing V*. Oxford: Oxford University Press.
- Schwartz, R., Stein, H. (1989). Cluster report: CD71. In . W. Knapp, B. Dorken, W.R. Gilks, E.P. Rieber, R.E Schmidt, H. Stein, and A.E.G.K von dem Borne (Eds.), *Leukocyte typing IV* (pp.455-460), Oxford: Oxford University Press.
- Sikora, K., Smedley, H. (1984). *Monoclonal antibodies*. Oxford: Blackwell Scientific Publications.
- Simmons, D., Makgoba, M.W., Seed, B. (1988). ICAM, an adhesion ligand of the LFA-1, is homologous to the neural cell adhesion molecule NCAM. *Nature*, 331:624-627.
- Shapiro, R., Strydom, D.J., Olson, K.A., Vallee, B.L. (1987). Isolation of angiogenin from normal human plasma. *Biochemistry*, 26:5141-5146.
- Smith, K.A. (1988). Interleukin-2: inception, impact and implications. *Science*, 240:1169-1176.

- Sporn, M.B., Todaro, G.J. (1980). Autocrine secretion and malignant transformation of cells. *N. Engl. J. Med.*, 303:878-880.
- Sundstrom, C., Nilsson, K. (1976). Establishment and characterization of a human histiocytic lymphoma cell line (U-937). *Int. J. Cancer*, 17 (5):565-577.
- Takahashi, M., Cooper, G.M. (1987). *ret* transforming gene encodes a fusion protein homologous to tyrosine kinases. *Mol. Cell. Biol.*, 7:1378-1385.
- Toolan, H.W. (1954). Transplantable human neoplasm maintained in cortisone-treated laboratory animals. *Cancer Res.*, 14:660-666.
- Tsuda, M., Kozak, R.W., Goldman, C.K., Waldman, T.A. (1986). Demonstration of a new non-Tac peptide that binds interleukin 2: a potential participant in a multichain interleukin 2 receptor complex. *Proc. Natl. Acad. Sci. USA.*, 83:9694-9698.
- Van den berg, C.W., William, O.M., Morgan, B.P. (1994). Presence of a dysfunctional form of CD59 on a CD59⁺ subclone of the U937 cell line. *Immunology*, 81:637-642.
- Wakasugi, H., Harel, A., Dokhelar, M.C., Fradelizi, D., Tursz, T. (1980). Accessory function and interleukin 1 production by human leukemic cell lines. *J. Immunol.*, 132(6):2939-2947.
- Weiss, A., Imboden, J.B. (1987). Cell surface molecules and early events in human T lymphocyte activation. *Advances in Immunology*, 41:1-38.
- Wells, A., Welsh, J.B., Laxar, C.S., et al. (1990). Ligand induced transformation by a noninternalizing epidermal growth factor receptor. *Science*, 247:962-964.
- Williams, D.E., Eisenman, J., Baird, A., et al. (1990). Identification of a ligand for the c-kit proto-oncogene. *Cell*, 63:167-174.

Yang, Y.C., Ciarletta, A.B., Temple, P.A., Chung, M.P., Kovacic, S., Witek-Giannotti, J.S., et al. (1986). Human IL-3 (multi-CSF): identification by expression cloning of a novel hematopoietic growth factor related to murine IL-3. *Cell*, 47(1):3-10.



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่

Copyright© by Chiang Mai University
All rights reserved