

TABLE OF CONTENTS

| | Page |
|--|------|
| ACKNOWLEDGEMENTS | iii |
| ABSTRACT (IN ENGLISH) | v |
| ABSTRACT (IN THAI) | vii |
| LIST OF TABLES | xi |
| LIST OF FIGURES | xiii |
| CHAPTER 1 INTRODUCTION | |
| 1.1 General consideration | 1 |
| 1.2 Review of literatures | 3 |
| 1.2.1 Life cycle and morphology | 3 |
| 1.2.2 The snail intermediate hosts | 6 |
| 1.2.3 The fish intermediate hosts | 6 |
| 1.2.4 The metacercariae of <i>Opisthorchis viverrini</i> | 7 |
| 1.3 Raw fish food | 9 |
| 1.4 Aims of investigation | 12 |
| 1.5 Significance of the research | 12 |
| CHAPTER 2 MATERIALS AND METHODS | |
| 2.1 MATERIALS | |
| 2.1.1 Fresh-water fish | 13 |

TABLE OF CONTENTS (cont.)

| | Page |
|--|-------------|
| 2.1.2 Raw-fish products | 15 |
| 2.1.3 Essential equipment | 15 |
| 2.1.4 Major chemicals and reagents | 16 |
| 2.2 METHODS | |
| 2.2.1 Collection of metacercariae from fresh-water fish | 16 |
| 2.2.2 Collection of metacercariae from raw-fish products | 17 |
| CHAPTER 3 RESULTS | |
| 3.1 Prevalence of metacercariae in cyprinoid fish | 18 |
| 3.2 Intensity of metacercariae in cyprinoid fish | 18 |
| 3.3 Density of metacercariae in cyprinoid fish | 19 |
| 3.4 Prevalence of metacercariae in raw-fish products | 19 |
| CHAPTER 4 DISCUSSION | 29 |
| CHAPTER 5 CONCLUSION | 36 |
| BIBLIOGRAPHY | 37 |
| APPENDICES | 46 |
| CURRICULUM VITAE | 59 |

LIST OF TABLES

| Table | Page |
|--|------|
| 1. Cyprinoid fish that have been found to be infected with metacercariae of <i>O. viverrini</i> in Thailand. | 8 |
| 2. Some of the common species of fish eaten raw in northeast Thailand. | 11 |
| 3. Prevalence of metacercariae in cyprinoid fish collected from natural habitats in Chiang Mai province. | 20 |
| 4. Prevalence of metacercariae in cyprinoid fish collected from fish farms in Chiang Mai province. | 21 |
| 5. Statistical comparison of the prevalence of <i>Opisthorchis viverrini</i> metacercaria infection in cyprinoid fish from natural habitats and fish farms. | 22 |
| 6. Intensity of metacercariae in cyprinoid fish collected from natural habitats in Chiang Mai province. | 23 |
| 7. Intensity of metacercariae in cyprinoid fish collected from fish farms in Chiang Mai province. | 25 |
| 8. Density of metacercariae in cyprinoid fish collected from natural habitats in Chiang Mai province. | 26 |
| 9. Density of metacercariae in cyprinoid fish collected from fish farms in Chiang Mai province. | 27 |

LIST OF TABLES (cont.)

| Table | Page |
|--|------|
| 10. Prevalence of metacercariae in " <i>pla-jom</i> " from 5 Amphoes in Chiang Mai province. | 28 |
| 11. Processing conditions under which inhibition of infectivity of food-borne <i>O. viverrini</i> metacercariae has been observed. | 35 |


ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
 Copyright© by Chiang Mai University
 All rights reserved

LIST OF FIGURES

| Figure | Page |
|---|------|
| 1. Life cycle of the liver fluke <i>Opisthorchis viverrini</i> | 4 |
| 2. Encysted metacercaria of <i>Opisthorchis viverrini</i> , showing the excretory bladder and the oral and ventral suckers. | 46 |
| 3. Encysted metacercaria of <i>Haplorchis</i> sp. I, showing chitinous bars (fan-shaped) at ventrogenital sucker. | 47 |
| 4. Encysted metacercaria of <i>Haplorchis</i> sp. II, showing ventral sucker with numerous tiny spines. | 48 |
| 5. Encysted metacercaria of <i>Haplorchis</i> sp. III, showing ventral sucker armed with incomplete circle of 32-40 sclerites. | 49 |
| 6. Encysted metacercaria of <i>Centrocestus</i> sp., showing oral sucker with two rings of collar spines. | 50 |
| 7. Completely degenerated metacercaria from "pla-jom". | 51 |
| 8. Partially degenerated metacercaria from "pla-jom". | 52 |
| 9. <i>Puntius leiacanthus</i> (Bleeker) (ปลาตะเพียนทราย) | 53 |
| 10. <i>Cyclocheilichthys repasson</i> (ปลากวนน้อย, ปลากวนอีไทย) | 54 |
| 11. <i>Osteochilus</i> sp. (ปลาสร้อย, ปลาหมอน) | 55 |
| 12. <i>Esomus metallicus</i> (ปลาชีว) | 56 |
| 13. <i>Puntius gonionotus</i> (ปลาตะเพียนขาว, ปลาปาก) | 57 |

LIST OF FIGURES (cont.)

| Figure | Page |
|---|------|
| 14. View of a fish farm, showing water supply taken from an irrigation canal (on the right hand). | 58 |



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
 Copyright© by Chiang Mai University
 All rights reserved