

REFERENCE

- Allen, J. C. 1976. A modified sine wave method for calculating degree days. *Environ. Entomol.* 5: 388-396.
- Apple, J. W. 1952. Corn borer development on canning corn in relation to temperature accumulations. *J. Econ. Entomol.* 45: 877-879.
- Beck, S. D. 1983. Thermal and thermoperiodic effects on larval development and diapause in the European corn borer, *Ostrinia nubilalis*. *J. Insect. Physiol.* 29:107-112.
- Bovin, G., C. Ritchot, P. Martel and D.G.R. Mcleod. 1986. Evidence for regional differences in the emergence patternof the Euperan corn borer (Lepidoptera: Pyralidae) in Quebec. *J. Econ. Entomol.* 79:978-980.
- Calvin, D. D., M.C. Knapp, K. Xingquan, F.L. Poston and S. M. Welch. 1986. Using decision model to optimize European corn borer (Lepidoptera: Pyralidae) egg-mass sampling. *Environ. Entomol.* 15: 1212-1219.
- Chen, Z. L, 1991, Present situation and prospect of corn research work in Yunnan, P.R. China. *Yunnan Agri. Sci. & Tech.* 4: 32. (in Chinese).
- Chiang, H. C. and A. C. Hodson. 1959. Distribution of the first-generation egg masses of the European corn borer in corn fields. *J. Econ. Entomol.* 52: 295-299.
- Clement, S. L., W.L. Rubink, R.W. Rings and M.A. Casey. 1981. Predicting flight activities of European corn borer. *Ohio Rep.* 66: 3-4.
- Coll, M. and D. G. Bottrell. 1991. Microhabitat and resource selection of the European corn borer (Lepidoptera: Pyralidae) and its natural enemies in Maryland field corn. *Environ. Entomol.* 20: 526-533.
- Despins, J.L. and J.E. Robert. 1984. Phenology of adult Euperan corn bore (Lepidoptera: Pyralidae) in Virginia. *J. Econ. Entomol.* 77:588-590.
- Din, Y.Q. 1994. Insect Mathematical Ecology. Beijing: Sci. Press. (in Chinese).

- Frye, R.D. 1971. "European corn borer population in North Dakota", N.D. Res. Rep. No. 27.
- Got, B. 1989. Temperature-dependent model for European corn borer (Lepidoptera: Pyralidae) development. *Environ. Entomol.* 18: 85-93.
- Hebei Normal University Research Group. 1977. Experimental results in corn borer response to pheromone. *Entomol. Know.* 14: 22-23. (in Chinese).
- Hirai, Y. 1991. Major pests of maize and control measures in Japan. *JARQ.* 25(1): 12-16.
- Higley, L.G., L.P. Pedigo and K.R. Ostlie. 1986. DEGDAY.A program for calculating degree-days and assumptions behind the degree-day approach. *Environ. Entomol.* 15: 999-1016.
- Horn, D. J. (1988). Ecological Approach to Pest Management. London: Guilford Press.
- Hou, Z.D. Y. Zhang and Z.X. He. 1984. The dominant fauna of natural enemies in corn field and their influence to control corn borer. *Natur. Ene. Insect.* 6(4): 236-239. (in Chinese).
- Hu, M.J. and B.X. Sun. 1979. Intergrated pest management of corn borer in China. In: Institute of Zoology of Chinese Academy Science (ed.) Integrated Pest Management Programs to Principle Insect Pests in China, (pp 281-300) Beijing: Academic Press. (in Chinese).
- Hurlbert, S. H. 1971. The non-concept of species diversity: A critique and alternative parameters. *Ecology*. 52: 577-586.
- Ishii-Eileman, M. J. 1993. Egg parasitism of green rice leafhoppers in rice cultivation systems in northern Thailand. Ph.D dissertation in ecology and systems, Cornell University, U. S. A.
- Jarvis, J.L. and T.A. Brindley. 1965. Predicting moth flight and oviposition of European corn borer by the use of temperature accumulations. *J. Econ. Entomol.* 58:300-302.
- Jugenheimer, R. W. (1976). Corn Improvement: Seed Production and Uses. New York: Wiley.
- Kirk, J.R. Van and M.T. Aliniaze. 1981. Determining low-temperature threshold for pupal development of the western cherry fruit fly for use in phenology models. *Environ. Entomol.* 10: 968-971.

- Lawton, J.H. 1978. Host-plant influences on insect diversity: the effects of space and time. *Symp. R. Entomol. Soc. London.* 9: 105-125.
- Lawton, J.H. 1983. Plant architecture and the diversity of phytophagous insects. *Ann. Rev. Entomol.* 28: 23-39.
- Lee, D.A. and J.R. Spence. 1987. Developmental adaptation of the European corn borer (*Ostrinia nubilalis* Hubner) in Alberta. *Can. Entomol.* 119: 371-380.
- Li, D.M. and R.S. Wang. 1986. The study of rapid estimating the developmental threshold and degree-day accumulations. *Entomol. Know.* 23: 184-187. (in Chinese).
- Li, W.H. 1980a. Identification of corn borer species and allied species in China. *J. Plant. Prot.* 3:14-15. (in Chinese)
- Li, W.H. 1980b. The study and survey of corn borer species and distribution in China. *J. Plant. Prot.* 9:1-5. (in Chinese)
- Li, W.H. 1985. The role of different taxonomic characters to identify the species of corn borer in China. *J. Plant Prot.* 11:27-28. (in Chinese)
- Li, Z.Y., Y.X. Sun and X. Xie. 1992. Laboratory method for screening corn for Asian corn borer resistance. *J. Yunnan Agri. Univ.* 7: 49-49. (in Chinese).
- Lin, S., A.C. Hudson and A.G. Richards. 1954. Analysis of threshold temperatures for the development of *Oncopeltus* and *Tribolium* eggs. *Phys. Zool.* 27: 287-310.
- Liss, W.J., L.J. Gut, P.H. Westigard and C.E. Warren. 1986. Perspectives on arthropod community structure, organization, and development in agricultural crops. *Ann. Rev. Entomol.* 31: 455-478.
- Litsinger, J. A., V. Hasse, A. T. Barrion and H. Schmutterer. 1991. Response of *Ostrinia furnacalis* (Guenee) (Lepidoptera: Pyralidae) to intercropping. *Environ. Entomol.* 20: 988-1004.
- Liu, X. C. 1978. Study on dynamic and prediction of corn borer in China. *J. Kaifeng Agri. & Fores.* (2): 17-21. (in Chinese).
- Liu, S.S., G.M. Zhang and J. Zhu. 1995. Influence of temperature variations on rate of development in insects: analysis of case studies from entomological literature. *Ann. Entomol. Soc. Am.* 88: 107-119.

- Lu, M.R.. 1992. "Final report of the species and incidence of Asian Corn Borer in Yunnan", Restricted publication. (in Chinese).
- Lu, M.R., Z.Y. Li, and B.L. Yang. 1991. Study on species and biological characters of corn borer in Linjiang County. *J. Yunnan Agri. Univ.* 6: 87-91. (in Chinese).
- Ludwig, J. A. and J. F. Reynolds. (1988). Statistical Ecology. New York: Wiley.
- Magurran, A.E. (1988). Ecological diversity and its measurement. London: Croom Helm Ltd.
- Marquardt, D.W. 1963. An algorithm for least-squares estimation of nonlinear parameters. *J. Soc. Ind. App. Math.* 11: 431-441.
- Matteson, J.W. and G.C. Deeker. 1965. Development of the European corn borer at controlled constant and variable temperatures. *J. Econ. Entomol.* 58: 344-349.
- Mayse, M.A., P.W. Price. 1978. Seasonal developmental of soybean arthropod communities in east central Illinois. *Agro-Ecosystems*. 4: 387-405.
- McCaffrey, J. P. and R.L. Horsburgh. 1980. The spider fauna of apple trees in central Virginia. *Environ. Entomol.* 9: 247-252.
- McLeod, D.G.R. 1981. Factors affecting the temporal distribution of the spring flight of the European Corn Borer, *Ostrinia nubilalis* (Lepidoptera: Pyralidae). *Can. Entomol.* 113: 433-439.
- Miller, J.C. and J.W. Paustian. 1992. Temperature-dependent development of *Eriopis connexa* (Coleoptera: Coccinellidae). *Environ. Entomol.* 21: 1139-1142.
- Morris, R.F. and W.C. Fulton. 1970. Models for the development and survival of *Hyphantria cunea* in relation to temperature and humidity. *Mem. Entomol. Soc. Can.* 70: 1-60.
- Mu, L. Y. and K.Y. Wang. 1987. Studies on the resistance of Asian corn borer to BHC and alternation of insecticides in China. *Acta Phytophylactica Sinica*. 14:209-215. (in Chinese).
- Muirhead-Thomson. (1991). Trap Response of Flying Insects. London: Academic Press.
- Mutuura, A and E. Munroe. 1970. "Taxonomy and distribution of European corn borer and allied species: Genus *Ostrinia* (Lepidoptera: Pyralidae)." Memoris of the Entomological Society of Canada. No. 71. Ottawa.

- Pedigo, L.P. (1989). Entomology and pest management. New York: Macmillan Pub.
- Peet, R.K. 1974. The measurement of species of diversity. *Ann. Rev. Ecol. Sys.* 5: 285-307.
- Pitcairn, M. J., F.G. Zalom and R. E. Rice. 1992. Degree-day forecasting of generation time of *Cydia pomonella* (Lepidoptera: Tortricidae) populations in California. *Environ. Entomol.* 21: 441-446.
- Price, P.W. (1975). Insect ecology. New York: Wiley.
- Rock, G.C. and P. L. Shaffer. 1983. Developmental rates of codling moth (Lepidoptera: Olethreutidae) reared on apple at four constant temperatures. *Environ. Entomol.* 12: 831-834.
- Ross, S.E. and K.R. Ostlie. 1990. Dispersal and survival of early instars in European corn borer (Lepidoptera: Pyralidae) in field corn. *J. Econ. Entomol.* 83: 831-836.
- Ruesink, W. G. 1980. Introduction to sampling theory. In: Kogan, K and D. C. Herrg (eds). Sampling methods in Soybean Entomology. New York: Springer-verlag.
- Sachs, L. (1984). Applied statistics (2nd ed). New York: Springer-verlag.
- Schroeder, A.C. C.E. Mason, E.A.K. Blanakenship, and J.C. Reese. 1986. Evaluation of pinto bean, wheat germ, and lima bean diets for rearing the European corn borer (Lepidoptera: Pyralidae). *J. Econ. Entomol.* 79: 964-969.
- Sharpe, P.J.H. and D.W. DeMichele. 1977. Reaction kinetics of poikilotherm development. *J. Theor. Bio.* 64: 649-670.
- Shelton, A.M. 1986. Distribution of European corn borer (Lepidoptera: Pyralidae) egg masses and larvae on sweet corn in New York. *Environ. Entomol.* 15: 501-506.
- Sheperd, M., G.R. Carner and S.G. Turnipseed. 1977. Colonization and resurgence of insect pests of soybeans in response to insecticides and field isolation. *Environ. Entomol.* 6: 501-506.
- Showers, W.B., J.F. Witkowski, C.E. Mason, F.L. Poston, S.M. Welch, A.J. Keaster, W.D. Guthrie and H.C. Chiang. 1983. "Management of the European corn borer.", North Cent. Reg. Publ. No.22. Iowa State Univ., Ames, Iowa.
- Sokl, R. R. and F. J. Rohlf. (1981). Biometry. (2nd ed.). SanFrancisco: Freman, CA

- Stinner, R.E., A.P. Gutierrez and G.D. Butler. 1974. An algorithm for temperature-dependent growth simulation. *Can. Entomol.* 106: 519-524.
- Taylor, L.R. 1961. Aggregation, variance and the mean. *Nature* 189: 732-735.
- Taylor, L.R. 1984. Assessing and interpreting the spatial distributions of insect populations. *Annu. Rev. Entomol.* 29: 321-367.
- Titayavan, M. 1986. "Studies of the soybean leaf folders, *Lamprosema diamenalis* Guen. and *Lamprosema indicata* F. (Lepidoptera: Pyralidae) in Northern Thailand.", Final Report ACNARP-CMU7. Chiang Mai Uni.
- Tolley, M.P. and H.D. Niemczyk. 1988. Upper and lower threshold temperatures and degree-day estimates for development of the fruit fly (Diptera: Chloropidae) at eight constant temperatures. *J. Econ. Entomol.* 81: 1346-1351.
- Vandermeer, J. (1981). Elementary mathematical ecology. New York: Wiley.
- Wen, T.H., Y.L. Li and Z.M. Chen. 1987. The damage of corn borer to corn yield and the study on economic injury levels. *J. Agri. Sinica*. 18: 26-24. (in Chinese).
- Wwstigard, P.H., L.J. Gut and W.J. Liss. 1985. A selective control program for the pear pest complex in southern Oregon. *Environ. Entomol.* 14: 801-806.
- Whitford, F. and W.B. Showers. 1987. Impact of insecticides on composition and abundance of ground-dwelling insect fauna in adult European corn borer (Lepidoptera: Pyralidae) action sites in Iowa. *Environ. Entomol.* 16: 231-236.
- Whitford, F. and W.B. Showers. 1988. Abundance of nontarget fligae-dwelling insects after insecticides treatment for adult European corn borer (Lepidoptera: Pyralidae). *J. Econ. Entomol.* 81: 1323-1327.
- Wu, H. T. and Y.Q. Din. 1965. The distribution pattern of corn borer on spring corn field in northen China. *Acta Phytophylacica Sinica*. 5: 123-132. (in Chinese).
- Wu, K.J., Y.P. Chen and M.H. Li. 1978. Life tables for experimental populations of the cotton bullworm, *Heliothis armigera* (Hubner), at different temperatures. *Acta Entomologica Sinica*. 21: 385-392. (in Chinese).
- Yie, J. D. 1978. The primary study of phenology of corn borer in Heilongjiang Province. *Heilongjiang Agri. Sci. & Tech.* (4): 26-28. (in Chinese).

- Yunnan Bureau of Statistics. (1991). Yearbooks of Statistics in Yunnan. Beijing: China Statis. Press. (pp. 368-369) (in Chinese).
- Zhang, C. L. and C. L. Li 1986. An improved growth model of arthropod species. *Acta Ecology*. 4: 43-49.
- Zhang, W.Q. (1981). Agricultural Entomology. Beijing: Agri. Press. (in Chinese).
- Zhang, X.X., X.N. Chen. and J.G. Gen. (1979). The principle and methods of insect pest prediction. Beijing: Agri. Press. (in Chinese).
- Zhou, D.R., Y.Y. Wang. and Z.L. Ju. 1980. Studies on the mass rearing of corn borer. *Acta Phytophylacica Sinica*. 17: 113-122. (in Chinese).
- Zhu, C.Y. and Z.M. Zhang. 1988. The estimation for the development threshold of corn borer. *Heilongjiang Agri. Sci. & Tech.* (2): 26-28. (in Chinese).