

TABLE OF CONTENTS

	Page
Acknowledgement.....	i
Abstract.....	iii
Thai Abstract.....	v
List of Tables.....	ix
List if Figures.....	xi
Chapter1 Introduction.....	1
Chapter 2 Literature Review	
2.1 Taxonomic status of the Asian corn borer.....	3
2.2 The biology of Asian corn borer.....	3
2.3 Status of Asian corn borer as a pest.....	5
2.4 Management of Asian corn borer.....	5
2.5 The natural control of Asian corn borer.....	7
Chapter 3 Materials and Methods	
3.1 Laboratory Experiment.....	9
3.1.1 Stock culture of <i>Ostrinia furnacalis</i> (Guenee).....	9
3.1.2 The effect of temperature on the duration of development of <i>Ostrinia furnacalis</i> (Guenee).....	11
3.1.3 Life table study of <i>Ostrinia furnacalis</i> (Guenee).....	13
3.2 Field Experiment.....	14
3.2.1 Response of <i>Ostrinia furnacalis</i> (Guenee) to the light trap.....	14
3.2.2 Response of <i>Ostrinia furnacalis</i> (Guenee) to the synthetic sex pheromone.....	15
3.2.3 Sampling for immature populations of <i>Ostrinia furnacalis</i> (Guenee).....	16
3.2.4 Arthropod population density assessment	19
3.2.5 Degree-day accumulations under field conditions.....	21
Chapter 4 Results	
4.1 Laboratory Experiment.....	23

4.1.3 Life table study of <i>Ostrinia furnacalis</i> (Guenee).....	33
4.2 Field Experiment.....	40
4.2.1 Response of <i>Ostrinia furnacalis</i> (Guenee) to the light trap.....	41
4.2.2 Response of <i>Ostrinia furnacalis</i> (Guenee) to the synthetic sex pheromone.....	41
4.2.3 Sampling for immature populations of <i>Ostrinia furnacalis</i> (Guenee).....	43
4.2.4 Arthropod population density assessment.....	51
4.2.5 Degree-day accumulations under field conditions.....	54
Chapter 5 Discussion and Conclusion.....	65
References.....	81
Vita.....	88

LIST OF TABLES

Table	Page
1. The developmental time (days) of Asian corn borer, <i>Ostrinia furnacalis</i> , from egg to adult emergence at different temperatures and 70% RH with 16 hours photophase.....	25
2. The survival rate of Asian corn borer, <i>Ostrinia furnacalis</i> , from egg to adult emergence at different temperatures and 70% RH with 16 hours photophase.....	27
3. Equations correlating rate of development with constant temperature, and theoretical thresholds of development for <i>Ostrinia furnacalis</i> , at various constant temperatures and 70% RH with 16 hours photophase.....	35
4. Life table for the Asian corn borer, <i>Ostrinia furnacalis</i> , reared under laboratory conditions at 26°C and 70% RH with a 16 hour photophase.....	37
5. Life table for the Asian corn borer, <i>Ostrinia furnacalis</i> , reared under laboratory conditions at 30°C and 70% RH with a 16 hour photophase.....	38
6. A Chi-square good-of-fit test for fitting a Poisson distribution for the egg masses, small larvae (1st and 2nd instars), medium larvae (3rd and 4th instars), large larvae (5th instars), and pupae of <i>Ostrinia furnacalis</i> in Yongde, 1995.....	45
7. A Chi-square good-of-fit test for fitting a Poisson and Negative binomial distributions for the first generation small larvae (1st and 2nd instars) of <i>Ostrinia furnacalis</i>	48
8. A Chi-square good-of-fit test for fitting a Poisson and Negative binomial distributions for the second generation small larvae (1st and 2nd instars) of <i>Ostrinia furnacalis</i>	49
9. Parameter estimates derived from Taylor's power law to compare distribution patterns of life stages of first and second generation Asian corn borer in field corn in Yongde, 1995.....	50
10. The abundance of arthropod taxa in the 3 growth periods of corn, Yongde, 1995.....	52

development of Asian corn borer at Yongde, 1995.....	59
13. Regression of probits of cumulative percentage of captures of Asian corn borer adults (y) in blacklight and fheromone traps on log(10) of degree-days (x).....	63
14. The expected cumulative degree days in for 1, 25, 50, 75, and 95 percent of the first, second, and third generations of moths captureed by the blacklight trap and pheromone traps, Yongde 1995.....	64

LIST OF FIGURES

Figure	Page
1. Estimated relationship between daily developmental rate and constant temperatures for <i>Ostrinia furnacalis</i> for the period from newly deposited egg to egg hatching.....	26
2. Estimated relationship between daily developmental rate and constant temperatures for <i>Ostrinia furnacalis</i> for the period from first instar to the pupation.....	30
3. Estimated relationship between daily developmental rate and constant temperatures for <i>Ostrinia furnacalis</i> for the period from newly pupation to adult emergence.....	32
4. Estimated relationship between daily developmental rate and constant temperatures for <i>Ostrinia furnacalis</i> for the immature stages from newly deposited egg to adult emergence.....	34
5. Seasonal flight collected using a blacklight trap and two pheromone traps and immature stages of <i>Ostrinia furnacalis</i> at Yongde corn field.....	42
6. The field life stages of <i>Ostrinia furnacalis</i> at Yongde corn fields, 1995.....	58
7. Cumulative percent moths captured in relation to accumulative degree-days.....	60