REFERENCES

Adrogue, H.J., and N.E. Madias (1981). Changes in plasma potassium concentration during acid-base disturbances. Am. J. Med., 71, 456-462.

Anderson, J.L., E. Patterson, and M. Conlon (1980). Kinetics of antifibrillatory effects of bretylium : Correlation with myocardial drug concentration. Am. J. Cardiol., 46, 583-592.

Angelakos, E.T., E.G. Laforet, and A.H. Hegnauer (1957). Ventricular excitability and refractoriness in the hypothermic dog. Am. J. Physiol., 189, 591-595.

Babbs, C.F., G.K. Yim, and S.J. Whistler (1979). Elevation of ventricular defibrillation in dogs by antiarrhythmic drugs. Am. Heart J., 98, 345-350.

Bacaner, M. (1966). Bretylium tosylate for suppression of induced ventricular fibrillation. Am. J. Cardiol., 17, 528-534.

Bacaner, M.B., and D. Schrienemachers (1968). Bretylium tosylate for suppression of ventricular fibrillation after experimental myocardial infarction. Nature, 220, 494-496.

Bacaner, M., and M.B. Visscher (1969). Effect of bretylium tosylate on ventricular fibrillation threshold. Arch. Intern. Med., 124, 95-100.

Badeer, H. (1955). Influence of oxygen on hypothermic cardiac standstill in the Heart-Lung preparation. Circ. Res., 3, 28-33.

Baraka, A., N. Hirt, and A. Dabbous (1993). Lidocaine cardioplegia for prevention of reperfusion ventricular fibrillation. Ann. Thorac. Surg., 55. 1529-1533.

Berne, R.M. (1954). Myocardial function in severe hypothermia. Circ. Res., 2, 90-94.

Berne, R.M. (1954). The effect of immersion hypothermia on coronary blood flow. Circ. Res., 2, 236-239.

Bigelow, W.G., W.K. Lindsay, and R.C. Harrison (1956). Oxygen transport and utilization in dogs at low body temperature. Am. J. Physiol., 160, 125-128.

Blackard, W.G., and N.C. Nelson (1970). Portal and peripheral vein immunoreactive insulin concentrations before and after glucose infusion. Diabetes, 19, 302-306.

Borer, J.S., L.A. Harrison, and K.M. Kent (1976). Beneficial effect of lidocaine on ventricular electrical stability and spontaneous ventricular fibrillation during experimental myocaridial infarction. Am. J. Cardiol., 37, 860-863.

Brown, T.G., and M.V. Cotton (1956). Evaluation of factors enhancing cardiac force during hypothermia. Fed. Proc., 15, 405-411.

Buckberg, C.D., and C.E. Hottenrott (1975). Ventricular fibrillation : its effect on myocardial flow, distribution and performance. Ann. Thorac. Surg., 20, 76-85.

Buckley, J.J., O.K. Bosch, and M.B. Bacaner (1971). Prevention of ventricular fibrillation during hypothermia with bretylium tosylate. Anesth. Analg., 50, 587-593.

Cardinal, R., and B.I. Sasyniuk (1978). Electrophysiological effects of bretylium tosylate on subendocardial Purkinji Fibers from infarcted canine hearts. J. Pharmacol. Exp. Ther., 204, 159-174.

Carmeliet, E., and T. Saikawa (1982). Shortenings of the action potential and reduction of pacemaker activity by lidocaine, quinidine and procainamide in sheep cardiac purkinje fibers. An effect on Na and K currents. Circ. Res., 50, 257-272.

Clausen, T., and O. Hansen (1970). Active Na-K transport and the rate of ouabain binding : The effect of insulin and other stimuli on skeletal muscle and adipocytes. J. Physiol., 270, 415-425.

Coniam, S.W. (1979). Accidental hypothermia. Anesthesia, 34, 250-256.

Cooley, D.A., D.A. Ott, and O.H. Frazier (1981). Surgical treatment of aneurysms of the transverse aortic arch. Experience with 25 patients using hypothermic techniques. Ann. Thorac. Surg., 32, 260-272.

Cookson, B.A., W.B. Neptune, and C.P. Bailey (1952). Hypothermia as a means of performing intracardiac surgery under direct vision. Chest, 22, 245-248.

Cookson, B.A., and J.R. Palrma (1955). Severe bradycardia of profound hypothermia in the dog. Am. J. Physiol., 182, 441-450.

Covino, B.G., D.A.Charleson, and H.E. Amato (1954). Ventricular fibrillation in the hypothermic dog. Am. J. Physiol., 178, 148-153.

Covino, B.G., and A.H. Hegnauer (1955). Electrolytes and pH changes in relation to hypothermic ventricular fibrillation. Circulation, 3, 575-580.

Cranefield, P.F., H.O. Klein, B.F. Hoffman (1971). Conduction of the cardiac impulse. I. Delay, block and one-way block in depressed fibers. Circ. Res., 28, 199-203.

Cranefield, P.E. (1977). Action potentials, afterpotentials and arrhythmias. Circ. Res., 41, 415.

Curling, P.E., D. Nagle, J. R., Zaidan, and J.A. Kaplan (1981). Effects of lidocaine, propanolol and bretylium on reperfusion dysrhythmia. Anesthesiology, 55, A 52.

Dahl, C.F., G.A. Ewy, E.D. Warner, and E.D. Thomas (1974). Myocardial necrosis from direct current countershock. Circulation, 50, 956-961.

Danzl, D., M.B. Sowers, and S.J. Vicario (1982). Chemical ventricular defibrillation in severe accidental hypothermia. Ann. Emerg. Med., 11, 698-699.

DaVee, T.S., and E.J. Reineberg (1980). Extreme hypothermia and ventricular fibrillation. Ann. Emerg. Med., 9, 100-102.

Day, H.W., and M.B. Bacaner (1971). Use of bretylium tosylate in the management of acute myocardial infarction. Am. J. Cardiol., 27, 177-189.

Deterling, W.G., W.K. Lindsey and W.F. Greenwood (1955). Study of basic physiologic changes associated with hypothermia. Ann. Surg., 70, 87-93.

Douglas, P.Z. (1975). Electrophysiological mechanisms involved in ventricular fibrilation. Circulation, 51 (suppl. III), III 120-III 130.

Dyckner, T., C. Helmers, T. Lundman, and P.O. Wester (1975). Initial serum potassium level in relation to early complications and prognosis in patients with acute myocardial infarction. Acta Med. Scand., 197, 207-211.

Edwards, W.S., S. Tuluy, W.e. Reber, A. Sicgal, and R.J. Bing (1954). Coronary blood flow and myocardial metabolism in hypothermia. Ann. Surg., 139, 275-279.

Edwards, W.S., E. Simmons, C.R. Lombardo, A. bennett, and R.J. Bing (1955). Coronary blood flow in hypothermia. Arch. Surg., 71, 853-857.

Fall, S.M., N.A. Burton, and G.M. Graeber (1985). The use of lidocaine to prevent ventricular fibrillation during reperfusion in cardiac surgery. J. Am. Coll. Cardiol., 5, 433.

Fall, S.M., N.A. Burton, and G.M. Gracber (1987). Prevention of ventricular fibrillation after myocardial revascularization. Ann. Thorac. Surg., 43, 182-184.

Fiore, A.C., K.S. Naunheim, and J. Taub (1990). Myocardial preservation using lidocaine blood cardioplegia. Ann. Thorac. Surg., 50, 771-775.

Fisher, B., C. Russ, and E. J. Fedor (1955). Experimental evaluation of prolonged hypothermia. Arch. Surg., 71, 431-448.

Fuhrman, F.a., G.L. Fuhrmann, J.M. Crismon, and J. Field (1953). The effect of temparature on the inactivation of epinephrine in vivo and in vitro. J. Pharmacol. Exp. Ther., 80, 323-340.

Garb, S., and M. Penna (1956). Relationship of temperature to sensitivity of the mammalian auricle to sympathomimetic amines. J. Appl. Physiol., 9, 431-435.

Hegnauer, A.H., H. Amato, and J. Flynn (1951). Influence of intraventricular catheters on course of immersion hypothermia in dog. Am. J. Physiol., 167, 63-71.

Hegnauer, A.H. (1959). Excitable properties of the hypothermic heart. Ann. NY. Acad. Sci., 80, 336-347.

Heissenbuttel, R.H., and J.T. Bigger (1979). Bretylium tosylate : A newly available antiarrhythmic drug for ventricular arrhythmias. Ann. Intern. Med., 91, 229-238.

Hohnloser, S.H., R.L. Verrier, B. Lown, and E.A. Racder (1986). Effect of hypokalemia on susceptibility to ventricular fibrillation in the normal and ischemic canine heart. Am. Heart J., 112, 32-36.

Horuichi, T., and K. Koyamada (1964). Radical operation for ventricular septal defect in infancy. J. Thorac. Cardiovasc. Surg., 47, 50.

Hottentrott, C., and G.D. Buckberg (1974). Studies of the effects of ventricular fibrillation on the adequacy of regional myocardial flow. II. Effects of ventricular distension. J. Thorac. Cardiovasc. Surg., 68, 626-633.

Hottenrott, C., J.V. Maloneyu, and G. Buckberg (1974). Studies of the effects of ventricular fibrillation on the adequacy of regional myocardial flow III. J. Thorac. Cardiovasc. Surg., 68, 6324-645.

Hudson, L.D., and R.D. Conn (1974). Accidental hypothermia : Associated diagnoses and prognosis in a common problem. JAMA, 227, 37-40.

Jen, T.W., E.s. Donale, and V.M. Peter (1986). Antiarrhythmic drugs : Electrophysiological basis of their clinical usage. Ann. Thorac. Surg., 41, 106-112.

Johnson, D.G., J.S. Hayward, T.P. Jacobs, M.L. Collis, J.D. Eckerson, and R.H. Williams (1977). Plasma norepinephrine responses of man in cold water. J. Appl. Physiol., 43, 216-220.

Kathleen, M., M.N. Richard, and C.T Michacl (1986). Use of bretylium tosylate as prophylaxis and treatment in hypothermic ventricular fibrillation in the canine model. Ann. Emerg. Med., 15, 1160-1166.

Keeffe, K.M. (1977). Accidental hypothermia : A review of 62 cases. Ann. Emerg. Med., 6, 491-496.

Knochel, J.P. (1977). Role of glucoregulatory hormones in potassium homeostasis. Kidney Int., 11, 443-448.

Koch, W.J. (1979). Bretylium. N. Engl. J. Med., 300, 473-477.

Koht, A., R. Cane, and L.J. Cerullo (1983). Serum potassium levels during prolonged hypothermia. Intensive Care Med., 9, 257-277.

Kolata, G.B. (1981). Consensus on bypass surgery. Science, 211, 42-43.

Kuntschen, F.R., P.M. Galetti, and C. Hahn (1986). Glucose-insulin interactions during cardiopulmonary bypass : hypothermia versus normothermia. J. Thorac. Cardiovasc. Surg., 91, 451-459.

Lake, C.L., L.K. Irving, M.M. Robert, and S.C. Richard (1986). Lidocaine enhances intraoperative ventricular defibrillation. Anesth. Analg., 65, 337-340.

Leduc, J. (1961). Catecholamine production and release in exposure and acclimation to cold. Acta Physiol. Scand., 53, 1-8.

Machida, S., S. Ohta, and N. Itoh (1977). Changes in tissue distribution of potassium during simple hypothermia. Jpn. J. Thorac. Surg., 30, 413.

Movor, G.E., R.A. Harder, R.K. McEvoy, A.B. McCoord, and E.B. Mahoney (1956). Potassium and hypothermic heart. Am. J. Physiol., 185, 515-540.

Montgomery, A.V., A.E. Prevedel, and H. Swan (1954). Prostigmine inhibition of ventricular fibrillation in the hypothermic dog. Circulation, 10, 721-728.

Moulder, P.V., R.G. Thompson, C.A. Smith, B.L. Siegel, and W.W. Adams (1956). Cardiac surgery with hypothermia and acetylcholine arrest J. Thoracic. surg., 32, 360-367.

Nielsen, K.C., and C. Owman (1968). Control of ventricular fibrillation during induced hypothermia in cats after blocking the adrenergic neurons with bretylium. Life Sci., 7, 159-168.

Nordrehaug, J.E., and G.V. Lippe (1983). Hypokalemia and ventricular fibrillation in acute myocardial infarction. Br. Heart J., 50, 525-527.

Nordrehaug, J.E., K. Johannessen, and G.V. Lippe (1985). Serum potassium concentration as a risk factor of ventricular arrhythmias early in acute myocardial infarction. Circulation, 71, 645-650.

Okamura, H. (1969). Inhalation anesthesia for simple deep hypothermia induced by surface cooling. Med. J. Osaka Univ., 20, 29-79.

Olson, D.W., B.M. Thompson, J.C. Darin, and M.H. Milbrath (1984). A randomized comparison study of bretylium tosylate and lidocaine in resuscitation of patients from out-of-hospital ventricular fibrillation in a paramedic system. Ann. Emerg. Med., 13, 807-810.

Osborn, J.J. (1953). Experimental hypothermia : Respiratory and blood pH changes in relation to cardiac function. Am. J. Physiol., 175, 389-393.

Pinkston, R.M. (1954). Myocardial function in severe hypothermia. Circ. Res., 2, 90-95.

Praeger, P.I. R.H. Kay, and r. Moggio (1988). Prevention of ventricular fibrillation after aortic declamping during cardiac surgery. Texas. Heart Institute J., 15, 98-101.

Radigan, L.R., t. Lombardo, and A. G. Morrow (1956). The prevention of ventricular fibrillation in experimental hypothermia. Surgery, 40, 471-475.

Reissmann, K.R., and S. Kapoor (1956). Dynamics of hypothermic heart muscle (Heart-Lung preparation). Am. J. Physiol., 18, 162-170.

Reuler, J.B. (1978). Hypothermia : Pathophysiology, clinical settings, and management. Ann. Intern. Med., 89, 519-527.

Riberi, A., H. Siderys, and H.B. Shumacker (1956). Ventricular fibrillation in the hypothermic state. I. Prevention by sino-auricular node blockade. Ann. Surg., 143, 216-219.

Riley, P.A., T. G. Barila, and C.W. Hughes (1956). Ventricular fibrillation in hypothermic dogs as influenced by thiopental, pentobarbital and succinylcholine. Anesthesiology, 17, 277-280.

Rosa, R.M., P. Silva, and J.B. Young (1980). Adrenergic modulation of external potassium disposal. N. Engl. J. Med., 302, 431-435.

Rose, J.C., T.F. Mcdermott, and G.T. Lillienfield (1951). Cardiovascular functions in hypothermic anesthetized man. Circulation, 15, 512-518.

Sabiston, d.C., E.O. Theilen, and D.E. Gregg (1955). The relationship of coronary blood flow and cardiac output and other parameters in hypothermia. Surgery, 38, 498-507.

Sasyniuk, b.I., and C. Mendez (1971). A mechanism for re-entry in canine ventricular tissue. Circ. Res., 28, 3-10.

Schinittger, I., J.C. Griffin, R.J. hall, P.J. Meffin, and R.A. Winkle (1978). Effects of tocainide on ventricular fibrillation threshold. Comparison with lidocaine. Am. J. Cardiol., 42, 76-81.

Shumacker, H.B., J. Ribiri, A. Boone, and H. Kajikuri (1956). Ventricular fibrillation in the hypothermic state. IV. The role of extrinsic cardiac innervation. Ann. Surg., 143, 223-230.

Shumway, N.W., M.L. Gliedman, and f.J. Lewis (1955). Coronary perfusion for longer periods of cardiac occlusion under hypothermia. J. thorac. Surg., 30, 598-603.

Smith, R.T. (1956). Electrolyte studies in experimental animals during hypothermia. Am. J. Surg., 92, 228-230.

Southwick, F.s., and P.H. Dalglish (1980). Recovery after prolonged asystolic cardiac arrest in profound hypothermia. JAMA, 243, 1250-1253.

Spear, J.F., E.N. Moore, and G. Gerstenblith (1972). Effect of lidocaine on the ventricular fibrillation threshold in the dog during acute ischemia and premature ventricular contractions. Circulation, 46, 65-73.

Sprung, J., E.Y. Cheng, S. Gamulin, J.P. Kampine, and Z.J. Bosnjak (1991). Effects of acute hypothermia and bata-adrenergic receptor blockade on serum potassium concentration in rats. Crit. Care Med., 19, 1545-1551.

Sprung, J., E.Y. Cheng, S. Gamulin, J.P. Kampine, and Z.J. Bosnjak (1992). The effect of acute hypothermia and serum potassium concentration on potassium cardiotoxicity in anesthetized rats. Acta Anesth. Scand., 36, 825-830.

Swan, H., R.W. Virtue, and L. zeavin (1953). Cessation of circulation in general hypothermia : Physiologic changes and their control. Ann. Surg., 138, 360-366.

Tchrvenkov, C.I, J.F. Symes, and J.E. Wynands (1983). Lidocaine as an adjunct to high potassium cardioplegia : a prospective randomized clinical trail. Surg. Forum, 34, 319-321.

Todd, E.P., H.C. Campbell, and J.R. Utley (1977). Effect of beta-adrenergic blockade on hypothermia-induced hypokalemia. Surg. Forum, 28, 275-277.

Towne, W.D., W.P. Geiss, and H.O Yanes (19762). Intractable ventricular fibrillation associated with profound accidental hypothermia, successful treatment with partial cardiopulmonary bypass. N. Engl. J. Med., 287, 1135-1136.

Truscott, D.G., W.B. Firor, and L.J. Clein (1973). Accidental profound hypothermia. Arch. Surg., 106, 216-218.

Vick, R.L., E.P. Todd, and D.W. Luedke (1972). Epinephrine-induced hypokalemia : Relation to liver and skeletal muscle. J. Phamacol. Exp. Ther., 181, 139-143.

Wallace, W.R., and A.B. Baker (1994). Incidence of ventricular fibrillation after aortic cross-clamp release using lignocaine cardioplegia. Anesth. Intens. Care, 22, 442-446.

Weld, F.M., and J.T. Bigga (976). The effect of lidocaine on diastolic transmembrane currents determining pacemaker depolarization in cardiac purkinje fiber. Circ. Res., 38, 203-208.

White, J.D. (1982). Hypothermia : The Bellevue experience. Ann. Emerg. Med., 11, 417-424.

Wickstrom, P., E. Ruiz, and g. P. Lilja (1976). Accidental hypothermia: core rewarming with partial bypass. Am. J. Surg., 131, 622-625.

Yokota, H., Y. Kawashima, T. Takao, S. Hasimoto, and H. Manabe (1977) Carbohydrate and lipid metabolism in open-heart surgery. J. Thorac. Cardiovasc. Surg., 73, 543-548.

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Chiang Mai University