

REFERENCES

- Aarons, S.R. and P.H. Graham. 1991. Response of *Rhizobium leguminosarum* *bv. phaseoli* to acidity. Plant and Soil 134: 145-151.
- Abaidoo, R.C., T. Georg, B.B. Bohloo and P.W. Singleton. 1990. Influence of elevation and applied nitrogen on rhizosphere colonization and competition for nodule occupancy by different rhizobial strains on field-grown soybean and common bean. Can. J. Micro. 36: 92-96.
- Adams, M.M., D.P. Coyne, J.H.C. Davis, P.H. Graham and C.A. Francis. 1985. Common bean (*Phaseolus vulgaris* L.). p. 433-476. In R.J. Summerfield and E. H. Roberts (eds.). Grain Legume Crops. Collins, London. 859 p.
- Afza, R., G. Hardason, F. Zepata and S.K. Denso. 1987. Effect of delayed soil and foliar N fertilization on yield and N₂ fixation of soybean. Plant and Soil 97: 361-368.
- Andrew, C.S. 1978. Legumes and acid soils. In J. Dobereiner, R.H. Burris and A. Hollander (eds.). Limitations and Potentials for Biological Nitrogen Fixation in the Tropics. Plenum press. New York, USA: Cited by E. C. Schroder. 1992. Improvement of the *Phaseolus/Rhizobium* symbiosis, with particular reference to the Caribbean region. p. 79-95.
- Beard, B.H. and R.M. Hoover. 1971. Effect of nitrogen on nodulation and yield of irrigated soybeans. Agron. J. 63: 815-816.
- Beck D.P. and R.J. Roughley. 1986. Biological nitrogen as a limitation to food legume production in Asia. p. 121-127. In E.S. Wallis and D.E. Byth. Food (eds.). Proceeding of an International Workshop on Food Legume Improvement for Asian Farming Systems. ACIAR No 18. Khon Kaen, Thailand, Sept 1-2, 1986.
- Bergersen, F.J. 1980. Methods for Evaluating Biological Nitrogen Fixation. John Wiley and Sons Ltd. Chichester, London. 720 p.
- Bhromsiri, A., A. Shutsrirung, C. Santasap, A.. Pengnoo, A.P. Hansen and P. Martin. 1994. Screening of rhizobium strains for red kidney bean (*Phaseolus vulgaris* L.) production in the northern highland of Thailand. Paper presented at the 9th NRCT-JSPS Joint Seminar on Biotechnology

- for Economy and Pollution Control. October 12-15, 1994. Khon Kaen, Thailand. 10 p.
- Bhromsiri, A.. 1995. Screening of rhizobium strains for red kidney bean (*Phaseolus vulgaris L.*) production in the northern highland of Thailand. Paper presented on Production Improvement and Marketing of Red Kidney Bean. January 14, 1995. Chiang Mai, Thailand. 10 p. (In Thai)
- Bliss, F.A. 1993. Breeding common bean for improved biological nitrogen fixation. Plant and Soil 152: 157-160.
- Bohool, B. 1988. *Rhizobium* technology: Application for international agriculture development in the tropics. In H. Bothe, F.J. de Bruijn and W.E. Newton (eds.). Nitrogen Fixation: Hundred Years After. Stuttgart, Germany.
- Bonetti, R., M.N. Montanheiro and S.M.T. Saito. 1984. The effects of phosphate and soil moisture on the nodulation and growth of *Phaseolus vulgaris*. J. Agric. Sci. 103: 95-102.
- Boote, K.J., R.N. Gallagher, W.K. Robertson, K. Hinson and L.C. Hammond. 1978. Effect of foliar fertilization on photosynthesis, leaf nutrition and yield of soybean. Agron. J. 70: 787-789.
- Buerkert, A., K.G. Cassman, R. De La Piedra and D.N. Munns. 1990. Soil acidity and liming effects on stand, nodulation and yield of common bean. Agron. J. 82: 749-754.
- Chalotorn, C. 1994. Water erosion studies of the watersheds. p. 73-81. In Progress report on Sustaining and Resource Management for Agriculture and Forestry in the Tropic Small Watershed Environment. Faculty of Agriculture, Chiang Mai University, Chiang Mai, Thailand.
- Dart, P.J. 1974. The infection process. p. 381-429. In A. Quispel (ed.). The Biology of Nitrogen Fixation. North Holland, Amsterdam. 769 p.
- Duong P.T., C.N. Diep, N.T. Khiem, N.H. Hiep, N.V. Toi and L.T.K. Nhan. 1984. *Rhizobium* inoculant for soybean (*Glycine max (L.) Merrill*) in Mekong Delta. II. response of soybean to chemical nitrogen fertilizer and *Rhizobium* inoculation. Plant and Soil 79: 241-247.
- Duque, F.F., M.C.P. Neves, A.A. Franco, R.L. Victoria and R.M. Boddey. 1985. The response of field grown *Phaseolus vulgaris* to *rhizobium* inoculation

- and the quantification of N₂ fixation using ¹⁵N. Plant and Soil 88: 333-343.
- Edje, O.T., L.K. Mughogho, and U.W.U. Ayonoadu. 1975. Response of dry beans to varying N levels. Agron. J. 67: 251-255.
- Fageria, N.K., V.C. Baligar and C.A. Jones. 1991. Growth and Mineral Nutrition of Field Crops. Marcel Dekker., Inc. New York. 476 p.
- Fehr, W.R., C.E. Caviness, D.T. Burmood, and J.S. Pennington. 1971. Stage of development descriptions for soybeans, *Glycine max* (L.) merrill. Crop Sci. 11: 929-931.
- Franco, A.A. and D.N. Munns. 1982. Acidity and allumium restraints on nodulation, nitrogen fixation, and growth of *Phaseolus vulgaris* in solution culture. Soil Sci. Soc. Am. J. 46: 296-301.
- Gacia, R.L. and J.C. Handway. 1976. Foliar fertilization of soybeans during the seed-filling period. Agron. J. 68: 653-657.
- George, T. and P.W. Singleton. 1992. Nitrogen assimilation trails and dinitrogen fixation in soybean and common bean. Agron. J. 84: 1020-1028.
- Giller, K.E. and K.J. Wilson. 1991. Nitrogen Fixation in Tropical Cropping Systems. CAB International, Wallingford, U.K. 313 p.
- Graham, P.H. and J.C. Rosas. 1979. Phosphorus fertilization and symbiotic nitrogen fixation in common bean. Agron J. 71: 925-926.
- Graham, P.H., S.E. Viteril, F. Mackie, A. Palacios and A.T. Vergas. 1982. Variation in acid tolerance among strains of Rhizobium *Phaseoli*. Field Crops Res. 5: 121-128.
- Hardason, G. 1993. Method for enhancing symbiotic nitrogen fixation. Plant and Soil 153: 1-17.
- Hardason, G. and S.K.A. Denso. 1993. Methods for measuring biological nitrogen fixation in grain legumes. Plant and Soil 152: 19-24.
- Henson, R.A.. 1993. Measurements of N₂ fixation by common bean in central Brazil as effected by different reference crop. Plant and Soil 152: 53-58.

- Hernandez, G., V. Vasquez, T. Penate, A. F. Afaro, and N. Mendez. 1993. Nodulation and growth of common bean (*Phaseolus vulgaris* L.) cultivars in hydroponics culture and in the field. *Trop. Agric.* 70: 230-234.
- Herridge, D.F. 1984. Effect of nitrate and plant development on abundance of nitrogenous in root-bleeding and vacuum-extracted exudes in soybean. *Crop Sci.* 25: 173-179.
- Intasan, J. 1997. Measurement of N₂ fixation of red kidney bean plant ureide analysis of dry stem sample. M.S. thesis, Chiang Mai University, Chiang Mai, Thailand. 124 p. (In Thai).
- Ishag, H.M. and A.T. Agroub. 1974. Effect of sowing date and soil type on yield, yield components and survival of dry beans (*Phaseolus vulgaris* L.). *J. Agric. Sci.* 82: 343-347.
- Isoi, T. and S. Yoshida. 1991. Low nitrogen fixation of common bean (*Phaseolus vulgaris* L.). *Soil Sci. Plant Nutr.* 37 (3): 559-563.
- Jaichoob, T. 1994. Use of rhizobium for red kidney bean on highland of northern region. B.Sc. special problem, Chiang Mai University, Chiang Mai, Thailand. 21 p. (In Thai).
- Kay, D.E. 1979. Food Legumes. Tropical Products Institute, London. 245 p.
Cited by M.J.T Norman, C.J. Pearson and P.G.E. Searle. 1995. The Ecology of Tropical Food Crops. Cambridge university press, Cambridge. 430 p.
- Laing, D.R., P.J. Jones, and J.K.H.C. Davis. 1984. Common bean (*Phaseolus vulgaris* L.). p. 305-251. In P.R. Goldsworthy and N.M. Fisher (eds.). The Physiology of Tropical Field Crops. Wiley, New York.
- Loneragan, J.F. and E.J. Dowling. 1958. The interaction of Ca and H ions in the nodulation of subterranean cover. *Aust. J. Agric. Res.* 9: 464 - 472.
- Mangual - Crespo, G., R. Kiluson and E.C. Schroder. 1987. Nitrogen levels and *Rhizobium* inoculation and yields of native white bean (*Phaseolus vulgaris* L.). *J. Agric. Univ. Puerto Rico* 71: 1-6.
- Marschner, H. 1986. Mineral Nutrition in Higher plants. Academic press, London. 674 p.

- McLaughlin M.J., K.A. Malik, K.S. Memon and M. Idris. 1990. The role of phosphorus in nitrogen fixation in upland crops. p. 295-297. In Proceeding of a Symposium on Phosphorus Requirements for Sustainable Agriculture in Asia and Oceanic. March 6-10, 1989. IRRI, Philippines. 478 p.
- Muller, S., P.A.A. Pereira, and P. Martin. 1993. Effect of different levels of mineral nitrogen on nodulation and N₂ fixation in two cultivars of common bean (*Phaseolus vulgaris* L.). Plant and Soil 152: 139-144.
- Munns, D.N., R.L. Fox. 1977. Comparative lime requirements of tropical and temperate legumes. Plant and Soil 46: 533-548.
- Munns, D.N., R.L. Fox and B.L. Koch. 1977. Influence of lime on nitrogen fixation by tropical and temperate legumes. Plant and Soil 46: 591-601.
- Nalampang, N., M. Seetisarn, D. Tiyawalee, and J. Pintong. 1989. The Kae Noi highland agriculture extension project to replace opium based on agriculture. A Final Report. Faculty of Agriculture, Chiang Mai University, Chiang Mai, Thailand. 29 p.
- Neumann, P.M. and M. Giskin. 1979. Late season foliar fertilization of beans with NPKS: Effect of cytokinins, calcium, and spray frequency. Commun. Soil Sci. Plant Anal. 10: 579-589.
- Neves, M.C.P., A.D. Didonet, F.F. Duque and J. Dobereiner. 1985. *Rhizobium* strain effects on nitrogen transport and distribution in soybean. J. Exp. Bot. 36: 1179-1192.
- Pacheco Basurco, J.C., A. Perticari, A. Gauna, R. Dieguez, A. Pellegrini, P. Figueroa, J.L. Boiardi, E. Arraras, A. Lodeiro and G. Favelukes. 1990. Improved grain protein content in Argentina crops of *Phaseolus vulgaris* through inoculation. Paper presented at 8th International Congress on Nitrogen Fixation. Abstract F-01. Knoxville, Tennessee, USA. Cited by E.C. Schroder. 1992. Improvement of the *Phaseolus/Rhizobium* symbiosis, with particular reference to the Caribbean region. p. 79-95
- Pandey, R.K. and J.L. McIntosh. 1988. Phosphorus requirements and management of grain legumes. p. 363-365. In Proceeding of a Symposium on Phosphorus Requirements for Sustainable Agriculture in Asia and Oceanic. March 6-10, 1989. IRRI, Philippines. 478 p.

- Peoples, M.B., F.J. Bergersen, J. Brockwell, I.R.P. Fillery and D.F. Herridge. 1994. Management of nitrogen for sustainable agricultural systems. In Nuclear Related Methods in Soil/Plant Aspects of Sustainable Agriculture. FAO/IAEA, Vienna. (In press).
- Peoples, M.B. and E.T. Crasswell. 1992. Biornitrogen fixation investment, expectation and actual contributions to agriculture. Plant and Soil 141: 13-39.
- Peoples, M.B., A.W. Faizah, B. Rekasem, and D.F. Herridge. 1989. Method for Evaluating Nitrogen Fixation by Nodulated Legumes in the Field. ACIAR monopoly, Canberra, Australia. 76 p.
- Peoples, M.B., J.K. Ladha and D.F. Herridge. 1995. Enhancing legume N₂ fixation through plant and soil management. Plant and Soil 174: 83-101.
- Piha, M.I. and D.N. Munns. 1987. Nitrogen fixation capacity of field-grown bean compared to other grain legumes. Agron. J. 79: 690-696.
- Poole, W.D., Randall G.W. and G.E. Ham. 1983. Foliar fertilization of soybean I. Effect of fertilizer source, rates and frequency of application. Agron. J. 75: 195-200.
- Rerkasem, B. and K. Rerkasem. 1993. Legumes for the highlands. Paper presented at the Project Completion Seminar Thai-Australia and Social Development Project. June 2-3, 1993. Chiang Mai, Thailand. 10 p.
- Sangchan, B. 1993. Nitrogen fixation in red kidney bean (*Phaseolus vulgaris* L cv. Mock Cham.) M.S. thesis, Chiang Mai University, Chiang Mai, Thailand. 101 p. (In Thai).
- Schroder, E.C. 1992. Improvement of the *Phaseolus/Rhizobium* symbiosis, with particular reference to the Caribbean region. p. 79-95. In K. Mulongoy, M Gueye and D.S.C. Spence (eds.). Proceeding of the 4th International Conference of African Association for Biological Nitrogen Fixation (AABNF), Ibadan, Nigeria. September 24-28, 1990, International Institute of Tropical Agriculture (IITA). 488 p.
- Schroder, E.C. and Y. Velazquez. 1990. The Caribbean *Rhizobium* Group: applying biotechnology to increase biological nitrogen fixation. In Proceeding of Caribbean Food Crops Society. 26 Ann. Meeting. Mayaguez, Puerto Rico.

- Scully, B. and J.G. Wanies. 1978. Germination and emergence response of common and tepary beans to controlled temperature. *Agron. J.* 79: 287-291.
- Shinawatra, B., A. Wiboonpongse, S. Sriboonchit, and S. Wudhicharoenkarn. 1993. Socio-economic study of the tropical small watershed environment. p. 35-49. *In Progress report on Sustaining and Resource Management for Agriculture and Forestry in the Tropic Small Watershed Environment*. Faculty of Agriculture, Chiang Mai University, Chiang Mai, Thailand.
- Shinawatra, B., S. Woodtijaroenkarn, and M. Kerdlarb. 1994. Socio-economic study of the tropical small watershed environment. p. 82-122. *In Progress report on Sustaining and Resource Management for Agriculture and Forestry in the Tropic Small Watershed Environment*. Faculty of Agriculture, Chiang Mai University, Chiang Mai, Thailand.
- Shukla U.C. and O.P. Yadav. 1982. Effect of phosphorus and Zinc on nodulation and nitrogen fixation in chickpea (*Cicer arietinum L.*). *Plant and Soil* 65: 239-248.
- Silva P.M., S.M. Tsai and R. Bonetti. 1993. Response to inoculation and N fertilization for increased yield and biological nitrogen fixation of common bean (*Phaseolus vulgaris L.*). *Plant and Soil* 152: 123-130.
- Ssali, H. and Kenya, S.O. 1982. Effect of nitrogen fertilizer on yield of beans inoculated with *Rhizobium Phaseoli*. *Kenya J. Sci. Tech.* 3: 87-89.
- Ssali, H. and Kenya, S.O. 1986. The effects of phosphorus and nitrogen fertilizer level on nodulation, growth and dinitrogen fixation of three bean cultivars. *Trop. Agri. (Trinidad)*, 63: 105 - 109.
- Thomas, R.J. 1995. Role of legumes in providing N for sustainable tropical pasture systems. *Plant and Soil*. 174: 103-118.
- Tiyawalee, D., V. Pattaro, M. Sanmeechai, P. Wivatrongvana, and V. Hengsaward. 1978. Legumes for highland. ARS Final Report. Faculty of Agriculture, Chiang Mai University, Chiang Mai, Thailand. 212 p.
- Tsai, S.M. , R. Bonetti, S.M. Agbala, and R. Rossetto. 1993. Minimize the effect of mineral nitrogen on biological nitrogen fixation in common bean by increasing nutrient levels. *Plant and Soil* 152: 131-138.

- Unsrison, S. 1995. Red kidney bean (*Phaseolus vulgaris*). Paper presented on Production Improvement and Marketing of Red Kidney Bean. January 14. 1995. Chiang Mai, Thailand. 8 p. (In Thai).
- Velazquez, Y.A., R.A. Kluson and E.C. Schroder. 1988. *Rhizobium* inoculation of *Phaseolus vulgaris* in Lajas, Puerto Rico. J. Agric. Univ. Puerto Rico 72: 427-436.
- Vincent, J.M. 1974. Root nodule symbiosis with rhizobium, p. 266 - 341. In A. Quispel (ed.). The Biology of Nitrogen Fixation. North Holland. Amsterdam. 71 p.
- Wallace, D.H. 1980. Adaption of *Phaseolus* to different environments. p. 349-357. In R.J. Summerfield and A.H. Bunting (eds.). Advances in Legume Science. Royal Botany Gardens, Kew, England.
- Wani, S.P. and K.K. Lee. 1992. Role of biofertilisers in upland crop production. p. 91-112. In H.S.D. Tandon (ed.). Fertilizers Organic Manures Recycle Wastes and Biofertilisers. Fertilizer Development and Consultation Organization. Bhanot Corner, New Delhi.
- Watanabe, I., K. Tabuchi and H. Nakano. 1983. Response of soybean to supplemental nitrogen after flowering. p. 301-308. In S. Shanmugasundaram, E.W. Suzberger and B.T. Melean, (eds.). Proceeding of a symposium on Soybean in Tropical and Subtropical Cropping Systems, Tsukuba, Japan. September 26 to October 1, 1983. 471 p.
- Welch, L.F., L.V. Boone, C.G. Chambliss, A.T. Cristiansen, D.L. Malvaney, M.G. Oldham and J.W. Pendleton. 1973. Soybean yields with direct and residual nitrogen fertilization. Agron. J. 65: 547-550.
- Westerman, D.T and J. J. Kolar. 1978. Symbiotic N₂ (C₂H₂) fixation by bean. Crop Science 18: 98-99.
- Westerman, D.T., G.E. kleinkopf, L.K. peter and G.E. Leggett. 1981. Nitrogen sources for bean seed production. Agron. J. 73: 660-664.