

REFERENCES

- Alternative Agriculture Network (AAN). 1995. A case study on adaptive in agriculture in northern Thailand. pp. 14-18. *In* Ketmani, K (ed.). Workshop on Lesson in Adaptive of Traditional Agriculture in Thailand. Chiang Mai, Thailand.
- Arayarangsarit, S. 1985. Decision making in investment at farm level by benefit and cost analysis. pp. 127-145. *In* Wiboonpongse, A.(ed.). Economic analysis at farm level. Faculty of Agriculture, Chiang Mai University, Chiang Mai, Thailand.
- Assmann, E. 1970. The principles of forest yield study. *Cited by* Dhanmanonda, P. and Sahunalu, P. 1983. A comparison of crown in different layers of threes forest types at Namprom basin, Chaiyaphum province. Thai J. For. 2(4): 249-264. (in Thai)
- Baldocchi, D. and Collineau, S. 1994. The physical nature of solar radiation in heterogeneous canopies : spatial and temporal attributes. pp. 21-71. *In* Caldwell, M.M and Pearcy, R.W. (eds.). Exploitation of environment heterogeneity by plants. Academic press, San Diego.
- Baldwin, J.P. and Tinker, P.B. 1972. A method for estimating the lengths and spatial patterns of two interpenetrating root systems. Plant and Soil 37: 209-213. *Cited by* Harper, J.L., Jones, M. and Halmilton, N.R.S. 1991. The evolution of roots and the problems of analysing their behaviour. pp. 3-22. *In* Atkinson, D. (ed.). Plant root growth and ecological perspective. Blackwell Scientific Pub., London.
- Ballare, C.L. 1994. Light gaps: sensing the light opportunities in highly dynamic canopy environments. pp. 73-109. *In* Caldwell, M.M and Pearcy, R.W. (eds.). Exploitation of environment heterogeneity by plants. Academic press, San Diego.

- Barber, S.A. 1971. Effect of tillage practice on corn (*Zea mays* L.) root distribution and morphology. *Agronomy Journal* 63: 724-726. Cited by Harper, J.L., Jones, M. and Halmilton, N.R.S. 1991. The evolution of roots and the problems of analysing their behaviour. pp. 3-22. In Atkinson, D. (ed.). *Plant root growth and ecological perspective*. Blackwell Scientific Pub., London.
- Bloomfield, J., Vogt, K. and Wargo, P.M. 1996. Tree root turn over and senescence. In Waisel, Y, Eshel, A. and Kafkafi, U. (eds.). *Plant roots: The hidden half*. Marcel Dekker, Inc., New York.
- Bottomley, P.A., Rogers, H.H. and Foster, T.H. 1986. NMR imaging shows water distribution and transport in plant root systems *in situ*. In *Proc. The National Academy of Sciences* 83: 87-89 Cited by Harper, J.L., Jones, M. and Halmilton, N.R.S. 1991. The evolution of roots and the problems of analysing their behaviour. pp. 3-22. In Atkinson, D. (ed.). *Plant root growth and ecological perspective*. Blackwell Scientific Pub., London.
- Caldwell, M.M., Eissenstat, D.M., Richards, J.H. and Allen, M.F. 1985. Competition for phosphorus differential uptake from dual isotope labelled soil interfaces between shrub and grass. *Sciences* 229: 384-386. Cited by Harper, J. L., Jones, M. and Halmilton, N. R .S. 1991. The evolution of roots and the problems of analysing their behaviour. pp.3-22. In Atkinson, D. (ed.). *Plant root growth and ecological perspective*. Blackwell Scientific Pub., London.
- Chanphaka, U. and Vajirajutipong, T. 1976. The study of through fall, stem flow and interception in mixed deciduous forest with teak a Chiang Dao watershed research station, Chiang Mai. Forest meeting report 1976. Royal Forest Dept. pp. 73-88 (in Thai).
- Decho, T. 1992. Tea: the daily necessarily economic crop. *House Agricultural Magazine* 16(8): 57-62.

- Del Castillo, D.R.C. 1990. Analysis on the sustainability of forest-tea production system: A case study in Ban Kui Tuai, Tambon Pa Pae, Amphoe Mae Taeng, Changwat Chiang Mai. M.S. thesis, Chiang Mai Univ., Chiang Mai, Thailand. 209 p.
- Dhanmanonda, P. 1982. Canopy crown closer of tree forest types at Namphrom basin, Chaiyaphum province. *Thai J. Forestry* 1(1): 27-32.
- Dhanmanonda, P. and Sahunalu, P. 1983. A comparison of crown in different layers of threes forest types at Namphrom basin, Chaiyaphum province. *Thai J. Forestry*. 2(4): 249-264. (in Thai)
- Dhyani, S.K., Narain, P. and Singh, R.K. 1990. Studies on root distribution of find multipurpose tree species in Dune valley, India. *Agroforestry Systems* 12: 149-161.
- Doley, D. 1981. Tropical and subtropical forests and woodlands. pp. 209-307. *In* Kozlowski, T.T. (ed.). *Water deficit and plant growth*. Academic press, New York.
- Dwivedi, A.P. 1992. *Agroforestry principles and practices*. Oxford & IBH pub., New Delhi. 365 p.
- Eastman, J.R. 1995. *IDRISI for Windows*. Clark Univ., Worcester, USA. 110 p.
- Eden, T. 1976. *Tea*. Longman, London. 236 p.
- Fahey, T.J., Hughes, J.W., Pu, M. and Athur, M.A. 1988. Root decomposition and nutrient flux following whole-tree harvest to northern hardwood forest. *Forest Sciences* 34: 744-768.
- Fitter, A. 1996. Characteristics and functions of root systems. pp. 1-20. *In* Waisel, Y, Eshel, A. and Kafkafi, U. (eds.). *Plant roots: The hidden half*. Marcel Dekker, Inc., New York.

- Funchs, H.J. 1989. Tea environment and yield in Sri Lanka. Margraf scientific pub., Weikersheim, Germany. 320 p.
- Fusseder, A. 1983. A method for measuring length, spatial distribution and distances of living roots *in situ*. Plant and Soil 73: 441-445. *Cited by* Harper, J.L., Jones, M. and Halmilton, N.R.S. 1991. The evolution of roots and the problems of analysing their behaviour. pp. 3-22. *In* Atkinson, D. (ed.). Plant root growth and ecological perspective. Blackwell Scientific Pub., London.
- Gadgil, P.D. 1963. Soil section and grassland. pp. 327-332. *In* Proc. of the colloquium on soil fauna, microflora and their relationships. *Cited by* Harper, J.L., Jones, M. and Halmilton, N.R.S. 1991. The evolution of roots and the problems of analysing their behaviour. pp. 3-22. *In* Atkinson, D. (ed.). Plant root growth and ecological perspective. Blackwell Scientific Pub., London.
- Garrity, D.P., Mercado, J.A. and Solera, C. 1995. The nature of species interference and soil chnages on contour hedgerow systems on slopping acidic lands. *cited by* Garrity, D.P. 1996. Tree-soil-crop interactions on slopes. pp. 299-318. *In* Ong, C.K. and Huxley, P. (eds.). Tree-crop interactions. ICRAF. CAB International, Wallingford, UK.
- Garrity, D.P. 1996. Tree-soil-crop interactions on slopes. pp. 299-318. *In* Ong, C.K. and Huxley, P. (eds.). Tree-crop interactions. ICRAF. CAB International, Wallingford, UK.
- Gates, D.M. 1980. Biophysical Plant Ecology. Springer-Verlag, New York. *cited by* Paker, G.G. 1995. Structure and microclimate of forest canopies. pp. 73-106. *In* Lawman, M.D. and Nadkarni, M.M. (eds.). Forest canopy. Academic press., San Diego.

- Geiger, R. 1965. The climate near the ground. Harvard Univ. press, Cambridge. 611p. *cited by* Hincham, M. 1986. Distributional pattern, growth rate and light intensity in dry dipterocarp forest at Sakaerat. M.S. thesis, Kasetsart Univ., Bangkok. (in Thai)
- Hadfield, W. 1975. The effect of high temperature on some aspects of physiology and cultivation of the tea bush, *camellia sinensis*, in northeast India. pp. 477-495. *In* Evans, G.C., Bainbridge, R. and Packham, O. (eds.). Light as an ecological factor: II. Blackwell scientific pub., Oxford.
- Hakkila, P. 1989. Utilization of residual forest biomass. Springer-Verlag, Berlin. 569 p.
- Harper, J.L., Jones, M. and Halmilton, N.R.S. 1991. The evolution of roots and the problems of analysing their behaviour. pp. 3-22. *In* Atkinson, D. (ed.). Plant root growth and ecological perspective. Blackwell Scientific Pub., London.
- Hincham, M. 1986. Distributional pattern, growth rate and light intensity in dry dipterocarp forest at Sakaerat. M.S. thesis. Kasetsart Univ., Bangkok. (in Thai)
- Hollinger, D.Y., Kelliher, F.M., Byers, J.N., Hunt, J.E., McServeny, T.M. and Weir, P.L. 1994. Carbon dioxide exchange between an undisturbed old growth temperate forest and the atmosphere. Ecology 75: 134-150. *cited by* Paker, G.G. 1995. Structure and microclimate of forest canopies. pp. 73-106. *In* lowman, M.D. and Nadkarni, M.M. (eds.). Forest canopy. Academic press, San Diego.
- Keen, F.G.B. 1978. The fermented tea (miang) economy of northern Thailand. pp. 255-270. *In* Kundtucter, P., Chapman, E.C. and Sabhasri, S (eds). Farmer in the forest. University press of Hawaii, East West Center, Honolulu.

- Khatikan, K. and Swynnerton, R. 1986. Old tea orchard improvement. *Kasikorn* 59(1): 21-23. (in Thai)
- Khemnark, C., Wacharakitti, S., Aksornakeo, S. and Kaewlaid, C. 1971. Forest production and soil fertility at nikhom Doi Chiang Dao, Chiang Mai. *cited by* Del Castillo, D.R.C. 1990. Analysis on the sustainability of forest-tea production system: A case study in Ban Kui Tuai, Tambon Pa Pae, Amphoe Mae Taeng, Changwat Chiang Mai. M.S. thesis, Chiang Mai Univ., Chiang Mai, Thailand. 209 p.
- Kira, T. and Kumura, A. 1983. Dry mater production and efficiency in various types of plant canopies. pp. 347-364. *In* Huxley, P.A.(ed.). Plant research and agroforestry. ICRAF. Kenya.
- Kirby, E.J.M. and Rackham, O. 1971. A note on the root growth of barley. *J. Applied Ecology*. 8: 919-924. *Cited by* Harper, J.L., Jones, M. and Halmilton, N.R.S. 1991. The evolution of roots and the problems of analyzing their behavior. pp. 3-22. *In* Atkinson, D. (ed.). Plant root growth and ecological perspective. Blackwell Scientific Pub., London.
- Krasaesin, P., Songsak, S., Manichot, C. and chayamat, K. 1984. Tea: a golden high land crop. *Kasikorn* 57(5): 286-296. (in Thai).
- Laongsri, S. 1983. Thai tea: A good future. *House Agricultural Magazine* 6(82) : 31-35, 40. (in Thai)
- Lehmann, J., Schroth, G. and Zech, W. 1995. Decomposition and nutrient release from leaves, twigs and roots of three alley-cropped tree legumes in central Togo. *Agroforestry Systems* 29: 21-36.
- Mackie-Dawson, L.A. and Atkinson, D. 1991. Methodologies for the study of roots in field experiments and the interpretation of results. pp. 25-47. *In* Atkinson, D. (ed.). Plant root growth and ecological perspective. Blackwell Scientific Pub. London.

- Makarabhirom, P. and Beukeboom, H. 1992. Report of agroforestry information and technologies exchange visit between Thailand and Laos PR. APAN report no.3. FAO. 43 p.
- Mandelbrot, B.B. 1983. The fractal geometry of nature. *Cited by* Van Noordwijk, M., Spek, L. and De Willigen, P. 1994. Proximal root diameter as predictor of total root size for fractal branching models. I. Theory. *Plant and Soil* 164: 107-117.
- Marshall, F., Ong, C and Block, C. 1992. Tree arrangements affect competition with crops. *Agroforestry Today* 4(4): 9-10.
- Melhuish, F. M. 1968. A precise technique for measurement of wheat roots in large undisturbed and repacked clay soil cores. *Plant and Soil* 85: 237-247. *Cited by* Harper, J. L., Jones, M. and Halmilton, N. R. S. 1991. The evolution of roots and the problems of analysing their behaviour. pp.3-22. *In* Atkinson, D. (ed.). *Plant root growth and ecological perspective*. Blackwell Scientific Pub., London.
- Mickle, L.S. and Woerheide, J.D., 1965. Reproduction of hardwoods 10 years after cutting as affected by site and opening size. *J. Forestry* 63: 103-107.
- Ministry of Labour and Social Welfare. 1996. The minimum labour wages. Thai Government Proclamation 113: 36-38.
- Niemmongkol, K. 1987. Effect of spacing and rice intercropping on growth of *Eucalyptus camaldulensis*. M. S. thesis, Kasetsart Univ., Bangkok. 77 p.
- Ong, C.K. and Khan, A.A.H. 1993. The direct measurement of water uptake by individual tree crop roots. *Agroforestry Today* 5(4): 2-5.
- Ong, C.K., Rao, M.R. and Mathuva, M. 1992. Trees and crops: Competition for resources above and below the ground. *Agroforestry Today* 4(2): 4-5

- Packham, J.R., Harding, D.J.L., Hilton, G.M. and Stuttard, R.A. 1992. Functional ecology of woodlands and forests. Chapman & Hall, London. 407 p.
- Parker, G.G. 1995. Structure and microclimate of forest canopies. pp. 73-106. *In* Lawman, M.D. and Nadkarni, M.M. (eds.). Forest canopy. Academic press, San Diego.
- Parker, G.G., O'Neill, J.P. and Higman, D. 1989. Vertical profile and canopy organisation in a mixed deciduous forest. *Vegetation* 89: 1-12. *Cited by* Paker, G.G. 1995. Structure and microclimate of forest canopies. pp. 73-106. *In* Lawman, M.D. and Nadkarni, N.M. (eds.). Forest canopy. Academic press. San Diego.
- Pearcy, R.W. and Sims, D.A. 1994. Photosynthetic acclimation to changing light environments: Scaling from the leaf to the whole plant. pp. 145-231. *In* Lawman, M.D. and Nadkarni, N.M. (eds.). Forest canopy. Academic press, San Diego.
- Perry, R.L., Lyda, D.D. and Bowen, H.H. 1983. Root distribution of four *Vitis* cultivars. *Plant and Soil*. 71: 63-74. *Cited by* Harper, J.L., Jones, M. and Halmilton, N.R.S. 1991. The evolution of roots and the problems of analysing their behaviour. pp. 3-22. *In* Atkinson, D. (ed.). Plant root growth and ecological perspective. Blackwell Scientific Pub, London.
- Poosawang, W., Tunsuwan, T., Warit, B., Titayawan, M. And Ramingwong, K. 1978. Tea as opium poppy replacement crop. Forth semi-annual report. Fac. Agr., Chiang Mai Univ. Chiang Mai, Thailand. 37 p.
- Preechapanaya, P. 1996. Indigenous ecological knowledge about the sustainability of tea gardens in the hill evergreen forest of northern Thailand. Ph.D. dissertation. Univ. of Wales, UK. 286 p.

- Preechapanya, P., Sorralum, S., Yosyunyow, C. and Ungphakarn, S. 1985. Highland agroforestry systems. RFD. *cited by* Preechapanya, P. 1996. Indigenous ecological knowledge about the sustainability of tea gardens in the hill evergreen forest of northern Thailand. Ph.D. dissertation, Univ. of Wales, UK. 286 p.
- Radanachaless, T and Krasaechai, A. 1992. Integrated woody perennial species for sustainable agriculture in a rainfed upland: II. Comparison of three year old mango cultivars. *J. Agriculture* 8(3): 281-294. (in Thai).
- Rao, M.R., Ong, C.K. and Pathak, P. and Harma, M.M. 1991. Productivity of annual cropping and agroforestry system on shallow Alfisol in semi-arid India. *Agroforestry systems* 15: 51-63.
- Ritsom, S. 1981. Tea, the re-try for watershed conservation. *Thai J. Horticulture* 6(2): 69-75.
- Roger, H.H. and Bottomley, P.A. 1987. In situ nuclear magnetic resonance imaging of root : Influence of soil type. ferromagnetic particle content and soil water. *Agronomy Journal*. 79: 957-965. *Cited by* Harper, J.L., Jones, M. and Halmilton, N.R.S. 1991. The evolution of roots and the problems of analysing their behaviour. pp. 3-22. *In* Atkinson, D. (ed.). *Plant root growth and ecological perspective*. Blackwell Scientific Pub, London.
- Rogers, S. and Iosefa, T. 1993. Shade levels for taro cropping systems. *Agroforestry Today* 5(2): 9-12.
- Ruhigwa, B.A., Gichuru, M.P., Mambani.B. and Tariah, N.M. 1992. Root distribution of *Acio bateri*, *alchornea cordifolia*, *Cassia siamea* and *Gmelia arborea* in an acid Utisol. *Agroforestry Systems* 23: 141-155.
- Ryser, P. and Lambers, H. 1995. Root and leaf attributes accounting for the performance of forest and slow growing grasses at different nutrient supply. *Plant and Soil* 170: 251-265.

- Sangchai, P. 1993. The attitudes of tea (pickled tea) growers towards the consideration of forest resources of Tambon Pa Pae, Amphoe Mae Taeng, Changwat Chiang Mai. M.S. thesis, Chiang Mai Univ, Chiang Mai, Thailand. 80 p. (in Thai)
- Schroth, G. 1995. Tree root characteristics as criteria for selection and system design in agroforestry. *Agroforestry systems* 30: 125-143.
- Schuurman, J.J. and Goedewaagen, M.A.J. 1971. Methods for the examination of root systems and roots. Pudoc, Wageningen. *cited by* Harper, J.L., Jones, M. and Halmilton, N.R.S. 1991. The evolution of roots and the problems of analysing their behaviour. pp. 3-22. *In* Atkinson, D. (ed.). Plant root growth and ecological perspective. Blackwell Scientific Pub., London.
- Sealy, J. B. 1958. A revision of genus *Camellia*. Royal of Horticultural Society, London. *Cited by* Eden, T. 1976. Tea. Longman. London. 236 p.
- Shankarnarayan, K. A., Harsh, L. N. and Kathju, S. 1987. Agroforestry in the arid zones of India. *Agroforestry Systems* 5: 69-88.
- Solera, C.R. 1993. Determinants of competition between hedgerow and alley species in a contour hedgerow intercropping system. Ph.D. dissertation, Univ. of the Philippines at Los Baños, Philippines. 135 p.
- Spek, L.Y. and Van Noorwijk, M. 1994. Proximal root diameter as predictor of total root size for fractal branching models: II. Numerical model. *Plant and Soil* 164: 119-127.
- Spurr, S.H. and Barnes, B.V. 1980. Forest ecology. John Wiley and Son, New York. 678 p.
- Suprichakon, T. 1982. Introduction to forestry. Faculty of Forestry, Kasetsart Univ., Bangkok. 180 p. (in Thai)

- Suwannaphinan, W. 1991. Analysis of eucalyptus ecology. *J. Sak Thong* 16(3): 28-36. (in Thai)
- Tippkötter, R. Ritz, K. and Darbyshire, J.F. 1986. The preparation of soil thin sections for biological studies. *J. Soil Science* 37: 681-690. *Cited by* Harper, J.L., Jones, M. and Halmilton, N.R.S. 1991. The evolution of roots and the problems of analysing their behaviour. pp. 3-22. *In* Atkinson, D. (ed.). *Plant root growth and ecological perspective*. Blackwell Scientific Pub, London.
- Toky, O. P. and Bisht, R. P. 1992. Observation on the rooting patterns of some agroforestry trees an arid of north-western India. *Agroforestry Systems* 18: 245-263.
- Van Noordwijk, Lawson, G., Soumare, A., Groot, J.J.R and Hairiah, K. 1996. Root distribution of trees and crops: competition and/or complementary. pp. 319-363. *In* Ong, C.K. and Huxley, P. (eds.). *Tree-crops Interaction*. ICRAF. CAB International, Wallingford, U.K.
- Van Noordwijk, M., Spek, L. and De Willigen, P. 1994. Proximal root diameter as predictor of total root size for fractal branching models: I. Theory. *Plant and Soil* 164: 107-117.
- Van Noordwijk, M., Spek, L.H. and Purnomosidhi, P. 1995. Quantifying shallow roots tree geometry make root research easy. *Agroforestry Today* 7(2): 9-11.
- Van Noordwijk, N., Purnomosidhi, P. 1995. Root architecture in relation to tree-soil-crop interaction and shoot pruning in agroforestry. *Agroforestry Systems* 30: 161-172.
- Vaughan, D and Ord, B.G. 1991. Extraction of potential allelochemicals and their effects on root morphology and nutrient contents. pp. 399-421 *In* Atkinson, D. (ed.). *Plant root growth and ecological perspective*. Blackwell Scientific Pub., London.

- Wallace, J.S. 1996. The water balance of mixed tree-crop systems. pp. 189-233. *In* Ong, C.K. and Huxley, P. (eds.). *Tree-crops Interaction*. ICRAF. CAB International, Wallingford, U.K.
- Wanawong, S., Belt, G.H. and McKetta, C.W. 1991. Benefit-cost analysis of selected agroforestry systems in northern Thailand. *Agroforestry Systems* 16: 83-94.
- Wangnai, S. 1986. *Mango*. Dept. Horticulture, Kasetsart Univ. 301 p. (in Thai)
- Watanabe, H. 1990. Tea cultivation in the natural forest in northern Thailand: a case study on national forest management. *Thai J. Forestry*. *cited by* Sangchai, P. 1993. The attitudes of tea (pickled tea) growers towards the consideration of forest resources of Tambon Pa Pae, Amphoe Mae Taeng, Changwat Chiang Mai. M.S. thesis, Chiang Mai Univ. Chiang Mai, Thailand. 80 p.
- Weatherstone, J. 1992. Historical introduction. pp. 1-24. *In* Willson, K.C. and Clifford, M.N. (eds.). *Tea conservation to consumption*. *Cited by* Preechapanya, P. 1996. Indigenous ecological knowledge about the sustainability of tea gardens in the hill evergreen forest of northern Thailand. Ph.D. dissertation, Univ. of Wales, UK. 286 p.
- Weaver, J.E. 1926. Root development of field crops. *Cited by* Harper, J.L., Jones, M. and Halmilton, N.R.S. 1991. The evolution of roots and the problems of analysing their behaviour. pp. 3-22. *In* Atkinson, D. (ed.). *Plant root growth and ecological perspective*. Blackwell Scientific Pub., London.
- Weikhoven, J. 1974. Tea processing. Agricultural services bulletin no. 26. FAO. Rome. 196 p.
- Yadav, J.P., Sharma, K.K. and Khanna, P. 1993. Effect of *Acacia nilotica* on mustard crop. *Agroforestry Systems* 21: 91-98.

Young, A. 1989. Agroforestry for soil conservation. ICRFT. CAB International, Wallingford, U.K. 276 p.

มหาวิทยาลัยเชียงใหม่
Chiang Mai University