

CONTENTS

	Page
ACKNOWLEDGEMENTS	iii
ABSTRACT (English)	iv
ABSTRACT (Thai)	vi
LIST OF TABLES	xiii
LIST OF FIGURES	xviii
ABBREVIATIONS	xxiii
CHAPTER 1: MELT SPINNING	
1.1 Introduction	1
1.2 Spinning of Fibres	1
1.3 Melt Spinning	4
1.3.1 Melting of the Polymer	7
1.3.2 The spinnerette	8
1.3.3 Spinnability	9
1.4 Drawing	9
1.5 Orientation and Crystallinity	12
1.5.1 The Arrangement of the Molecules in a Fibre	12
1.5.2 Crystalline Regions	14
1.6 Theoretical Variables in Fibre Formation	16
1.6.1 Number-Average Molecular Weight	16
1.6.2 Shear History of the Polymer	16
1.6.3 Shear in the Capillary	16
1.6.4 Degree of Extension	17

1.6.5 Effective Time of Crystallization	17
1.6.6 Rate of Crystallization	17
1.6.7 Effective Temperature of Crystallization	18
1.6.8 Draw Ratio	18
1.6.9 Rate of Drawing	18
1.6.10 Actual Drawing Temperature	19

CHAPTER 2: POLYPROPYLENE

2.1 Polypropylene	20
2.1.1 Chemical Structure	20
2.1.2 General Characteristics	21
2.1.3 Chemical Properties	21
2.1.4 Physical properties	22
2.1.5 Fabrication	23
2.2 Polypropylene Fibres	23
2.2.1 Manufacture	24
2.2.2 Quenching	24
2.2.3 Drawing	26
2.2.4 Properties	26

CHAPTER 3: BIODEGRADABLE POLYMERS

3.1 Biodegradation and Hydrolytic Degradation	29
3.2 Biodegradation Polymers in Medicine	31
3.3 Absorbable Surgical Sutures	32
3.4 Suture Monofilaments versus Multifilaments	34

3.5 Polycaprolactone (PCL) and Poly(lactic acid) (PLA)	36
3.5.1 Polycaprolactone	36
3.5.2 Poly(lactic acid)	37
3.6 Scope and Objectives of This Project	40

CHAPTER 4: EXPERIMENTAL METHODS USED FOR FIBRE PRODUCTION AND POLYMER ANALYSIS

4.1 Chemicals, Apparatus and Instruments	41
4.1.1 Chemicals	41
4.1.2 Apparatus and Instruments	42
4.2 Preparation of Polypropylene Rods	43
4.3 Melt Spinning	46
4.3.1 Polypropylene	46
4.3.2 Poly(L-lactic acid-co- ϵ -caprolactone)	51
4.3.3 Thermal Conditioning Zone	53
4.4 Off-Line Hot Drawing	54
4.5 Annealing	55
4.6 Thermal Analysis	57
4.6.1 Thermal Analysis Instrumentation	57
4.6.2 Differential Scanning Calorimetry (DSC)	58
4.6.3 Thermogravimetry (TG)	61
4.7 Optical Microscopy	64
4.8 Linear Density	66

4.9 Mechanical Tests	66
4.9.1 Tensile Strength	66
4.9.2 Tenacity	67
4.9.3 Modulus of Elasticity (Young's Modulus)	67
4.9.4 Elongation	69
4.10 <i>In vitro</i> Biodegradation Studied	72
4.10.1 Experimental Method	72
4.10.2 Phosphate Buffer Immersion Medium (pH 7.40)	72
4.10.3 Sample Preparation	73
4.10.4 Sampling Procedure	73
CHAPTER 5: RESULTS AND CALCULATIONS	
5.1 Thermal Characterisation before Melt Spinning	74
5.1.1 Polypropylene	74
5.1.2 Poly(L-lactic-co- ϵ -caprolactone)	77
5.2 Pre-Formed Polymer Rods	81
5.2.1 Polypropylene	81
5.2.2 Poly(L-lactic acid-co- ϵ -caprolactone)	82
5.3 Melt Spinning	83
5.3.1 Polypropylene	83
5.3.1.1 With Thermal Conditioning Zone (TCZ)	85
5.3.2 Poly(L-lactic acid-co- ϵ -caprolactone)	88
5.4 Off-line Hot Drawing	90
5.5 Thermal Analysis After Melt Spinning	91
5.5.1 Differential Scanning Calorimeter	91
5.5.1.1 Polypropylene	91
5.5.1.2 Poly(L-lactic acid-co- ϵ -caprolactone)	98
5.5.2 Thermogravimetry	102
5.5.2.1 Polypropylene	102

5.5.2.2 Poly(L-lactic acid-co- ϵ -caprolactone)	103
5.6 Microscopy	104
5.7 Linear Density	108
5.8 Mechanical Properties	109
5.9 <i>In vitro</i> Biodegradation of P(LLA-co-CL) Monofilaments	157
5.9.1 Determination of Weight Loss-Time Profile	157
5.9.2 Melting Point and Heat of Fusion	160
CHAPTER 6: DISCUSSION AND CONCLUSIONS	
6.1 Polypropylene	162
6.2 poly(L-lactic acid-co- ϵ -caprolactone),P(LLA-co-CL)	173
SUGGESTIONS FOR FURTHER WORK	180
REFERENCES	182
APPENDIX	187
VITA	191

LIST OF TABLES

Table	Page
2.1 Typical mechanical and physical properties of polypropylene fibres	27
3.1 Susceptibility of unstabilised polymers to hydrolysis and biodegradation	30
3.2 Biodegradable polymers used in medicine	31
3.3 Natural and synthetic polymers used as absorbable surgical sutures	33
3.4 Comparison of the properties of multifilament and monofilament absorbable sutures relevant to surgery	35
3.5 Some of the physical, mechanical and barrier properties of polycaprolactone (PCL) and poly(lactic acid) (PLA)	39
4.1 Chemicals used in this research project	41
4.2 Apparatus and instruments used in this research project	42
4.3 DSC operating conditions used for polypropylene analysis	60
4.4 DSC operating conditions used for poly(L-lactic acid-co- ϵ -caprolactone) analysis	60
4.5 Dynamic TG operating conditions used for polypropylene analysis using N ₂ as the purge gas	62
4.6 Dynamic TG operating conditions used for polypropylene analysis using O ₂ as the purge gas	63
4.7 Dynamic TG operating conditions used for poly(L-lactic acid-co- ϵ -caprolactone) analysis using N ₂ as the purge gas	63
4.8 Mechanical tensile testing conditions and instrument settings used for the various fibres studied	71
5.1 Processing conditions used for the melt spinning of polypropylene	83
5.2 Temperature profile 1 (TCZ1) in the thermal conditioning zone	86
5.3 Temperature profile 2 (TCZ2) in the thermal conditioning zone	86
5.4 Temperature profile 3 (TCZ3) in the thermal conditioning zone	87
5.5 Processing conditions used for the melt spinning of the poly(L-lactic acid-co- ϵ -caprolactone) copolymers	88

5.6	Average diameters of the polypropylene monofilaments of various spin-draw ratios before off-line hot drawing	91
5.7	Heats of fusion and % crystallinities of the polypropylene monofilaments at various spin-draw ratios (SDR)	93
5.8	Heats of fusion and % crystallinities of the polypropylene monofilaments at various spin-draw ratios (SDR) and a subsequent off-line draw ratio (OLDR) of 8; off-line hot drawing (OLHD) temperature = 120°C	94
5.9	Heats of fusion and % crystallinities (χ_c) at various off-line draw ratios (OLDR) and off-line hot drawing temperatures (T_{OLHD}) for the polypropylene monofilament SDR 7	95
5.10	Heats of fusion and % crystallinities of the polypropylene monofilaments (SDR 7 and OLDR 8) annealed at various temperatures and for different times	97
5.11	Data obtained from the DSC thermograms of the poly(L-lactic acid-co- ϵ -caprolactone) 8:2 and 7:3 copolymers	101
5.12	Linear densities of the spin-drawn polypropylene monofilaments	108
5.13	Mechanical property test results for the polypropylene monofilament SDR 5	116
5.14	Mechanical property test results for the polypropylene monofilament SDR 7	117
5.15	Mechanical property test results for the polypropylene monofilament SDR 11	118
5.16	Mechanical property test results for the polypropylene monofilament SDR 14	119
5.17	Mechanical property test results for the polypropylene monofilament SDR 21	120
5.18	Mechanical property test results for the polypropylene monofilament SDR 28	121
5.19	Mechanical property test results for the polypropylene monofilament SDR 7, TCZ1	123
5.20	Mechanical property test results for the polypropylene monofilament SDR 7, TCZ2	124

5.21	Mechanical property test results for the polypropylene monofilament SDR 7, TCZ3	125
5.22	Mechanical property test results for the polypropylene monofilament SDR 5, OLDR 8 and $T_{OLHD} = 120^{\circ}\text{C}$	126
5.23	Mechanical property test results for the polypropylene monofilament SDR 7, OLDR 8 and $T_{OLHD} = 120^{\circ}\text{C}$	127
5.24	Mechanical property test results for the polypropylene monofilament SDR 11, OLDR 8 and $T_{OLHD} = 120^{\circ}\text{C}$	128
5.25	Mechanical property test results for the polypropylene monofilament SDR 14, OLDR 8 and $T_{OLHD} = 120^{\circ}\text{C}$	129
5.26	Mechanical property test results for the polypropylene monofilament SDR 21, OLDR 8 and $T_{OLHD} = 120^{\circ}\text{C}$	130
5.27	Mechanical property test results for the polypropylene monofilament SDR 28, OLDR 8 and $T_{OLHD} = 120^{\circ}\text{C}$	131
5.28	Mechanical property test results for the polypropylene monofilament SDR 7, OLDR 8, TCZ 1 and $T_{OLHD} = 120^{\circ}\text{C}$	133
5.29	Mechanical property test results for the polypropylene monofilament SDR 7, OLDR 8, TCZ 2 and $T_{OLHD} = 120^{\circ}\text{C}$	134
5.30	Mechanical property test results for the polypropylene monofilament SDR 7, OLDR 8, TCZ 3 and $T_{OLHD} = 120^{\circ}\text{C}$	135
5.31	Mechanical property test results for the polypropylene monofilament SDR 7, OLDR 2 and $T_{OLHD} = 100^{\circ}\text{C}$	136
5.32	Mechanical property test results for the polypropylene monofilament SDR 7, OLDR 4 and $T_{OLHD} = 100^{\circ}\text{C}$	137
5.33	Mechanical property test results for the polypropylene monofilament SDR 7, OLDR 6 and $T_{OLHD} = 100^{\circ}\text{C}$	138
5.34	Mechanical property test results for the polypropylene monofilament SDR 7, OLDR 8 and $T_{OLHD} = 100^{\circ}\text{C}$	139
5.35	Mechanical property test results for the polypropylene monofilament SDR 7, OLDR 2 and $T_{OLHD} = 110^{\circ}\text{C}$	140
5.36	Mechanical property test results for the polypropylene monofilament SDR 7, OLDR 4 and $T_{OLHD} = 110^{\circ}\text{C}$	141
5.37	Mechanical property test results for the polypropylene monofilament SDR 7, OLDR 6 and $T_{OLHD} = 110^{\circ}\text{C}$	142

5.38	Mechanical property test results for the polypropylene monofilament SDR 7, OLDR 8 and $T_{OLHD} = 110^{\circ}\text{C}$	143
5.39	Mechanical property test results for the polypropylene monofilament SDR 7, OLDR 2 and $T_{OLHD} = 120^{\circ}\text{C}$	144
5.40	Mechanical property test results for the polypropylene monofilament SDR 7, OLDR 4 and $T_{OLHD} = 120^{\circ}\text{C}$	145
5.41	Mechanical property test results for the polypropylene monofilament SDR 7, OLDR 6 and $T_{OLHD} = 120^{\circ}\text{C}$	146
5.42	Mechanical property test results for the polypropylene monofilament SDR 7, OLDR 8 and $T_{OLHD} = 120^{\circ}\text{C}$	147
5.43	Mechanical property test results for the poly(L-lactic acid-co- ϵ -caprolactone) 8:2 monofilament	149
5.44	Mechanical property test results for the poly(L-lactic acid-co- ϵ -caprolactone) 7:3 monofilament	150
5.45	Mechanical property test results for the polyglycaprone 4-0 (Monocryl 4-0) monofilament suture	151
5.46	Mechanical property test results for the polyglycaprone 2-0 (Monocryl 2-0) monofilament suture	152
5.47	Mechanical property test results for the poly(glycolic acid-co-trimethylene carbonate) 2-0 (Maxon 2-0) monofilament suture	153
5.48	Mechanical property test results for the poly(p-dioxanone) II 4-0 (PDS II 4-0) monofilament suture	154
5.49	Mechanical property test results for the poly(p-dioxanone) II 2-0 (PDS II 2-0) monofilament suture	155
5.50	Weight loss data for P(LLA-co-CL) 7:3 monofilaments samples immersed in a pH 7.40 phosphate buffer medium at $37.0 \pm 1.0^{\circ}\text{C}$	157
5.51	Comparison of the % weight retentions of the P(LLA-co-CL) 7:3 monofilaments from this study and commercial 'MAXON' monofilament sutures from a previous study following their immersion in a pH 7.40 phosphate buffer medium at $37.0 \pm 1.0^{\circ}\text{C}$	158
5.52	DSC melting peak data for the P(LLA-co-CL) 7:3 monofilaments immersed in pH 7.40 phosphate buffer medium at $37.0 \pm 1.0^{\circ}\text{C}$	160
6.1	Breaking tenacities of polypropylene monofilaments SDR 7 both with and without the use of a temperature conditioning zone (TCZ)	167

6.2 Comparison of the mechanical properties of commercially available 176
monofilament surgical sutures and the P(LLA-co-CL) monofilaments

มหาวิทยาลัยเชียงใหม่
Chiang Mai University

LIST OF FIGURES

Figure	Page
1.1 Correlation between the main factors governing the melt spinning process	2
1.2 Idealized diagrams of various yarn structures	3
1.3 Schematic diagrams of the three principal types of fibre spinning	5
1.4 Typical cross-sections of fibre produced by different spinning processes	6
1.5 Typical spinnerettes used in melt spinning	8
1.6 Schematic diagram of a typical drawing process	10
1.7 Schematic production system for poly(ethylene terephthalate) (PET) yarn	11
1.8 Orientation of the molecules in cotton and flax	13
1.9 To separate long molecules, greater cohesive forces must be overcome than with short molecules	13
1.10 Random arrangement of molecules in a fibre	14
1.11 Orientation of molecules in a fibre after drawing	14
1.12 Diagrams representing both ordered (crystalline) and random (amorphous) regions in the same fibre	15
2.1 Polypropylene monofilament production line with single-step drawing in hot-air oven	25
4.1 The various melt spinning apparatus accessories used in the preparation of polypropylene rods	43
4.2 The assembled pre-forming cylinder used for making polypropylene rods	44
4.3 The assembled pre-forming cylinder in position in the main extrusion unit	45
4.4 The various accessories used in the melt spinning of the pre-formed polypropylene rods	47
4.5 Schematic diagram of the small-scale melt spinning apparatus	48
4.6 The assembled extrusion cylinder ready for melt spinning	50
4.7 The smallest-sized extrusion cylinder used in the melt spinning of	52

poly(L-lactic acid-co- ϵ -caprolactone)	
4.8 Thermal conditioning zone used in the melt spinning of polypropylene	53
4.9 Schematic arrangement used for off-line hot drawing	56
4.10 Thermal analysis system components	58
4.11 Cross-sectional and longitudinal views of melt-spun polypropylene fibres	64
4.12 Cross-sectional and longitudinal views of solution-spun viscose rayon fibres	65
4.13 A typical stress-strain curve for a drawn polymer	68
4.14 Four accepted methods of determining the elastic modulus from a non-linear stress-strain diagram	68
4.15 Classification of engineering stress-strain curves for polymers	68
5.1 DSC thermogram of the polypropylene beads	74
5.2 TG thermograms of the polypropylene beads showing the polymer's relative thermal stabilities in nitrogen and oxygen atmospheres	75
5.3 DSC thermogram of poly(L-lactic-co- ϵ -caprolactone) 8:2	77
5.4 TG thermogram of poly(L-lactic-co- ϵ -caprolactone) 8:2	78
5.5 DSC thermogram of poly(L-lactic-co- ϵ -caprolactone) 7:3	79
5.6 TG thermogram of poly(L-lactic-co- ϵ -caprolactone) 7:3	80
5.7 Polypropylene rods pre-formed at various temperatures	82
5.8 Graphs showing the 3 temperature profiles employed in the temperature conditioning zone (TCZ)	87
5.9 Photomicrographs of typical melt spun poly(L-lactic-co- ϵ -caprolactone) monofilaments showing the effects of necking (magnification x 10)	89
5.10 DSC thermogram of polypropylene monofilament SDR 5 showing the melting peak endotherm used in computing the heat of fusion	92
5.11 Comparison of the DSC thermograms of spin-drawn (SDR 5) and spin-drawn/off-line hot drawn (SDR 5, OLDR 8) polypropylene monofilaments.	96
5.12 DSC thermogram of the annealed polypropylene (SDR 7, OLDR 8) monofilament; annealing temperature = 145°C and annealing time	96

= 1 hour	
5.13 Comparison of the DSC thermograms of the synthesized poly(L-lactic acid-co- ϵ -caprolactone) 8:2 copolymer sample before and after melt spinning	98
5.14 Comparison of the DSC thermograms of the poly(L-lactic acid-co- ϵ -caprolactone) 8:2 monofilament before and after annealing; annealing temperature = 140°C, annealing time = 9 hours.	99
5.15 Comparison of the DSC thermograms of the poly(L-lactic acid-co- ϵ -caprolactone) 7:3 monofilament before and after annealing; annealing temperature = 90°C, annealing time = 9 hours.	100
5.16 TG thermograms of polypropylene monofilament (SDR 5) after melt spinning (Heating rate = 20°C/min in N ₂)	102
5.17 TG thermograms of poly(L-lactic acid-co- ϵ -caprolactone) 8:2 and 7:3 monofilaments after melt spinning (Heating rate = 20°C/min in N ₂)	103
5.18 Photomicrographs of polypropylene monofilaments (magnification x 10)	105
5.19 Photomicrographs of poly((L-lactic acid-co- ϵ -caprolactone) melt spun (undrawn) monofilaments (magnification x 10)	106
5.20 Surface defects which can occur during melt spinning	107
5.21 Stress-strain curves for the polypropylene monofilament SDR 5 (sample No.1 in Table 5.13) showing the initial linear slope used for calculating the modulus of elasticity (Young's Modulus)	112
5.22 Stress-strain curves for the commercial poly(p-dioxanone) (PDS II 4-0) monofilament suture.	112
5.23 Stress-strain curves for synthesized poly(L-lactic acid-co- ϵ -caprolactone) 8:2 monofilaments.	113
5.24 Breaking tenacity of the polypropylene monofilaments as a function of spin-draw ratio	122
5.25 Young's modulus of the polypropylene monofilaments as a function of spin-draw ratio	122
5.26 Stress at break of the polypropylene monofilaments as a function of spin-draw ratio at OLDR 8 and T _{OLHD} = 120°C	132

5.27	Young's modulus of the polypropylene monofilaments as a function of spin-draw ratio at OLDR 8 and $T_{OLHD} = 120^{\circ}C$	132
5.28	Stress at break of the polypropylene monofilaments as a function of off-line hot draw ratio (OLDR) at three off-line hot drawing temperatures (T_{OLHD})	148
5.29	Young's modulus of the polypropylene monofilaments as a function of off-line hot draw ratio (OLDR) at three off-line hot drawing temperatures (T_{OLHD})	148
5.30	Comparison of the stress at break between the commercial monofilament absorbable sutures and the synthesized poly((L-lactic acid-co- ϵ -caprolactone) monofilaments	156
5.31	Comparison of the Young's modulus between the commercial monofilament absorbable sutures and the synthesized poly((L-lactic acid-co- ϵ -caprolactone) monofilaments	156
5.32	Comparison of the <i>in vitro</i> weight loss-time profiles for P(LLA-co-CL) 7:3 monofilaments from this study and commercial 'MAXON' monofilament sutures from previous study	159
6.1	Effect of spin-draw ratio on the % crystallinity of the spin-drawn polypropylene monofilaments	162
6.2	Average diameters of the spin-drawn polypropylene monofilaments as a function of spin-draw ratio	164
6.3	Deniers of the spin-drawn polypropylene monofilaments as a function of spin-draw ratio	164
6.4	% Elongations at break of the spin-drawn polypropylene monofilaments as a function of spin-draw ratio	165
6.5	Comparison of the % Elongations at break of the spin-drawn and spin-drawn/off-line hot drawn (OLDR 8 and $T_{OLHD} = 120^{\circ}C$) polypropylene monofilaments as a function of spin-draw ratio	166
6.6	Comparison of the % crystallinities of the spin-drawn and spin-drawn/off-line hot drawn (OLDR 8 and $T_{OLHD} = 120^{\circ}C$) polypropylene monofilaments as a function of spin-draw ratio	168
6.7	Comparison of the Young's moduli of the spin-drawn and spin-drawn/off-line hot drawn (OLDR 8 and $T_{OLHD} = 120^{\circ}C$)	169

polypropylene monofilaments as a function of spin-draw ratio	
6.8 Schematic representation of the detailed structure of a spherulite	170
6.9 The various stages in the tensile deformation of a semi-crystalline polymer	171
6.10 Longitudinal views of low and high off-line hot draw ratio fibre structures	172
6.11 Schematic representation of the changes in P(LLA-co-CL) 8:2 monofilament morphology which take place during fast cooling from the melt followed by slow re-heating	175
6.12 The various physical, chemical and biological processes involved in suture absorption	178
6.13 Variation in the heats of fusion of the P(LLA-co-CL) 7:3 monofilaments during the period of the <i>in vitro</i> biodegradation experiment	179

ABBREVIATIONS

r.h.	=	relative humidity
kgf	=	kilogram force
g-f	=	gramforce
N	=	newton
N/tex	=	newton per tex
J/g	=	joules per gram
ΔH_f	=	heat of fusion
χ_c	=	% crystallinity
T_m	=	crystalline melting point
T_d	=	decomposition temperature
T_g	=	glass transition temperature
$\eta_{ }$	=	refractive index parallel to the fibre axis
η_{\perp}	=	refractive index perpendicular to the fibre axis
SDR	=	spin-draw ratio
OLDR	=	off-line draw ratio
T_{OLHD}	=	off-line hot drawing temperature
Avg.	=	average