

CONTENTS

	Page
ACKNOWLEDGMENTS.....	i
ABSTRACT	
(English).....	v
(Thai).....	vii
CONTENTS.....	ix
LIST OF ABBREVIATIONS.....	xii
LIST OF TABLES.....	xiii
LIST OF FIGURES.....	xiv
LIST OF APPENDICES.....	xvi
INTRODUCTION.....	1
LITERATURE REVIEW.....	3
STUDY SITE DESCRIPTION.....	8
Dipterocarp-Oak Forest.....	11
Deciduous, Degraded, Hardwood (Teak) + Bamboo Forest.....	14
Primary Evergreen Hardwood Forest.....	14
Riverine Areas.....	17
METHODOLOGY.....	22
Materials.....	22
Methods.....	23
Pteridophyte Collection.....	23
Extensive Qualitative Survey.....	23
Intensive Quantitative Survey.....	23
Soil Analysis.....	24
Preparation of Herbarium Specimens.....	25
Pteridophyte Descriptions.....	25
Data Analysis.....	25

Species Area Curves.....	25
Ecological Indices.....	27
Richness.....	27
Diversity.....	27
Evenness.....	28
Similarity and Difference Indices.....	28
Sorenson's Index (SI) of Similarity.....	28
Chord Distance (CRD) of Difference.....	28
Statistical Analysis.....	29
RESULTS.....	30
Ecological Role of Pteridophytes.....	30
Extensive Qualitative Survey.....	30
Intensive Quantitative Survey.....	30
Species Area Curve.....	30
Abundance of Pteridophytes.....	34
Species Richness, Diversity and Evenness.....	37
Similarity and Difference Indices.....	39
Soil and other Parameters	42
Pteridophytes as Habitat Indicators.....	43
DISCUSSION.....	45
TAXONOMY OF PTERIDOPHYTES.....	57
KEY 1: VEGETATIVE MATERIAL.....	57
KEY 2: FERTILE MATERIAL.....	65
DESCRIPTIONS.....	74
SUMMARY, CONCLUSIONS, AND RECOMMENDATIONS.....	135
LITERATURE CITED.....	139

APPENDICES.....	144
INDEX OF DESCRIPTIONS.....	153
CURRICULUM VITAE.....	155



อิชิโนะนิ Häwiทายาลัยเชียงใหม่
Copyright © by Chiang Mai University
All rights reserved

LIST OF ABBREVIATIONS

- BB/DFDeciduous, degraded, hardwood (teak) forest with bamboo
BB/DFX.....Extremely disturbed, deciduous, degraded, hardwood (teak) forest with
bamboo
BB/DFM....Half-disturbed, deciduous, degraded, hardwood (teak) forest with
bamboo
BB/DFL.....Less disturbed, deciduous, degraded, hardwood (teak) forest with
bamboo
DOF.....Deciduous, degraded, dipterocarp-oak association forest
DOFX.....Extremely disturbed, deciduous, degraded, dipterocarp-oak association
forest
DOFM.....Half-disturbed, deciduous, degraded, dipterocarp-oak association forest
DOFL.....Less disturbed, deciduous, degraded, dipterocarp-oak association forest
EGF.....Primary, evergreen, seasonal, hardwood forest
EGFX.....Extremely disturbed, primary, evergreen, seasonal, hardwood forest
EGFM.....Half-disturbed, primary, evergreen, seasonal, hardwood forest
EGFL.....Less disturbed, primary, evergreen, seasonal, hardwood forest
RR.....Riverine area
VL.....Village
WF.....Waterfalls
RR/BDF.....Degraded, deciduous, hardwood (teak) forest with bamboo riverine area
RR/VL.....Village riverine area
RR/WF.....Waterfalls riverine area
X.....Extreme
M.....Half/Medium
L.....Less

LIST OF TABLES

Number		Page
1	Diversity indices of the four sampling areas.....	40
2	Diversity indices at DOF site.....	41
3	Diversity indices at BB/DF site.....	41
4	Diversity indices in EGF site.....	42
5	Diversity indices in RR areas.....	42
6	Similarity and difference indices of Pteridophytes between the four study areas using SI of similarity and CRD of difference.....	43
7	Similarity and difference indices between the three subsites in DOF.....	43
8	Similarity and difference indices between the three subsites in BB/DF.....	44
9	Similarity and difference indices between the three subsites in EGF.....	44
10	Similarity and difference indices between the three subsites in RR areas.....	44
11	Mean monthly soil moisture content in the different subsites of all sampling areas.....	42
12	The physical conditions of the four sampling sites.....	43
13	Three most abundant Pteridophytes in the different sampling areas.....	44

LIST OF FIGURES

Number		Page
1	Map of the study area showing the different study sites.....	9
2	The DOFL showing dense regenerating growth.....	12
3	The DOFM. Note the recently cut <i>Dipterocarpus obtusifolius</i> var. <i>obtusifolius</i> and <i>Mimosa diplosticha</i> , an indicator of primary succession due to fire.....	12
4	The DOFX showing recent clearing and cutting of the forest for cultivation.....	13
5	The BB/DFM, with an <i>in situ</i> sawing site.....	15
6	The BB/DFL showing the fire damaged ground flora and few remnants of <i>Tectona grandis</i>	15
7	The BB/DFX showing the recently cut trees for agricultural purpose.....	16
8	The EGFX showing a landslide along the dirt road through Mae Kampong Village bordering a tea plantation.....	18
9	The EGFM showing the tea plantation.....	18
10	The EGFL at 1125 m elevation. Note the uniform regrowth of trees.....	19
11	The RR/BDF showing one of the many deep pools.....	19
12	The RR/VL. Note the <i>Musa acuminata</i> , a native banana, along Mae Kampong stream.....	21
13	Herbarium specimen of <i>Davallia trichomanoides</i> var. <i>lorrainii</i>	26
14	Abundance of Pteridophytes in all sampling areas by qualitative survey.....	31
15	List of Pteridophyte families with their corresponding number of species in all sampling sites by qualitative survey.....	32

16A-D	Species area curves for the Pteridophytes at 4 habitats in Mae Kampong Village.....	33
17	Abundance of Pteridophytes in the four sampling areas by quantitative survey.....	35
18	List of Pteridophyte families with their corresponding number of species in all sampling sites by quantitative survey.....	36

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
 Copyright[©] by Chiang Mai University
 All rights reserved

LIST OF APPENDICES

Number		Page
A	List of Pteridophyte species collected in all sampling areas by qualitative survey.....	145
B	Pteridophyte families with their corresponding number of species in all sites by qualitative survey.....	148
C	Average percent cover of Pteridophyte species in the different subsites of the four sampling areas.....	149
D	Pteridophyte families with their corresponding number of species in all sites by quantitative survey.....	151
Ea-d	Average soil moisture content at 4 habitats in Mae Kampong Village.....	152