

TABLE OF CONTENTS

Acknowledgements	iii
Abstract (in English)	v
(in Thai)	vii
Table of Contents	ix
List of Tables	xi
List of Illustrations	xii
Abbreviations and Symbols	xiii
CHAPTER 1 INTRODUCTION	1
1.1 Statement of the Problem	2
1.2 Significance of the Study	3
1.3 Objectives of the Study	3
CHAPTER 2 LITERATURE REVIEW	4
2.1 Physical and Chemical Properties of Lead	4
2.2 Sources and Pathways of Lead Exposure	5
2.3 Metabolism of Lead	8
2.4 Toxicology of Lead	11
2.5 Measuring the Concentration of Lead in Blood	15
CHAPTER 3 MATERIALS AND METHODS	20
3.1 Collection of Blood Samples	20
3.2 Questionnaires	20
3.3 Analytical Procedure	20
3.4 Data Analysis	27
CHAPTER 4 RESULTS AND DISCUSSION	28
4.1 Method Optimization	28

4.2 Pb Analysis in Blood Samples	38
4.3 Risk Assessment of Lead Exposure	44
4.2 Comparison of Blood Lead Levels in 1995 and 1996	46
CHAPTER 5 CONCLUSIONS AND RECOMMENDATIONS	50
5.1 Practical Implications and Future Research	50
5.2 Limitations of the Study	52
5.3 Recommendations	52
REFERENCES	55
APPENDICES	62
CURRICULUM VITAE	70

LIST OF TABLES

Table	Page
1 Matrix Modifier Components	30
2 Effect of Different Levels of Triton X-100 on Pb Concentration	32
3 Mean, SD and Range of Correlation Coefficient (<i>r</i>) for Calibration Curves	33
4 Analysis of Three BLLRS Standards for Test of Precision	37
5 % Recovery	37
6 Frequency, Range, Mean PbB and SD According to Age Groups	39
7 Mean PbB for Smokers, Non-smokers, Drinkers and Non-drinkers of Alcohol	39
8 Mean PbB for Neither Smokers nor Alcohol Drinkers ¹ , Either Smokers or Alcohol-drinkers ² , Smokers and Alcohol-drinkers ³	40
9 Mean PbB Levels According to Type of Mask Used	42
10 Mean PbB Levels According to No. of Hours Spent on the Road	42
11 Ratios of the Odds for PbB Levels $\geq 10 \mu\text{g/dl}$ Against Potential Risk Variables	45
12 Mean PbB Levels for 1995 and 1996	46
13 Mean PbB Levels for Same Individuals for 1995 and 1996	49

LIST OF ILLUSTRATIONS

Figure	Page
1 Operation Sequence for Lead Analysis	24
2 Parameters for Identification of Pb Stripping Peak and Sample Voltammogram	25
3 Change in Mean Current against Deposition Time	28
4 Comparison of Observed Values for Blood Samples (stored with K ₂ -EDTA anticoagulant) with Results from Initial FAAS Analysis	34
5 Comparison of Observed Values for Blood Samples (stored with sodium heparin anticoagulant) with Results from Initial FAAS Analysis	35
6 Variation of Mean Observed Values with Mean Expected Values for QC Materials	36
7 Number of Traffic Policemen with PbB Levels <10 µg/dl and ≥10 µg/dl (1996)	38
8 % Traffic Policemen with PbB Levels ≥10 µg/dl and < 10 µg/dl (1995, n=172; 1996, n=87)	46
9 % Traffic Policemen with PbB Levels ≥10 µg/dl and < 10 µg/dl Across Two Years (Same Individuals, n=57)	49

ABBREVIATIONS AND SYMBOLS

μg	microgram
AAS	atomic absorption spectroscopy
ALA	δ -aminolevulinic acid
ALAD	δ -aminolevulinic acid dehydratase
ALAS	δ -aminolevulinic acid synthetase
ASV	anodic stripping voltammetry
BLLRS	Blood Lead Laboratory Reference System
Ca	calcium
cm	centimeter
CNS	central nervous system
CV	coefficient of variance
dl	deciliter
DPASV	differential pulse anodic stripping voltammetry
EDTA	ethylenediaminetetraacetic acid
EP	erythrocytic protoporphyrin
GCRDE	glassy carbon rotating disk electrode
ICP-IDMS	inductively-coupled plasma-isotope dilution mass spectrometry
IDMS	isotope dilution mass spectrometry
m	meter
mt	metric tons
NHANES II	National Health and Nutrition Survey II
Pb	lead
PbB	blood lead
Pt	platinum
QC	quality control
SD	standard deviation
SQWMODE	square wave mode
TEL	Tetraethyl lead

TMF	thin mercury film
TML	Tetramethyl lead
U. S. EPA	United States Environmental Protection Agency
WHO	World Health Organization
XRF	x-ray fluorescence