

TABLE OF CONTENTS

	Page
Acknowledgement	iii
Abstract (in Thai)	iv
Abstract (in English)	vi
Table of Contents	viii
List of Tables	x
List of Illustrations	xi
Chapter 1 Introduction	1
1.1 Location and Accessibility	1
1.2 Physiographic Description	3
1.3 Previous Works	3
1.4 Objectives	5
Chapter 2 Geologic setting	6
2.1 Permian Rocks	6
2.2 Permo - Triassic Rocks	8
2.3 Mesozoic Rocks	9
2.4 Quaternary Basalts and Sediments	10
2.5 Intrusive Igneous Rocks	10
Chapter 3 Occurrence and Petrography	12
3.1 Occurrence	12
3.2 Petrographic Study	17
Chapter 4 Geochemistry	33
4.1 Sample Preparation	33
4.2 Analytical Techniques	33
4.3 Magmatic Affinities and Rock Types	34
4.4 Major and Minor Oxides	34
4.5 Trace Elements	38
4.6 Multi-element Patterns	44
4.7 Pearce Element Ratio Diagram	44

	Page
Chapter 5 Petrogenesis	54
5.1 Primary Magma vs Derivative Magma	54
5.2 Experimental Constraint	55
Chapter 6 Discussion and Conclusion	58
6.1 Occurrence and Petrography	58
6.2 Chemical Characteristic	58
6.3 Origin	59
References	60
Appendices	66
Appendix A	67
Appendix B	73
Appendix C	100
Appendix D	108
Appendix E	116
Curriculum Vitae	124

LIST OF TABLES

Table		Page
1	Outcrop locations, attitudes of platy and columnar joints, and thicknesses of individual flows of Thoeng basalt.	16
2	Summary of Pearce element ratios used in the evaluation of petrologic hypotheses.	48

LIST OF ILLUSTRATIONS

Figure		Page
1	Map showing location of the study area, and national and provincial highways in the eastern part of northernmost Thailand.	2
2	Part of the topographic map sheet NE 47-3 (Changwat Chiang Rai) illustrating location of the study area.	4
3	Simplified geologic map of the study area showing the distribution of Thoeng basalt.	7
4	Map illustrating boundaries of Thoeng basalt in different subareas and locations of samples presented in this study.	13
5	Outcrops of Thoeng basalts at grid references 085776 and 080774	14
6	Exposures of Thoeng basalts showing inclined columnar joints and platy joints.	15
7	Outcrops of slightly porphyritic tholeiitic basalt at grid reference 067667 and highly porphyritic basalt at grid reference 123848.	18
8	Photomicrograph of sample no.TB 19 displaying embayed and sieve-textured microphenocrysts of olivine, clinopyroxene and plagioclase embedded in felted holocrystalline matrix.	19
9	Photomicrograph of sample no.TB 31 illustrating clinopyroxene and plagioclase phenocrysts.	19
10	Photomicrograph of sample no.TB 31 displaying megacrysts of plagioclase, olivine, clinopyroxene and Fe-Ti oxide.	20
11	Photomicrograph of sample no.TB 32 showing small apatite inclusions in corroded plagioclase phenocryst.	20
12	Photomicrograph of sample no.TB 1-6 showing isolated plagioclase and olivine microphenocrysts, plagioclase glomerocrysts with stellate fashion, and plagioclase-olivine cumulo-cryst.	21
13	Photomicrograph of sample no.TB 45 illustrating olivine and sieve-textured plagioclase microphenocrysts.	21
14	Photomicrograph of sample no.TB 2-2 showing anhedral Fe-Ti oxide megacryst, and euhedral plagioclase and olivine microphenocrysts.	22

Figure	Page
15 Photomicrograph of plagioclase glomerocryst in sample no. TB 30.	22
16 Photomicrograph of olivine-clinopyroxene-Fe-Ti oxide cumulo-cryst and plagioclase phenocryst in sample no. T 3.1.	23
17 Photomicrograph of olivine-plagioclase cumulo-cryst in sample no. TB 23.	23
18 Photomicrographs showing rounded olivine phenocrysts/microphe-nocrysts in hyalopilitic groundmass of sample no. TB 22 and rounded plagioclase and clinopyroxene phenocrysts/microphe-nocrysts in pilo-taxitic groundmass of sample no. TB 27.	24
19 Photomicrograph of sample no. TB 50 displaying olivine phenocryst and microphe-nocryst with sieve texture and embayment.	25
20 Photomicrograph of sample no. TB 41 displaying olivine microphe-nocrysts in felted groundmass.	25
21 Photomicrograph of sieve-textured olivine phenocryst in sample no. TB 40.	27
22 Photomicrograph of sample no. TB 32 showing rounded apatite me-gacryst.	27
23 Photomicrograph of quartz megacryst with reaction corona in sample no. TB 25.	28
24 Photomicrographs showing subophitic textured groundmass in sam-ple no. TB 7 and sample no. TB 47.	29
25 Raman spectrum peaks for two apatite megacrysts in sample no. TB 32.	30
26 Raman spectrum peaks for quartz megacryst, and acicular diopside, which borders the quartz megacryst as reaction rim, in sample no. TB 32.	32
27 Alkali <i>versus</i> silica plot for analyzed Thoeng basaltic lavas.	35
28 Plots of SiO ₂ and FeO* against FeO*/MgO for basaltic rocks from Thoeng suite.	36
29 Major- and minor-oxide variation diagrams as a function of differen-tiation index for Thoeng transitional tholeiitic suite.	37
30 Distribution of trace elements as a function of differentiation index in Thoeng transitional basaltic rocks.	39

Figure	Page
31 Variation of Ba and P with respect to K in basaltic rocks from Thoeng suite.	40
32 Correlation of Y and Zr, and Ba and Zr for all analyzed Thoeng transitional tholeiitic lavas.	41
33 Tectonic discrimination diagrams in terms of Ti and V and Ti/Y and Nb/Y showing the distribution of analyzed Thoeng basalts.	42
34 Nb-Zr-Y diagram for analyzed Thoeng basalt.	43
35 Chondrite-normalized REE data for Thoeng basaltic rocks compared with those of Boina Centre, Central Western Afar rift.	45
36 N-MORB multi-element diagram of Pearce displaying the patterns for Thoeng basaltic lavas compared with those of Boina Centre, Central Western Afar rift.	46
37 Correlation of Pearce element ratios Ti/K and P/K for analyzed Thoeng transitional tholeiitic lavas.	49
38 Olivine index diagram in terms of $0.5(\text{Mg}+\text{Fe})/\text{Ti}$ and Si/Ti , $0.5 \text{Mg}+\text{Fe})/\text{K}$ and Si/K and $0.5(\text{Mg}+\text{Fe})/\text{P}$ and Si/P for basaltic lavas of Thoeng transitional tholeiitic suite.	50
39 Plagioclase index diagram in terms of $(2\text{Na}+\text{Al})/\text{Ti}$ and Si/Ti , $(2\text{Na}+\text{Al})/\text{K}$ and Si/K and $(2\text{Na}+\text{Al})/\text{P}$ and Si/P for basaltic lavas of Thoeng transitional tholeiitic suite.	51
40 Olivine+plagioclase index diagram in terms of $(0.5(\text{Mg}+\text{Fe}) + 2\text{Ca}+3\text{Na})/\text{Ti}$ and Si/Ti , $(0.5(\text{Mg}+\text{Fe})+2\text{Ca}+3\text{Na})/\text{K}$ and Si/K and $(0.5(\text{Mg}+\text{Fe})+2\text{Ca}+3\text{Na})/\text{P}$ and Si/P for basaltic lavas of Thoeng transitional tholeiitic suite.	52
41 Plagioclase/clinopyroxene index diagram in terms of $(2\text{Ca}+\text{Na})/\text{Ti}$ and Al/Ti , $(2\text{Ca}+\text{Na})/\text{K}$ and Al/K and $(2\text{Ca}+\text{Na})/\text{P}$ and Al/P for basaltic lavas of Thoeng transitional tholeiitic suite.	53
42 P-T diagrams for partial melting of pyrolite and Tinaquilio lherzolite.	56