

VII. REFERENCES

Abbas AK, Lichtman AH, Pober JS. Cellular and molecular immunology. Philadelphia: W.B. Saunders, 1991.

Alberts B, Bray D, Lewis J, Raff M, Roberts K, Waltson JD. Molecular biology of the cell. New York: Garland Publishing Inc, 1983.

Alegre ML, Collins AM, Pulito VL, Brosius RA, Olson WC, Zivin RA, et al. Effect of a single amino acid mutation on the activating and immunosuppressive properties of a "humanized" OKT3 monoclonal antibody. J Immunol 1992;148:3461-8.

Altruda F, Cervella P, Gaeta ML, Daniele A, Giancotti F, Tarone G, et al. Cloning of cDNA for a novel mouse membrane glycoprotein (gp42): shared identity to histocompatibility antigens, immunoglobulins and neural-cell adhesion molecules. Gene 1989;85:445-51.

Aruffo A, Seed B. Molecular cloning of a CD28 cDNA by a high-efficiency COS cell expression system. Proc Natl Acad Sci USA 1987;84:8573-7.

Ausubel FM, Brent R, Kingston RE, Moore DD, Seidman JG, Smith JA, et al. Current protocols in molecular biology. New York: Greene Publishing Associates and Wiley Interscience, 1990.

Barclay AN, Birkeland ML, Brown MH, Beyers AD, Davis SJ, Somoza C, et al. The leucocyte antigen facts book. Orlando: Academic, 1993.

Butler M, Dawson M. Cell culture. Oxford: BIOS Scientific publishers Limited, 1992.

Chatenoud L, Ferran C, Reuter A, Legendre C, Gevaert Y, Kreis H, et al. Systemic reaction to the anti-T-cell monoclonal antibody OKT3 in relation to serum levels of tumor necrosis factor and interferon-gamma [published erratum appears in N Engl J Med 1989;321:63]. N Engl J Med 1989;320:1420-1.

Davis JM, Pennigton JE, Kubler AM, Conscience JF. A simple, simple-step technique for selecting and cloning hybridomas for the production of monoclonal antibodies. *J Immunol Methods* 1982;50:61-71.

Davis WC. Monoclonal antibody protocols. Totowa: Humana Press, 1995.

Elder JT, Spritz RA, Weissman SM. Simian virus 40 as a eukaryotic cloning vehicle. *Annu Rev Genet* 1981;15:295-340.

Etzioni A. Adhesion molecule deficiencies and their clinical significance. *Cell Adhes Commun* 1994;2:257-60.

Falkenberg FW, Weichert H, Krane M, Bartels I, Palme M, Nagels HO, et al. In vitro production of monoclonal antibodies in high concentration in a new and easy to handle modular mini fermenter. *J Immunol methods* 1995;179:13-29.

Fazekas de St. Groth S, Scheidegger D. Production of monoclonal antibodies: Strategy and tactics. *J Immunol Methods* 1980;35:1-21.

Felzmann T, Gadd S, Majdic O, Maurer D, Petera P, Smolen J, et al. Analysis of function-associated receptor molecules on peripheral blood and synovial fluid granulocytes from patients with rheumatoid and reactive arthritis. *J Clin Immunol* 1991;11:205-12.

Fossum S, Mallett S, Barclay AN. The MRC OX-47 antigen is a member of the immunoglobulin superfamily with an unusual transmembrane sequence. *Eur J Immunol* 1991;21:671-9.

Franks LM, Teich NM. Introduction to the cellular and molecular biology of cancer. 2nd rev ed. Oxford: Oxford University press, 1991.

Gluzman Y. SV40-Transformed simian cells support the replication of early SV40 mutants. *Cell* 1981;23:175-82.

Goding JW. Antibody production by hybridomas. *J Immunol methods* 1980;39:285-308.

Harlow E, Lane D. Antibodies a laboratory manual. New York: Cold Spring Harbor Laboratory, 1988.

Hynes RO. Integrin: Versatility, modulation, and signaling in cell adhesion. *Cell* 1992;69:11-25.

Iscoe NN, Melchers F. Complete replacement of serum by albumin, transferrin, and soybean lipid in cultures of lipopolysaccharide-reactive B lymphocytes. *J Exp Med* 1978;147:923-33.

Janeway CA, Travers P. Immunobiology: the immune system in health and disease. New York: Garland Publishing Inc, 1994.

Janossy G, Amlot P. Immunofluorescence and immunohistochemistry. In G.G.B. Klaus editor. Lymphocytes: a practical approach. Oxford: IRL Press, 1987:67-108.

Johnston RB Jr. Current concepts: immunology. monocytes and macrophages. *N Engl J Med* 1988;318:747-52.

Kasinrerk W. Transfection of gene into eukaryotic cells by DEAE-Dextran transfection. *J Med Tech Assoc Thailand* 1990;18:105-8.

Kasinrerk W, Fiebiger E, Stefanova I, Baumruker T, Knapp W, Stockinger H. Human leukocyte activation antigen M6, a member of the Ig superfamily, is the species homologue of rat OX-47, mouse basigin, and chicken HT7 molecule. *J Immunol* 1992;149:847-54.

Kasinrerk W, Baumruker T, Majdic O, Knapp W, Stockinger H. CD1 molecule expression on human monocytes induced by granulocyte-macrophage colony-stimulating factor. *J Immunol* 1993;150:579-84.

Kearney JF, Radbruch A, Liesegang B, Liesegang B, Rajewsky K. A new mouse myeloma cell line that has lost immunoglobulin expression but permits the construction of antibody-secreting hybrid cell lines. *J Immunol* 1979;123:1548-50.

Klein E, Klein G, Nadkarni JS, Nadkarni JJ, Wigzell H, Clifford P. Surface IgM-kappa specificity on a Burkitt lymphoma cell in vivo and in derived culture lines. *Cancer Res* 1968;28:1300-10.

Klein P, Kanehisa M, Delisi C. The detection and classification of membrane-spanning proteins. *Biochim Biophys Acta* 1985;815:468-76.

Knapp W, Borken B, Gilks WR, Reiber EP, et al. Leucocyte typing IV. Oxford: Oxford University Press, 1989.

Köhler G, Milstein C. Continuous cultures of fused cells secreting antibody of perdefined specificity. *Nature* 1975;256:495-7.

Lazarovits AI, Poppema S, White MJ, Karsh J. Inhibition of alloreactivity in vitro by monoclonal antibodies directed against restricted isoforms of the leukocyte-common antigen (CD45). *Transplantation* 1992;54:724-9.

Lemke H, Hämmerling GJ, Hämmerling U. Fine specificity analysis with monoclonal antibodies of antigens controlled by the major histocompatibility complex and by the Qa/TL region in mice. *Immunol Rev* 1979;47: 175-206.

Leonard A, Botis S. Chromosome damage induced by gentamycin in mouse L-cells. *Experientia* 1975;31:341-3.

Letourneur O, Kennedy IC, Brini AT, Ortaldo JR, O'Shea JJ, Kinet JP. Characterization of the family of dimers associated with Fc receptors (FcεRI and FcγRIII). *J Immunol* 1991;147:2652-6.

Levy R, Dilley J, Lampson LA. Human normal and leukemia cell surface antigens. Mouse monoclonal antibodies as probes. *Curr Top Microbiol Immunol* 1978;81:164-9.

Lozzio CB, Lozzio BB. Human chronic myelogeneous leukemia cell line with positive philadelphia chromosome. *Blood* 1975;45:321-34.

Male D, Champion B, Cooke A. Advance immunology. Philadelphia: J.B. Lippincott, 1987.

Malik VS, Lillehoj EP. Antibody techniques. San Diego: Academic Press, 1994.

Mathias S, Younes A, Kan CC, Orlow I, Joseph C, Kolesnick RN. Activation of the spingomyelin signaling pathway in intact EL-4 cells and in a cell-free system by IL-1β. *Science* 1993;259:519-22.

Mellon P, Parker V, Gluzman Y, Maniatis T. Identification of DNA sequences required for transcription of the human α 1-globulin gene in a new SV40 host-vector system. *Cell* 1981;27:279-88.

Minowada J, Onuma T, Moore GE. Rosette-forming human lymphoid cell lines. Establishment and evidence for origin of thymus derived lymphocytes. *J Natl Cancer Inst* 1972;49:891-5.

Pardi R, Inverardi L, Bender JR. Regulatory mechanisms in leukocyte adhesion: flexible receptors for sophisticated travelers. *Immunol Today* 1992;13:224-30.

Potter M. Immunoglobulin-producing tumors and myeloma proteins of mice. *Physiol Rev* 1972;52:631-719.

Roitt IM, Brostoff J, Male DK. *Immunology*. 2nd rev ed. Philadelphia: J.B. Lippincott, 1989.

Routledge EG, Lloyd I, Gorman SD, Clark M, Waldmann H. A humanized monovalent CD3 antibody which can activate homologous complement. *Eur J Immunol* 1991;21:2717-25.

Sambrook J, Fritsch EF, Maniatis T. *Molecular cloning: a laboratory manual*. 2nd rev ed. New York: Cold Spring Harbor Laboratory, 1989.

Schroeder TJ, Weiss MA, Smith RD, Stephens GW, Carey M, First MR. The use of OKT3 in the treatment of acute vascular rejection. *Transplant Proc* 1991;23:1043-5.

Schwartz R, Stein H. Cluster report: CD71. In Knapp W, Dörken B, Gilks WR, Rieber EP, Schmidt RE, Stein H, von dem Borne AEGK, editors. *Leucocyte Typing IV*. Oxford: Oxford University Press, 1989.

Selden RF. *Chloroquine treatment of cells*. New York: John Wiley & Sons, 1987.

Seulberger H, Lottspeich F, Risau W. The inducible blood-brain barrier specific molecule HT7 is a novel immunoglobulin like cell surface glycoprotein. *EMBO J* 1990;9:2151-8.

Sharon J, Morrison SL, Kabet EA. Formation of hybridoma clones in soft agarose: Effect of pH and of medium. *Somat Cell Genet* 1980;6:435-41.

Sklar LA. Ligand-receptor dynamics and signal amplification in the neutrophil. *Adv Immunol* 1986;39:95-143.

Smith SD, Shatsky M, Cohen PS, Warnke R, Link MP, Glader BE. Monoclonal antibody and enzymatic profiles of human malignant T-lymphoid cells and derived cell lines. *Cancer Res* 1984;44:5657-60.

Stashenko P, Nadler LM, Hardy R, Schlossman SF. Characterization of a human B lymphocyte-specific antigen. *J Immunol* 1980;125:1678-85.

Stockinger H, Majdic O, Knapp W. 1995 directory for the human leukocyte clusters of differentiation. *Transfusion* 1996;36:268-85.

Sumida S. The expression of adhesion molecules, including CD11a and CD11b, on the human T lymphocyte surface membrane in patients with bronchial asthma. *Kurume Med J* 1995;42:21-32.

Sundstrom C, Nilsson K. Establishment and characterization of a human histiocytic lymphoma cell line (U937). *Int J Cancer* 1976;17:565-77.

Tannock IF, Hill RP. The basic science of oncology. 2nd rev ed. New York: McGraw Hill Inc, 1992.

Tizard IR. Immunology: An Introduction. 4th rev ed. Orlando: Saunders College Publishing, 1995.

Van der Merwe PA, McNamee PN, Davies EA, Barclay AN, Davis SJ. Topology of the CD2-CD48 cell-adhesion molecule complex: implications for antigen recognition by T cells. *Curr Biol* 1995;1:74-84.

Waldmann TA. The multi-subunit interleukin-2 receptor. *Annu Rev Biochem* 1989;58:875-83.

Weiss A, Imboden JB. Cell surface molecules and early events involved in human T lymphocyte activation. *Adv Immunol* 1987;41:1-38.

Williams AF, Barclay AN. The immunoglobulin superfamily-domains for cell surface recognition. *Annu Rev Immunol* 1988;6:381-405.

Woodle ES, Thistlewaite JR, Emond JC, Whiting PF, Black DD, Aran PP. OKT3 therapy for hepatic allograft rejection: Comparison of results in adults and children. *Transplant Proc* 1990;22:1765-6.

Yarnold JR. What are cancer genes and how do they upset cell behaviour ? In Yarnold JR, Stratton MR, McMillan TJ, editors. *Molecular biology for oncologists*. 2nd rev ed. Cambridge: University Press, 1996.

Yelton DE, Margulies DH, Diamond B, Scharff MD. Plasmacytomas and hybridomas development and applications. In Kennett RH, McKean TJ, Bechtol KB, editors. *Monoclonal antibodies; hybridomas: a new dimension in biological analysis*. New york: Plenum Press, 1980.