BIBLIOGRAPHY

- Anderson, J.P., Joondeph, D.R., and Turpin, D.L.: A Cephalometric Study of Profile Changes in Orthodontically Treated Cases Ten Years Out of Retention. Angle Orthod. 43(3): 325-336, 1973.
- Assuncao, Z.L.V., Capelli, J., Almeida, A.M., and Bailey, J.L.: Incisor Retraction and Profile Changes in Adult Patients. Int J Adult Orthod Orthognath Surg. 9(1): 31-36, 1994.
- Battagel, J.M.: The Relationship Between Hard and Soft Tissue Change
 Following Treatment of Class II Division 1 Malocclusions Using Edgewise
 and Frankel Appliance Technique. Eur J Orthod. 12: 154-165, 1990.
- Baum, A.T.: Age and Sex Differences in the Dentofacial Changes Following Orthodontic Treatment, and Their Significance in Treatment Planning.

 Am J Orthod. 47(5): 371-379, 1961.
- Bjork, A., and Helm, S.: Prediction of the Age of Maximum Pubertal Growth in Body Height. Angle Orthod. 37: 134-143, 1967.
- Bloom, L.A.: Perioral Profile Changes in Orthodontic Treatment. Am J Orthod. 47(5): 371-379, 1961.
- Bravo, L.A.: Soft Tissue Facial Profile Changes After Orthodontic Treatment with Four Premolars Extracted. *Angle Orthod.* 64(3): 31-42, 1994.
- Burstone, C.J., James, R.B., Legan, H., Murphy, G.A., and Norton, L.A.:

 Cephalometrics for Orthognathic Surgery. *J Oral Surg.* 36: 269-277, 1978.

- Cooke, M.S., and Wei, S.H.Y.: Cephalometric Errors: a Comparison Between Repeat Measurements and Retaken Radiographs. Aust Dent J. 36(1): 38-43, 1991.
- Garner, L.D.: Soft Tissue Changes Concurrent with Orthodontic Tooth Movement. Am J Orthod. 66: 367-377, 1974.
- Hagg, U., and Taranger, J.: Skeletal Stages of the Hand and Wrist as Indicators of the Pubertal Growth Spurt. Acta Odontol Scand. 38: 187-200, 1980.
- Hershey, H.G.: Incisor Tooth Retraction and Subsequent Profile Change in Post Adolescent Female Patients. *Am J Orthod.* 61(1): 45-54, 1972.
- Hillesund, E., Fjeld, D., and Zachrisson, B.U.: Reliability of Soft Tissue Profile in Cephalometrics. Am J Orthod. 74(5): 537-550, 1978.
- Holdaway, R.A.: Changes in Relationship of Points A and B During Orthodontic Treatment. *Am J Orthod.*: 176-193, 1956.
- King, E.W.: Variations in Profile Change and Their Significance in Timing Treatment. Angle Orthod. 30(3): 141-153, 1960.
- LaMastra, S.J.: Relationships Between Changes in Skeletal and Integumental Points A and B Following Orthodontic Treatment. *Am J Orthod.* 79(4): 417-422, 1981.
- Lew, K.K.: Profile Changes Following Orthodontic Treatment of Bimaxillary Protrusion in Adults with the Begg Appliances. Eur J Orthod. 11: 375-381, 1989.

- Lew, K.K.: Changes in Lip Contour Following Treatment of Maxillary Protraction with Esthetic Orthodontic Appliances. *J Esthet Dent.* 4(1): 16-23, 1992.
- Linquist, J.T.: The Lower Incisor Its Influence On Treatment and Esthetics. Am

 J Orthod. 44(2): 112-140, 1958.
- Looi, L.K. and Mills, J.R.: The Effect of Two Contrasting Forms of Orthodntic

 Treatment on the Facial Profile. Am J Orthod. 89(6): 507-517, 1986.
- Lundstrom, A. and Cooke, M.S.: Proportional Analysis of the Facial Profile in Natural Head Position in Caucasian and Chinese Children. Br J Orthod. 18(1): 43-49, 1991.
- Meach, C.L.: A Cephalometric Comparison of Bony Profile Changes in Class II, Division 1 Patients Treated with Extraoral Force and Functional Jaw Orthopedics. Am J Orthod. 52(5): 353-370, 1966.
- Michiels, G. and Sather, A.H.: Validity and Reliability of Facial Profile Evaluation in Vertical and Horizontal Dimensions from Lateral Cephalograms and Lateral Photographs. Int J Adult Orthod Orthognath Surg. 9(1): 43-54, 1994.
- Nabangxang, H. et al.: Height, Head Circumference and Weight of Chiang Mai Children Age 0-18 Years. The Department of Preventive & Social Medicine, The Faculty of Medicine, Chiang Mai University, 1978.
- Neger, M.: A Quantitative Method for the Evaluation of the Soft Tissue Facial Change. Am J Orthod. 45(10): 739-751, 1959.

- Oliver, B.M.: The Influence of Lip Thickness and Strain on Upper Lip Response to Incisor Retraction. *Am J Orthod.* 82(2): 141-149, 1982.
- Rains, M.D. and Nanda, R.: Soft Tissue Changes Associated with Maxillary Incisor Retraction. Am J Orthod. 81(6): 481-488, 1982.
- Ricketts, R.M.: A Foundation for Cephalometric Communication. Am J Orthod.
 46: 330-357, 1960.
- Ricketts, R.M.: A Principle of Arcial Growth of the Mandible. *Angle Orthod.* 42: 368-386, 1972.
- Roos, N.: Soft-Tissue Profile Changes in Class II Treatment. Am J Orthod. 72(2) :165-175, 1977
- Rudee, D.L.: Proportional Profile Changes Concurrent with Orthodontic Therapy.

 Am J Orthod. 50(6): 421-435, 1964.
- Spladley, F.L., Joe, D.J. and Crowe, D.P.: Assessment of the Anteroposterior Soft
 Tissue Contour of the Lower Facial Third in the Ideal Young Adult. Am

 J Orthod. 79: 316-325, 1981.
- Steiner, C.C: Cephalometrics in Clinical Practice. Am J Orthod. 22(1): 8-29, 1959.
- Subtelny, J.D.: The Soft Tissue Profile, Growth and Treatment Changes. Angle
 Orthod. 31(2): 105-122, 1961.

- Talass, M.F., Talass, L. and Baker, R.C.: Soft Tissue Profile Changes Resulting From Retraction of Maxillary Incisors. Am J Orthod Dentofacial Orthop. 91(5): 389-94, 1987.
- Taranger, J., and Hagg, U.: The Timing and Duration of Adolescent Growth.

 Acta Odontol Scand. 38: 57-67, 1980.
- Taylor, C.M.: Changes in the Relationship of Nasion, Point A, and Point B and the Effect Upon ANB. Am J Orthod. 56(2): 143-163, 1969.
- Yogosawa, F.: Predicting Soft Tissue Profile Changes Concurrent with Orthodontic Treatment. *Angle Orthod.* 60(3): 199-206, 1989.
- Young, T.M. and Smith, R.J.: Effect of Orthodontics on the Facial Profile: a Comparison of Changes During Nonextraction and Four Premolar Extraction Treatment. *Am J Orthod Dentofacial Orthop.* 103(5): 452-458, 1993.
- Zylinski, C.G., Nanda, R.S. and Kapila, S.: Analysis of Soft Tissue Facial Profile in White Males. Am J Orthod Dentofacial Orthop. 101: 514-518, 1992.

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่ Copyright[©] by Chiang Mai University All rights reserved