
REFERENCES

- "ABI PRISM" Comparative PCR Sequencing : A guide to sequencing-based mutation detection (1995). Perkin-Elmer, Foster City, CA, USA.
- "ABI PRISM" DNA sequencing : Chemistry guides (1995), Perkin-Elmer, Foster City CA., USA. : 1-3.
- Abramson RD, Stoffel S, Gelfand DH (1990) : Extension rate and processivity of *Thermus aquaticus* DNA polymerase. *FASEB J* 4 : A2293.
- Ansorge W, Sproat B, Stegemann J, Schwager C, Zenke M (1987) : Automated DNA sequencing: ultrasensitive detection of fluorescent bands during electrophoresis. *Nucleic Acids Res* 15 : 4593-4602.
- Badly JE, Bishop GA, St John T, Frelinger JA (1988) : A simple, rapid method for the purification of poly A⁺ RNA. *Biotechniques* 6 : 114-116.
- Barnes WM (1994) : PCR amplification of up to 35-kb DNA with high fidelity and high yield from lambda bacteriophage templates. *Proc Natl Acad Sci USA* 91(6) : 2216-2220.

- Baysal E, Huisman TH (1994) : Detection of common deletional alpha-thalassaemia-2 determinants by PCR. *Am J Hematol* 46(3) : 208-213.
- Bej AK, Mahbubani MH, Atlas RM (1991) : Amplification of nucleic acids by polymerase chain reaction (PCR) and other methods and their applications. *Crit Rev Biochem Mol Biol* 26(3-4) : 301-334.
- Bernards R, Little PFR, Annison G, Williamson R, Flavell RA (1979) : The structure of human $G\gamma A\gamma\delta\beta$ globin gene locus. *Proc Natl Acad Sci USA* 76 : 4827-4831.
- Bowden DK, Pressley L, Higgs DR, Clegg JB, Weatherall DJ (1982) : α -globin gene deletions associated with Hb J Tongariki. *Br J Haematol* 51 : 243-249.
- Boyer SH, Scott AF, Kunkel LM, Smith KD (1978) : The proportion of all point mutations which are unacceptable : An estimate based on haemoglobin amino acid and nucleotide sequences. *Can J Genet Cytol* 20 : 111-137.
- Bunn HF, Bradley TB, Davis WE, Drysdale JW, Burke JF, Beck WS, Laver MB (1972) : Structural and functional studies on haemoglobin Bethesda ($\alpha_2\beta_2^{145}$ his), a variant associated with compensatory erythrocytosis. *J Clin Invest* 51 : 2299-2309.

- Bunn HF, Haney DM, Gabbay KH, Gallop PM (1975) : Further identification of the nature and linkage of carbohydrate in haemoglobin A1C. *Biochem Biophys Res Commun* 67 : 103-109.
- Carothers AM, Urlaub G, Mucha J, Grunberger D, Chasin LA (1989) : Point mutation analysis in a mammalian gene: rapid preparation of total RNA, PCR amplification of cDNA, and *Taq* sequencing by a novel method. *Biotechniques* 7(5) : 494-496.
- Cheng S, Fockler C, Barnes WM, Higuchi R (1994) : Effective amplification of long targets from cloned inserts and human genomic DNA. *Proc Natl Acad Sci USA* 91 : 5695-5699.
- Chester N, Marshak DR (1993) : Dimethyl sulfoxide-mediated primer T_m reduction : A method for analyzing the role of renaturation temperature in the polymerase chain reaction. *Anal Biochem* 209(2) : 284-290.
- Chien A, Edgar DB, Trela JM (1976) : Deoxyribonucleic acid polymerase from the extreme thermophile *Thermus aquaticus*. *J Bacteriol* 127(3) : 1550-1557.
- Chih-Chia L, Chiu TH, Rosenberg CH, Huang WH (1993) : Improved Proteinase-K digestion for the rapid isolation of mRNA from mammalian tissues. *Biotechniques* 15(4) : 620-626.

- Colombo B, Kim B, Perez-Atencio R, Molina C, Terrenato L (1976) :
The pattern of fetal haemoglobin disappearance after birth. *Br J Haematol* 32 : 79-87
- Cradock-Watson JE, Fenton JCB, Lehmann H. (1959) : Tris buffer for the demonstration of haemoglobin A₂ by paper electrophoresis. *J Clin Pathol* 12 : 372.
- Deisserooth A, Velez R, Nienhuis AW (1976) : Hemoglobin synthesis in somatic cell hybrids : Independent segregation of the human alpha- and beta-globin genes. *Science* 191 : 1262-1264.
- Deisserooth A, Nienhuis A, Turner P, Velez R, Anderson WF, Ruddle F, Lawrence J, Creagan R, Kucherlapati R (1977) : Localization of the human alpha-globin structural gene to chromosome 16 in somatic cell hybrids by molecular hybridization assay. *Cell* 12 : 205-218.
- Deisserooth A, Nienhuis A, Lawrence J, Giles R, Turner P, Ruddle FH (1978) : Chromosomal localization of human beta-globin gene on human chromosome 11 in somatic cell hybrids. *Proc Natl Acad Sci USA* 75 : 1456-1460.
- Derry S, Wood WG, Pippard M, Clegg JB, Weatherall DJ, Wickramasinghe SN, Darley J, Fucharoen S, Wasi P (1984) : Hematologic and biosynthetic studies in homozygous haemoglobin constant spring. *J Clin Invest* 73 : 1673-1682.

- Don RH, Cox PT, Wainwright BJ, Baker K, Mattick JS (1991) : Touchdown PCR to circumvent spurious priming during gene amplification. *Nucleic Acids Res* 19 : 4008.
- Eckert KA, Kunkel TA (1991) : DNA polymerase fidelity and the polymerase chain reaction. *PCR Methods Appl* 1(1) : 17-24.
- Eckert KA, Kunkel TA (1992) : The fidelity of DNA polymerases used in polymerase chain reactions. In MJ McPherson, P Quirke, and GR Taylor (eds.), *PCR : A Practical Approach.*, Oxford University Press, NY : 225-244.
- Evans MR, Read CA (1992) : ^{32}P , ^{33}P and ^{35}S : selecting a label for nucleic acid analysis. *Nature* 358(6386) : 520-521.
- Farrell RE Jr (1993) : Electrophoresis : Principles and Parameters. In *RNA Methodologies : A Laboratory Guide for Isolation and Characterization.*, Academic press USA : 113-121
- Filichkin SA, Gelvin SB (1992) : Effect of dimethyl sulfoxide concentration on specificity of primer matching in PCR. *Biotechniques* 12(6) : 828-830.
- Flavell RA, Kooter JM, DeBoer E, Little PFR, Williamson R (1978) : Analysis of the δ -, β -globin gene loci in normal and Hb Lepore DNA ; direct demonstration of gene linkage and intergene distance. *Cell* 15 : 25-41.

- Fleming PJ, Hughes WG, Farmilo RK, Wyatt K, Cooper WN (1980) : Hemoglobin Westmead ($\alpha_2^{122}(\text{H5})^{\text{His}\rightarrow\text{Gln}} \beta_2$) : A new haemoglobin variant with the substitution in the $\alpha_1\beta_1$ contact area. *Hemoglobin* 4 : 39-52.
- Földi J, Cohen-Solal M, Valentin C, Blouquit Y, Hollan S, Rosa J (1980) : The human α -globin gene : The protein products of the duplicated genes are identical. *Eur J Biochem* 109 : 463-470.
- Fritsch EF, Lawn RM, Maniatis T (1979) : Characterization of deletions which affect the expression of fetal globin genes in man. *Nature* 279 : 598-603.
- Fritsch EF, Lawn RM, Maniatis T (1980) : Molecular cloning and characterization of the human β -like globin gene cluster. *Cell* 19 : 959-972.
- Felice AE, Oxdonmmez R, Headlee ME, Huisman THJ (1982) : Organnization of α -chain genes among Hb G-Philadelphia heterozygotes in association with Hb S, β -thalassemia, and α -thalassemia-2. *Biochem Genet* 20 : 689-701.
- Gibbs RA, Nguyen PN, McBride LJ, Keopf SM, Caskey CT (1989) : Identification of mutations leading to the Lesch-Nyhan syndrome by automated direct DNA sequencing of in vitro amplified cDNA. *Proc Natl Acad Sci USA* 86(6) : 1919-1923.

- Gibbs RA (1990) : DNA Amplification by the Polymerase Chain Reaction. *Anal Chem* 62 : 1202-1214.
- Gigliani B, Comi P, Taramelli R, Ottolenghi S, Ciocca-Vasino MA, Ane C, Cappellini MD, Cianni AM (1980) : Organization of α -globin genes in Hb Hasharon ($\alpha^{47}\text{Asp}\rightarrow\text{His}$) carriers. *Blood* 56 : 1145-1149.
- Happi TM, Sarkar G, David CS, Sommer SS (1988) : Specific amplification with PCR of a refractory segment of genomic DNA. *Nucleic Acids Res* 16 : 11844.
- Halbrecht I, Isaacs WA, Lehmann H, Ben-Porat F (1967) : Hemoglobin Hasharon ($\alpha^{47}\text{aspartic acid}\rightarrow\text{histidine}$). *Israel J Med Sci* 3 : 827-831.
- Hecker KH, Roux KH (1996) : High and low annealing temperatures increase both specificity and yield in Touchdown and Stepdown PCR. *Biotechniques* 20 : 478-485.
- Henke W, Herdel K, Jung K, Schnorr D, Loening SA (1997) : Betaine improves the PCR amplification of GC-rich DNA sequences. *Nucleic Acids Res* 25(19) : 3957-3958.
- Hecht F, Motulsky AG, Lemire RJ, Shepard TE (1966) : Predominance of haemoglobin Gower1 in early human embryonic development. *Science* 152 : 91-92.
- Honig GR, Shamsuddin M, Vida LN, Mompoin M, Valcourt E, Bowie L, Jones EC, Powers PA, Spritz RA, Guis M, Embury SH,

- Conboy J, Kan YW, Mentzer WC, Weil SC, Hirata RK, Waloch J, O'Riordan JF, Goldstick TK (1984) : Hb Evanston ($\alpha^{14}\text{Trp}\rightarrow\text{Arg}$) : An unstable α -chain variant expressed as α -thalassemia. *J Clin Invest* 73 : 1740-1749.
- Honig GR, Adams III JG (1986) : In *Human Haemoglobin Genetics*. Springer-Verlag, Wien, NY.
- Horton BF, Thompson RB, Dozy AM, Nechtman CM, Nichols E, Huisman TH (1962) : In *Homogeneity of Haemoglobin VI. : The minor haemoglobins of cord blood*. *Blood* 20 : 302-313.
- Huehns ER, Dance N, Beaven GH, Hecht F, Motusky AG (1964) : Human embryonic haemoglobins. *Cold Spring Harb Symp Quant Biol* 19 : 327-331.
- Huisman THJ, Prins HK (1957) : The Chromatographic behavior of different abnormal human haemoglobins on the cation exchanger Ambolite IRC-50. *Clin Chim Acta* 2 : 307.
- Huisman THJ, Harris H, Gravely M, Schroeder WA, Shelton JR, Shelton JB, Evans L (1977) : The chemical heterogeneity of the fetal haemoglobin in normal newborn, infants and in adults. *Molec Cell Biochem* 17 : 45-55.
- Innis MA, Myambo KB, Gelfand DH, Brow MA (1988) : DNA sequencing with *Thermus aquaticus* DNA polymerase and direct

- sequencing of polymerase chain reaction-amplified DNA. *Proc Natl Acad Sci USA* 85 : 9436-9440.
- Imai K (1997) : Abnormal haemoglobins : Structure, function and database. : In *Regional workshop on "Abnormalities of protein structure in relation to human diseases"*, Chulabhorn Research Institute, Thailand.
- Innis MA and Gelfand DH (1990) : Optimization of PCRs : In Innis MA and Gelfand DH, Sninsky JJ, and White TJ (eds) *PCR Protocols : A Guide to Methods and Applications.*, Academic press, San Diego : 3-12.
- Kazazian HH Jr, Woodhead AP (1973) : Haemoglobin A synthesis in the developing fetus. *N Eng J Med* 289 : 58-62.
- Kim HS, Smithies O (1988) : Recombinant fragment assay for gene targetting based on the polymerase chain reaction. *Nucleic Acids Res* 16 : 8887-8903.
- Kimura M (1978) : Preponderance of synonymous changes as evidence for the neutral theory of molecular evolution. *Nature* 267 : 275-276.
- Kong HM, Kucera RB, Jack WE (1993) : Characterization of a DNA polymerase from the hyperthermophile archaea *Thermococcus litoralis* Vent DNA polymerase, steady state kinetics, thermal

- stability, processivity, strand displacement, and exonuclease activities. *J Biol Chem* 268(3) : 1965-1975.
- Lauer J, Shen CKJ, Maniatis T (1980) : The chromosomal arrangement of human α -like globin genes. *Cell* 18 : 119-130.
- Lawyer FC, Stoffel S, Saiki RK, Chang SY, Landre PA, Abramson RD, Gelfand DH (1993) : High-level expression, purification, and enzymatic characterization of full-length *Thermus aquaticus* DNA polymerase and a truncated form deficient in 5' to 3' exonuclease activity. *PCR Methods Appl* 2(4) : 275-287.
- Lee LG, Connell CR, Woo SL, Cheng RD, McArdle BF, Fuller CW, Halloran ND, Wilson RK (1992) : DNA sequencing with dye-labeled terminators and T7 DNA polymerase : Effect of dyes and dNTPs on incorporation of dye-terminators and probability analysis of termination fragments. *Nucleic Acids Res* 20(10) : 2471-2483.
- Lehmann H, Carrell RW. (1968) : Differences between α - and β -chain mutants of human haemoglobin and between α - and β -thalassemia : Possible duplication of the α -chain gene. *Br Med J* 4 : 748.
- Lie-Injo LE, Dozy AM, Kan YW, Lopes M, Todd D (1979) : The α -globin gene adjacent to the gene for Hb Q- α^{74} Asp-->His is deleted, but not that adjacent to the gene for Hb G- α^{30} Glu-->Gln ; three-

fourths of the α -globin genes are deleted in Hb Q- α -thalassemia. *Blood* 54 : 1407-1416.

Liebhaber SA, Goossens MJ, Kan YW (1980) : Cloning and complete nucleotide sequence of human 5' α -globin gene. *Proc Natl Acad Sci USA* 77 : 7054-7058.

Liebhaber SA, Goossens MJ, Kan YW (1981) : Homology and concerted evolution at the α_1 - and α_2 -loci of human α -globin. *Nature* 290 : 26-29.

Liebhaber SA and Kan YW (1981) : Differentiation of the mRNA transcripts originating from the α_1 - and α_2 -globin loci in normals and α -thalassemics. *J Clin Invest* 68 : 439-446.

Liebhaber SA and Kan YW (1982) : Different rates of mRNA translation balance the expression of the two human α -globin loci. *J Biol Chem* 257 : 11852-11855.

Liebhaber SA, Rappaport EF, Cash FE, Ballas SK, Schwartz E, Surrey S (1984) : Hemoglobin I mutation encoded at both α -globin loci on the same chromosome : Concerted evolution in the human genome. *Science* 226 : 1449-1451.

Little PFR, Flavell RA, Kooter JM, Annison G, Williamson R (1979) : Structure of the human fetal globin gene locus. *Nature* 278 : 227-231.

- Lorkin PA, Charlesworth D, Lehmann H, Rahbar S, Tuchinda S, Eng LI (1970) : Two haemoglobins Q, alpha-74 (EF3) and alpha-75 (EF4) aspartic acid to histidine. *Br J Haematol* 19(1) : 117-125.
- Mattila P, Korpela J, Tenkanen T, Pitkanen K (1991) : Fidelity of DNA synthesis by the *Thermococcus litoralis* DNA polymerase an extremely heat stable enzyme with proofreading activity. *Nucleic Acids Res* 19(18) : 4967-4973.
- Maurer HS, Behrman RE, Honig GR (1970) : Dependence of the oxygen affinity of blood on the presence of fetal or adult haemoglobin. *Nature* 227 : 388-390.
- McBride LJ, Koepf SM, Gibbs RA, Salser W, Mayrand PE, Hunkapiller MW, Kronick MN (1989) : Automated DNA sequencing methods involving polymerase chain reaction. *Clin Chem* 35(11) : 2196-2201.
- McConlogue L, Brow MD, Innis MA (1988) : Structure-independent DNA amplification by PCR using 7-deaza-2'deoxyguanosine. *Nucleic Acids Res* 16 : 9869.
- McIndoe RA, Linhardt MS, Hood L (1995) : Single-tube genomic DNA isolation from whole blood without pre-isolating white blood cells. *Biotechniques* 19 (1) : 30-33

- Mears JG, Ramirez F, Liebowitz D, Bank A (1978) : Organization of human β - and δ -globin genes in cellular DNA and the presence of intragenic inserts. *Cell* 15 : 15-23.
- Michelson AM, Orkin SH (1980) : The 3'-untranslated regions of the duplicated human α -globin genes are unexpectedly divergent. *Cell* 22 : 371-337.
- Michelson AM, Orkin SH (1983) : Boundaries of gene conversion within the duplicated human α -globin genes. *J Biol Chem* 258 : 15245-15254.
- Molchanova TP, Pobedimskaya DD, Postnikov YV (1994) : A simplified procedure for amplified DNA containing the α_2 - or α_1 -globin gene. *Hemoglobin* 18(3) : 251-255.
- Mullis KB, Faloona FA (1987) : Specific synthesis of DNA in vitro via a polymerase-catalyzed chain reaction. *Methods Enzymol* 155 : 335-350.
- Murray V (1989) : Improved double-stranded DNA sequencing using the linear polymerase chain reaction. *Nucleic Acids Res* 17(21) : 8889.
- Orkin SH (1978) : The duplicated human α -globin genes lie close together in cellular DNA. *Proc Natl Acad Sci USA* 75 : 5950-5954.

- Orkin SH and Goff SC (1981) : The duplicated human α -globin genes : Their relative expression as measured by RNA analysis. *Cell* 24 : 345-351.
- Pagnier J, Elion J, Lapoum eroulie C, Vigneron C, Labie D (1982) : Homozygous deletional α^+ thalassemia associated with unequal expression of the two remaining α_1 -genes (α_1^A and α_1^Q). *Br J Haematol* 52 : 115-125.
- Parker (1996) : AmpliTaq DNA polymerase, FS dye terminator sequencing : analysis of peak height patterns. *Biotechniques* 21(4) : 694-699.
- Pataryas H, Stamatoyannopoulos G (1972) : Haemoglobins in human fetusws : Evidence for adult haemoglobin production after the 11th gestational week. *Blood* 39 : 688-696.
- Pomp D, Medrano JF (1991) : Organic solvents as facilitators of Polymerase Chain Reaction. *Biotechniques* 1(1) : 58-59.
- Pootrakul S, Wasi P, Na-Nakorn S, Pootrakul P (1972) : Haemoglobin Mahidol : A clinical hematologic and genetic study. *J Med Ass Thailand* 55 (1) : 9-15.
- Pressley L, Higgs DR, Clegg JB, Weatherall DJ (1980) : Gene deletion in α -thalassemia prove that the 5' ζ -locus is functional. *Proc Natl Acad Sci USA* 77 : 3586-3589.

- Prober JM, Trainor GL, Dam RJ, Hobbs FW, Robertson CW, Zagursky RJ, Cocuzza AJ, Jensen MA, Baumeister K. (1987) : A system for rapid DNA sequencing with fluorescent chain-terminating dideoxynucleotides. *Science* 238 : 336-341.
- Proudfoot NJ, Maniatis T (1980) : The structure of the human α -globin pseudogene and its relationship to α -globin gene duplication. *Cell* 21 : 537-544.
- Proudfoot NJ, Gil A, Maniatis T (1982) : The structure of the human zeta-globin gene and a closely linked, nearly identical pseudogene. *Cell* 31 : 553-563.
- Rahbar S, Beale D, Isaacs WA, Lehmann H. (1967) : Abnormal haemoglobins in Iran. Observations of a new variant-haemoglobin J Iran ($\alpha_2\beta_2^{77}$ His-->Asp). *Br Med J* 1 : 674-677.
- Rychlik W (1994) : New algorithm for determining primer efficiency in PCR and sequencing. *J NIH Res* 6 : 78.
- Sagnet H, Morineaud JP, Delprat J, Revil H, Thomas J, Philbert H, Mafart Y (1968) : Une Hémoglobinoïse rare : L'association Hémoglobine Q-alpha-thalassémie. *Médecine Tropicale* 28 (2) : 133.
- Saiki RK, Scharf S, Faloona F, Mullis KB, Horn GT, Erlich HA, Arnheim N (1985) : Enzymatic amplification of β -globin genomic sequences and restriction site analysis for diagnosis of sickle cell anemia. *Science* 230 : 1350-1354.

- Saiki RK, Gelfand DH, Stoffel S, Scharf SJ, Higuchi R, Horn GT, Mullis KB, Erlich HA (1988) Primer-directed enzymatic amplification of DNA with a thermostable DNA polymerase. *Science* 239 : 487-494.
- Sambrook J, Fritsch EF, Maniatis T (1989) : *In Molecular cloning : A Laboratory Manual* (2nded)., Cold Spring Harbor Press, Cold Spring Harbor, NY.
- Sancar GB, Tatsis B, Cedeno MM, Rieder RF (1980) : Proportion of haemoglobin G Philadelphia ($\alpha_2^{68} \text{Asn} \rightarrow \text{Lys} \beta_2$) in heterozygotes is determined by α -globin gene deletions. *Proc Natl Acad Sci USA* 77 : 6874-6878.
- Sanger F, Nicklen S, Coulson AR (1977) : DNA sequencing with chain-terminating inhibitors. *Proc Natl Acad Sci USA* 74(12) : 5463-5467.
- Sanguanserm Sri T, Matragoon S, Changloah L, Flatz G (1979) : Hemoglobin Suan-Dok ($\alpha_2^{109} \text{Leu} \rightarrow \text{Arg} \beta_2$) : An unstable variant associated with α -thalassemia. *Hemoglobin* 3 : 161-174.
- Sarkar G, Kapelner S, Sommer SS (1990) : Formamide can dramatically improve the specificity of PCR. *Nucleic Acids Res* 18(24) : 7465.
- Schroeder WA, Cua JT, Matsuda G, Fenninger WD (1962) : Haemoglobin FI, an acetyl-containing haemoglobin. *Biochim Biophys Acta* 63 : 532-534.

- Schroeder WA, Huisman THJ, Brown AK, Uy R, Bouver NG, Lerch PO, Shelton JR, Shelton JB, Apell G (1971) : Postnatal changes in the chemical heterogeneity of human fetal haemoglobin. *Pediat Res* 5 : 493-499.
- Schuchard M, Sarkar G, Ruesink T, Spelberg TC (1993) : Two-Step "Hot" PCR amplification of GC-rich avian *c-myc* sequences. *Biotechniques* 14(3) : 390-394.
- Singer K, Chernoff AI, Singer L (1951) : Studies of abnormal haemoglobins I ; The demonstration in sickle cell anemia and other hematologic disorders by means of alkali denaturation. *Blood* 6 : 413-428.
- Sithipreechacharn R (1994) : In *Haemoglobin Chaing Mai : A new Alpha-Chain variant*. Undergraduated Thesis, M.S. Thesis submitted to Chiang Mai University.
- Smith EW, Torbert JB (1958) : Study of two abnormal haemoglobins with evidence for a new genetic locus for haemoglobin formation. *Bull Johns Hopkins Hosp* 102 : 38-41.
- Smith TK, Lon C.M., Bowman B, Manos MM (1990) : Using cosolvents to enhance PCR ampification. *Amplifications* 5 : 16-17.
- Steger HF, Dhumtanom P, Sanguansermisri T (1994) : A simple 15-minute PCR sample preparation from whole blood. *Asia Pac J Mol Bio Biot* 2(4) : 368-369.

- Surrey S, Chambers JS, Muni D, Schwartz E (1978) : Restriction endonuclease analysis of human globin genes in cellular DNA. *Biochem Biophys Res Commun* 83 : 1125-1131.
- Surrey S, Ohene-Frempong K, Rappaport E, Atwater J, Schwartz E (1980) : Linkage of a G-Philadelphia to α -thalassemia in African-Americans. *Proc Natl Acad Sci USA* 77 : 4885-4889.
- Tyuma I and Shimizu K (1970) : Effect of organic phosphates on the difference in oxygen affinity between fetal and adult human haemoglobin. *Fed Proc* 29 : 1112-1114.
- Varadaraj V, Skinner DM (1994) : Denaturants or co-solvents improve the specificity of PCR amplification of a G+C-rich DNA using genetically engineered DNA polymerases. *Gene* 140 : 1-5.
- Vella F, Wells RHC, Ager LAM, Lehmann H, (1958) : A haemoglobinopathy involving haemoglobin H and a new (Q) haemoglobin. *Br Med J* 1 : 752.
- Vosberg HP (1989) : The polymerase chain reaction : An improved method for the analysis of nucleic acids. *Hum Genet* 83 : 1-15.
- Weatherall DJ, Clegg JB, Naughton MA (1965) : Globin synthesis in thalassemia : An in vitro study. *Nature* 208 : 1061-1065.
- Winichagoon P, Higgs DR, Goodburn SEY, Lamb J, Clegg JB, Weatherall DJ (1982) : Multiple arrangements of the human embryonic ζ -globin genes. *Nucleic Acids Res* 10 : 5853-5868.

- Zeng FY, Fucharoen S, Huang SZ, Rodgers GP (1992) : Hb Q-Thailand [alpha74(EF3)Asp-->His]: gene organization, molecular structure, and DNA diagnosis. *Hemoglobin* 16(6) : 481-491.
- Zimmer EA, Martin SL, Beverly SM, Kan YW, Wilson AC (1980) : Rapid duplication and loss of genes coding for the α -chains of haemoglobin. *Proc Natl Acad Sci USA* 77 : 2158-2162.
- Zuckerkan dl E, Derancourt J, Vogel H (1971) : Mutational trends and random processes in the evolution of informational macromolecules. *J Mol Biol* 59 : 473-490.