

## References

- Ainsworth GC. Pathogenicity of fungi in man and animals. In : Mechanisms of microbial pathogenicity. Edited by Howie JW and O' Hea AJ. Cambridge University Press, London. 1958.
- Ajello L, Padhye AA, Sukroongreung S, Nilakul CH, Tantimavanich S. Occurrence of *Penicillium marneffei* infections among wild bamboo rats in Thailand . Mycopathologia 1995 ; 131 : 1-8.
- Bartnicki-Garcia S, Nickerson WJ. Induction of yeastlike development in *Mucor* by carbondioxide. J Bacteriol 1962 ; 84 : 829-40.
- Bartnicki-Garcia S. Control of dimorphism in *Mucor* by hexoses inhibition of hyphal morphogenesis. J Bacteriol 1968 ; 96 : 1586-94.
- Bedell GW, Soll DR. Effects of low concentrations of zinc on the growth and dimorphism of *Candida albicans* : Evidence for zinc-resistant and sensitive pathways for mycelium formation. Infect Immun 1979 ; 26 : 348-54.
- Bond U, Schlesinger MJ. Heat shock proteins and development. Adv Genet 1987; 24 : 1-29.
- Capponi M, Sureau P, Segretain G. Penicillose de *Rhizomys sinensis*. Bull Soc Pathol Exot 1956 ; 49 : 418-21.
- Campbell CC. Reverting *Histoplasma capsulatum* to the yeast phase. J Bacteriol 1947 ; 54 : 263-66.
- Carbonell LM, Polack L. Ultrastructural del *Paracoccidioides brasiliensis* en cultivos de la fase levaduriforme. Mycopathol Mycol Appl 1963 ; 19 : 184-204.
- Carbonell LM. Ultrastructure of dimorphic transformation in *Paracoccidioides brasiliensis*. J Bacteriol 1969 ; 1076-82.

- Carbonell LM, Rodriguez J. Mycelial phase of *Paracoccidioides brasiliensis* and *Blastomyces dermatitidis*: an electron microscope study. *J Bacteriol* 1968 ; 96 : 533 -37.
- Chandler FW, Kaplan W, Ajello L. *Penicillium marneffei*. In : Colors atlas and text of the histopathology of mycotic diseases. Chicago : Year Book Medical Publishers, 1980 ; 103 : 272-73.
- Chariyalertsak S, Vanittanakom P, Nelson KE, Sirisanthana T, Vanittanakom N. *Rhizomys sumatrensis* and *Cannomys badius*, new natural animal hosts of *Penicillium marneffei*. *J Med Vet Mycol* 1996 ; 34 : 105-10.
- Cogliati M, Roverselli A, Boelaert JR, Donatella T, Lombard L, Viviani MN. Development of an *in vitro* macrophage system to assess *Penicillium marneffei* growth and susceptibility to nitric oxide. *Infect Immun* 1997 ; 65(1) : 279-84.
- Cui J, Tanaka R, Taguchi H, et.al. Histopathological and electron microscopical studies on experimental *Penicillium marneffei* infection in mice. *J Med Vet Mycol* 1997 ; 35 : 347-53.
- Deacon JW. Introduction to Modern Mycology (2<sup>nd</sup> edition) Oxford London, 1984.
- Denz Z, Ribas JL, Gibson DW, Connor DH. Infection caused by *Penicillium marneffei* in China and Southeast Asia : Review of eighteen published cases and report of four more Chinese cases. *Rev Infect Dis* 1988 ; 10 : 640-52.
- Denz Z, Yun M, Ajello L. Human penicilliosis marneffei and its relation to the bamboo rat (*Rhizomys pruinosus*). *J Med Vet Mycol* 1986 ; 24 : 383-89.
- DiSalvo AF, Fickling AM, Ajello L. Infection caused by *Penicillium marneffei*; description of first natural infection in man. *Am J Clin Path* 1973 ; 60 : 259-63.
- Drouhet E, Mariat F. Etude des facteurs determinant le la phase levura de

*Sporotrichum schenckii* Ann Inst Pasteur Paris. 1952 ; 83 : 506-10.

Drouhet E. Penicilliosis due to *Penicillium marneffei* : A new emerging systemic mycosis in AIDS patients travelling or living in Southeast Asia. J Mycol Med 1993 ; 4 : 195-224.

Drutz DJ, Huppert M, Sun SH, McGuire WL. Human sex hormones stimulate the growth and maturation of *Coccidioides immitis*. Infect Immun 1981 ; 32 : 897- 907.

Edwards GA, Edwards MR. The intracellular membranes of *Blastomyces dermatitidis*. Am J Botany 1960 ; 47 : 622-32.

Edwards MR, Hazen EL, Edwards GA. The fine structure of the yeast-like cells of *Histoplasma capsulatum* in culture. J Gen Microbiol 1959 ; 20 : 496-503.

Flores-Carreon A, Gomez-Villanueva A, SanBlas G.  $\beta$ -1,3-glucanase and dimorphism in *Paracoccidioides brasiliensis*. Antonie Van Leeuwenhoek. 1979 ; 45 : 265-74.

Garraway MO, Evans RC. Fungal Nutrition and Physiology. John Wiley & Sons. New York. 1984.

Garrison RG, Boyd KS. Dimorphism of *Penicillium marneffei* as observed by electron microscopy. Can J Microbiol 1973 ; 19 : 1305-09.

Garrison RG, Lane JW, Field MF. Ultrastructural changes during the yeastlike to mycelial phase conversion of *Blastomyces dermatitidis* and *Histoplasma capsulatum*. J Bacteriol 1970 ; 101 : 628-35.

Geisow MJ, Hart PD, Young MR. Temporal changes of lysosome and phagosome pH during phagolysosome formation in macrophages : Studies by fluorescence spectroscopy. J Cell Biol 1981 ; 89 : 645-52.

Goos RD. Germination of the macroconidia of *Histoplasma capsulatum*.

Mycologia 1964 ; 56 : 662-64.

Guyton AC. Text Book of Medical Physiology. Eight edition. W.B. Saunders  
Germany 1991.

Harold FM. To shape a cell : an inquiry into the causes of morphogenesis of  
microorganisms. Microbiol Rev 1990 ; 54(4) : 381-431.

Hernandez-Hernandez F, Biever CD, Camacho-Arroyo I, Cerbon MA, Doumont  
B, Lopez-Martinez R. Sex hormones effects on *Phialophora verrucosa* *in vitro*  
and characterization of progesterone receptors. J Med Vet Mycol 1995 ; 33 :  
235-39.

Howard DH. The morphogenesis and the parasitic forms of dimorphic fungi.  
Mycopathol 1967 ; 18 : 127-31.

Kanetsuna F, Carbonell LM. Cell wall glucans of the yeast and mycelial forms of  
*Paracoccidioides brasiliensis*. J Bacteriol 1970 ; 101 : 675-80.

Kanetsuna F, Carbonell LM, Azuma I, Yamamura Y. Biochemical studies on the  
thermal dimorphism of *Paracoccidioides brasiliensis*. J Bacteriol 1972 ; 110 :  
208-18.

Kern ME. Medical Mycology. F.A. Davis Company Philadelphia.1985.

Kudeken N, Kawakami K, Kusano N, Saito A. Cell-mediated immunity in host  
resistance against infection caused by *Penicillium marneffei*. J Med Vet  
Mycol 1997 ; 34 (6) : 371-8.

Kurung JM, Yegian D. Medium for maintenance and conversion of *Histoplasma*  
*capsulatum* in yeast-like phase. Am J Clin Pathol 1954 ; 24 : 505-9.

Lane JW, Garrison RG, Field MF. Ultrastructural studies on the yeast-like and

- mycelial phases of *Sporotrichum schenckii*. J Bacteriol 1969 ; 100 : 1010-19.
- Levine S, Ordal ZJ. Factors influencing the morphology of *Blastomyces dermatitidis* J Bacteriol 1946 ; 52 : 687-90.
- Li JC, Pan LQ, Wu SX. Mycologic investigation on *Rhizomys pruinosus senex* in Guangxi as natural carrier with *Penicillium marneffei*. Clin Med J 1989 ; 102(6) : 477-85.
- Loose DS, Stover EP, Restrepo A, Stevens DA, Feldman D. Estradiol binds to a receptor-like cytosol binding protein and initiates a biological response in *Paracoccidioides brasiliensis*. Proc Natl Acad Sci USA 1983 ; 80 : 7659-68.
- Maresca B, Kobayashi G. Dimorphism in *Histoplasma capsulatum*: a model for the study of cell differentiation in pathogenic fungi. Microbiol Rev 1989 ; 53(2) : 186-209.
- Maresca B, Jacobson E, Medoff G, Kobayashi G. Cystine reductase in the dimorphic fungus *Histoplasma capsulatum*. J Bacteriol 1978 ; 135 : 987-92.
- Maresca B, Lambowitz AM, Kumar VB, Grant GA, Kobayashi GS, Medoff G. Role of cysteine in regulating morphogenesis and mitochondrial activity in the dimorphic fungus *Histoplasma capsulatum*. Proc Natl Acad Sci USA 1981 ; 78 : 4596-600.
- Medoff G, Maresca B, Lambowitz AM, et.al. Correlation between pathogenicity and temperature sensitivity in different strains of *Histoplasma capsulatum*. J Bacteriol 1986 ; 135 : 987-92.
- Orlowsky M. *Mucor* dimorphism. Microbiol Rev 1991 ; 55 : 234-58.
- Philpot CM. Some aspects of the epidemiology of Tinea. Mycopathol Mycol Appl 1997 ; 62 : 3-13.

- Pine L. Studies on the growth of *Histoplasma capsulatum*: Growth of the yeast phase in liquid media. J Bacteriol 1954; 68: 671-79.
- Pitt IJ. The genus *Penicillium* and its teleomorphic states *Eupenicillium* and *Talaromyces*. London : Academic Press Inc (London) Ltd. 1979.
- Pracharktam R, Sriurairatna P, Jayanetra P. Morphological variation in pathogenic strains of *Penicillium marneffei* J Med Asso Thai 1992; 75: 172-8.
- Restrepo A, Jemenez BE. Growth of *Paracoccidioides brasiliensis*. In : DiSalvo AF,ed. The Occupational Mycoses. Philadelphia. Lea Febiger. 1983 : 43-64.
- Restrepo A, Salazar ME, Cano LE, Stover EP, Feldman D, Stevens DA. Estrogens inhibit mycelium - to - yeast transformation in the fungus *Paracoccidioides brasiliensis*: implications for resistance of female to paracoccidioidomycosis. Infect Immun 1984; 46: 346-53.
- Rippon JW. Dimorphism in pathogenic fungi. Crit Rev Microbiol 1980; 8(1) : 49-97.
- Romano AH. Dimorphism. In : Ainsworth GC, Sussman (Eds.), The Fungi. New York Academic. 1966 ; 2 : 181-209.
- Salvin SB. Cysteine and related compounds in the growth of the yeastlike phase of *Histoplasma capsulatum* J Infect Dis 1949 ; 84 : 275-86.
- Salazar ME, Restrepo A, Stevens DA. Inhibition by estrogens of conidium - to - yeast conversion in the fungus *Paracoccidioides brasiliensis*. Infect Immun 1988 ; 56(3) : 711-13.
- Sburlati A, Cabib E. Chitin synthethase 2, a presumptive participant in septum formation in *Saccharomyces cerevisiae*. J Biochem 1986 ; 261(32) : 15147-52.
- Scheer GH. Studies on the dimorphism of *Histoplasma capsulatum* . I.The role of -SH

groups and incubation temperature. Exptl Cell Res 1957 ; 12 : 92-107.

Segretain G. Description d'une nouvelle espece de *Penicillium marneffei* n.sp.

Bull Soc Mycol Fr 1959 ; 75 : 412-6.

Segretain G. *Penicillium marneffei* n.sp., agent d'une mycose du systeme reticulo-endothelial. Mycopathol Mycol Appl 1959 ; 11 : 327-53.

Simmons RB. Comparison of chitin localization in *Saccharomyces cerevisiae*.

Mycol Research 1989 ; 94(3) : 551-3.

Steiner RA, Cameron JL. Endocrine control of reproduction. In : Patton HD, Fuches AF, eds. Text book of physiology, <sup>21</sup> edition, Philadelphia, PA : Saunders, 1989 : 1289-342.

Stevens BJ. Variation in number and volume of the mitochondria in yeast according to growth conditions. A study based on serial sectioning and computer graphics reconstructions. Biol Cellulaire 1977.

Supparatpinyo K, Chiewchanvit S, Hirunsri P, Uthammachai C, Nelson KE, Sirisanthana T. *Penicillium marneffei* infection in patients infected with human immunodeficiency virus. Clin Infect Dis 1992 ; 14 : 871-4.

Supparatpinyo K, Khumwan C, Baosoung V, Nelson KE, Sirisanthana T.

Disseminated *Penicillium marneffei* infection in Southeast Asia. Lancet 1994 ; 344 : 110 - 4.

Valle NR, Rosario M, Torres-Blasini G. Effects of pH, temperature, aeration and carbon source on the development of the mycelial or yeast forms of *Sporothrix schenckii* from conidia. Mycopathol 1983 ; 82 : 83-8.

Vanittanakom N, Cooper CR, Chariyalertsak S, Youngchim S, Nelson KE, Sirisanthana T. Restriction endonuclease analysis of *Penicillium marneffei*.

J Clin Microb 1996 ; 34(7) : 1834-6.

Wanissorn T. Evaluating study of eight years of the epidemic of AIDS in the upper six provinces of northern Thailand. J Health Sci 1996 ; 5(2) : 247-52.