

## VII. REFERENCES

- Abu-Hasen NS, Sutcliffe RG. Placental alkaline phosphatase integrates via its carboxy-terminus into the microvilli membrane: Its allotypes differ in conformation. *Placenta* 1985; 6 : 391-404.
- Behr W, Barnert J. Quantification of bone alkaline phosphatase in serum by precipitation with wheat-germ lectin: A simplified method and its clinical plausibility. *Clin Chem* 1986; 32 : 1960-6
- Bretaudiere JP, Vassault A, Amsellem L, et al. Criteria for establishing a standardized method for determining alkaline phosphatase activity in human serum. *Clin Chem* 1977; 23 : 2263-74.
- Chakrabarty A, Stinson RA. Tetrameric alkaline phosphatase in human liver plasma membranes. *Biochem Biophys Res Commun* 1985; 131: 328-35.
- Christenson RH, Panigrahi K, Chapman JF, Silverman LM. " Isoenzymes and isoforms". In *Clinical Chemistry : Theory, analysis and correlation*, 3 rd ed., Kaplan LA, Pesce AJ. Ed., St. Louis ,C.V. Mosby Company, 1996 : 1077-85.
- Corfield AP, Rudiger WVEH, Wenber M, Michaski J-C, Schauer R. The release of *N* -acetyl and *N*-glycolyl-neuraminic acid from soluble complex carbohydrates by bacterial, viral and mammalian sialidases. *Biochem J* 1981; 197 : 297-9.
- Crofton PM. Biochemistry of alkaline phosphatase isoenzymes. *Crit Rev Clin Lab Sci* 1982; 16 : 161-94.
- Crofton PM. Wheat-germ lectin affinity electrophoresis for alkaline phosphatase isoforms in children: age-dependent reference ranges and changes in liver and bone disease. *Clin Chem* 1992; 38 : 663-70.

Cummings RD, Kornfeld S. Fractionation of asparagine-linked oligosaccharides by serial lectin-agarose affinity chromatography. *J Biol Chem* 1982; 257 : 11235-40.

Day AP, Feher MD, Chopra R, *et al*. Triglyceride fatty acid chain length influences the post prandial rise in serum intestinal alkaline phosphatase activity. *Ann Clin Biochem* 1992; 29 : 287-91.

Day AP, Saward SS, Royle CM, Maryne PD. Evaluation of two new methods for routine measurement of alkaline phosphatase isoenzymes. *J Clin Pathol* 1992; 45 : 68-71.

De Broe ME, Borgers M, Wieme RJ. The separation and characterization of liver plasma membrane fragments circulating in the blood of patients with cholestasis. *Clin Chim Acta* 1975; 59: 369-72.

De Broe ME, Moss DW. Introduction: Recent developments in alkaline phosphatase research. *Clin Chem* 1992; 38: 2485-92.

De Broe ME, Roles F, Nouwen EJ, Wieme RJ. Liver plasma membrane : The source of serum high molecular weight alkaline phosphatase in human serum. *Hepatology* 1985; 5 : 118-28.

Farley JR, Chesnut CH III, Baylink DJ. Improved method for determination of serum alkaline phosphatase of skeletal origin. *Clin Chem* 1981; 27: 2002-7.

Farley JR, Hall SL, Herring S. Reference standards for quantification of skeletal alkaline phosphatase activity in serum by heat inactivation and lectin precipitation. *Clin Chem* 1993; 39 : 1878-84.

Farley JR, Hall SL, Ilacas D, Orcutt C, Miller BE, Hill CS,*et al*. Quantification of skeletal alkaline phosphatase in osteoporotic serum by wheat germ agglutinin precipitation, heat inactivation, and a two-site immunoradiometric assay. *Clin Chem* 1994; 40 : 1749-56.

Fishman WH. Alkaline phosphatase isoenzymes: recent progress. *Clin Biochem* 1990; 23 : 99-104.

Fishman WH, Green S, Inglis NI. L-Phenylalanine : An organ specific, stereospecific inhibitor of human intestinal alkaline phosphatase. *Nature (London)* 1963; 198: 685-6.

Gonchoroff DG, Branum EL, O'Brien J. Alkaline phosphatase isoenzymes of liver and bone origin are incompletely resolved by wheat-germ-lectin affinity chromatography. *Clin Chem* 1989; 35 : 29-32.

Griffin CA, Smith M Henthorn PS, *et al.* Human placental and intestinal alkaline phosphatase gene map to 2q 34-q37. *Am J Hum Genet* 1987; 41 : 1025-34.

Griffiths J, Black J. Separation of identification of alkaline phosphatase isoenzymes and isoforms in serum of healthy persons by isoelectric focusing. *Clin Chem* 1987; 33: 2171-7.

Griffiths WC, Camara PD, Rosner M, Lev R, Brooks EM. Prevalence and properties of the intestinal alkaline phosphatase identified in serum by cellulose acetate electrophoresis. *Clin Chem* 1992; 38 : 507-11.

Griffiths WC, Lev R, Gentile J, *et al.* On the difference between colonic and small intestinal alkaline phosphatase. *Clin Biochem* 1985; 18 : 254-6.

Hendrix PG, Hoylaerts MF, Nouwen EJ, *et al.* Enzyme immunoassay of human placental and germ-cell alkaline phosphatase in serum. *Clin Chem* 1990; 36 : 1793-9.

Hoylaerts MF, Millan JL. Site-directed mutagenesis and epitope-mapped monoclonal antibodies define a catalytically important conformational difference between human placental and germ cell alkaline phosphatase. *Eur J Biochem* 1991; 202 : 605-16.

Jennings RC, Brocklehurst D, Hirst M. A comparative study of alkaline phosphatase enzymes using strach-gel electrophoresis and Sephadex gel-filtration with special reference to high molecular weight enzymes. *Clin Chim Acta* 1970; 30 : 509-17.

Jung K, Pergande M, Klotzek S. Sialidase from different sources compared for electrophoretically separating serum alkaline phosphatase fractions from liver and bone. *Clin Chem* 1989; 35 : 1955-7.

Kachmar JF, Donal WM. Enzymes. In "Fundamental of Clinical Chemistry". Tietz NW, Ed., Philadelphia ,W.B. Saunders Company, 1976; 602.

Kaplan MM, Rogers L. Separation of human serum alkaline phosphatase isoenzymes by polyacrylamide gel electrophoresis. *Lancet* 1969; 2 : 1029-31.

Karmen C, Mayne PD, Foo AY, Parbhoo S, Rosalki SB. Measurement of biliary alkaline phosphatase by mini-column chromatography and by electrophoresis and its application to the detection of liver metastasis in patients with breast cancer. *J Clin Pathol* 1984; 37: 1-17.

Keiding NR. The alkaline phosphatase fractions of human lymphocyte. *Clin Sci* 1964; 26: 291-7.

Kim EE, Wyckoff HW. Reaction mechanism of alkaline phosphatase based on crystal structures. *J Mol Biol* 1991; 218 : 449-64.

Klein G, Bodenmuller H, Gerber M. Evaluation of a new photometric assay for the determination of human bone alkaline phosphatase. *Clin Chem* 1989; 35 : 1089.

Komoda T, Sakagishi Y, Sekine T. Multiple forms of intestinal alkaline phosphatase: Chemical and enzymatic properties and circulating clearance of the fast and slow moving enzymes. *Clin Chim Acta* 1981; 117: 167-87.

Koyama I, Miura M, Malsuzaki Y, Komoda T. Sugar-chain heterogeneity of human alkaline phosphatase : Difference between normal and tumor-associated isoenzymes. *J Chromatogr* 1987; 413 : 65-78.

Kringle RO. Statistical Procedures. In "Tietz Textbook of Clinical Chemistry". 2 <sup>nd</sup> ed., Burtis CA and Ashwood ER, Eds., Philadelphia, W.B. Saunders Company, 1994 : 384-453.

Kuwana T, Sugita O, Yamata M. Sugar chain heterogeneity of bone and liver alkaline phosphatase in serum. Enzyme 1991; 45 : 63-6.

Lawson GM, Katzmann JA, Kimlinger TK, O'Brien JF. Isolation and preliminary characterization of a monoclonal antibody that interacts preferentially with the liver isoenzymes of human alkaline phosphatase. Clin Chem 1985; 31 : 381-5.

Lis H, Sharon N. The biochemistry of plant lectins (phytohemagglutinins). Ann Rev Biochem 1973; 42 : 541-74.

Lum G, Catrou P, Liuzza G, Kokatnur M. Clinical assessment of the electrophoretic separation of alkaline phosphatase isoenzymes. Am J Clin Pathol 1983; 80 : 682-5.

Makiya R, Thornell LE, Stigbrand T . Placental alkaline phosphatase, a GPI-anchored protein, is clustered in clathrin-coated vesicles. Biochem Biophys Res Commun 1982; 183 : 803-8.

Martin D, Tucker DF, Gorman P, *et al.* The human placental phosphatase gene and related sequence map to chromosome 2 band q 37. Ann Hum Genet 1987; 51 : 145-52.

Mattiazzo M, Ramasamy I. Wheat germ lectin affinity electrophoresis of serum alkaline phosphatase with commercially available agarose gels. Clin Chem 1993; 39 : 1404-7.

Mc Comb RB, Bowers GN, Posen S. Alkaline phosphatase . New York : Plenum Press, 1979 : 531-8.

Mendla K, Cantz M. Specificity studies on the oligosaccharide neuraminidase of human fibroblasts. Biochem J 1984; 218 : 625-8.

Mercer D, Tang M, Marino I, *et al.* Change in biliary(High-Molecular-Mass) and liver isoforms of alkaline phosphatase after baboon-to-human liver transplantation. Clin Chem 1994; 40 : 1335-9.

Millan JL. Alkaline phosphatase as a receptor of cancerous transformation. Clin Chim Acta 1992; 209 : 123-9.

Miura M, Kotama I, Malsuzaki H, Sakagishi Y, Ikezawa H, Komoda T. Organ specific properties for human urinary alkaline phosphatases. *Clin Chim Acta* 1988; 171 : 63-74.

Miura M, Malsuzaki H, Bailyes EM, Koyama I, Sakagishi Y, Sekine T, et al. Differences between human liver- and bone-type alkaline phosphatase. *Clin Chim Acta* 1989; 180 : 177-88.

Miura M, Sakagishi Y, Hata K, Komoda T. Differences between the sugar moieties of liver- and bone-type alkaline phosphatase: A re-evaluation. *Ann Clin Biochem* 1994; 31 : 25-30.

Moss DW. Alkaline phosphatase isoenzymes [Review]. *Clin Chem* 1982; 28 : 2007-16.

Moss DW. Perspectives in Alkaline phosphatase Research. *Clin Chem* 1992; 38: 2486.

Moss DW, Henderson R. Enzymes. In "Tietz Textbook of Clinical Chemistry". 2<sup>nd</sup> ed., Burtis CA and Ashwood ER, Eds., Philadelphia, W.B. Saunders Company, 1994 : 830-44.

Moss DW, Whitaker KB. Modification of alkaline phosphatase by treatment with glycosidases. *Enzyme* 1985; 34 : 212-6.

Nishio H, Sakuma T, Nakamura SI, et al. Diagnostic value of high molecular weight alkaline phosphatase in detection of hepatic metastasis in patients with lung cancer. *Cancer* 1986; 57 : 1815-9.

Nosjean O, Koyama I, Gosek M, et al. Human tissue non-specific alkaline phosphatase: sugar-moieties-induced enzymic and antigenic modulations and genetic aspects. *Biochem J* 1997; 321: 297-303.

Pfleiderer G, Baier M, Mondorf AW, et al. Change of alkaline phosphatase isoenzymes pattern in urine as possible marker for renal disease. *Kidney Int* 1980; 17: 242-9.

Price CP. Multiple forms of human serum alkaline phosphatase: Detection and quantitation. *Ann Clin Biochem* 1993; 30 : 355-72.

Price CP, Sammon HG. The nature of serum alkaline phosphatase in liver disease. *J Clin Pathol* 1974; 27: 392-8.

Rauch F, Middelmann B, Cagnoli M, Keller KM and Schonau E. Comparison of total alkaline phosphatase and three assays for bone specific alkaline phosphatase in childhood and adolescence. *Acta Paediatr* 1997; 86 : 583-7.

Raymond FD, Datta H, Moss DW. Alkaline phosphatase isoforms in bile and serum and their generation from cells *in vitro*. *Biochem Biophys Acta* 1991; 1074 : 217-22.

Register TC, Mc Lean FM, Low MG, *et al*. Roles of alkaline phosphatase and labile internal mineral in matrix vesicle-mediated calcification. *J Biol Chem* 1986; 261 : 9354-60.

Rhone DP, Mizuno FM. profiles of alkaline phosphatase isoenzymes in serum using cellulose acetate electrophoresis and organ specific inhibitors. *Am J Clin Pathol* 1973; 59 : 531-41.

Rosalki SB, Foo AY. Two new methods for separating and quantifying bone and liver alkaline phosphatase isoenzymes in plasma. *Clin Chem* 1984; 30 : 1182-6.

Rosalki SB, Foo AY. Effect of Triton X-100 on precipitation of biliary phosphatase by wheat- germ lectin. *Clin Chem* 1989; 35 : 513.

Schachter H, Narasimhan S, Gleeson P, Vella G. Glycosyltransferases involved in elongation of N-glycosidically linked oligosaccharides of the complex or N-acetyllactosamine type. *Methods Enzymol* 1983; 98: 98-134.

Schiele F, Henny J, Hitz J, *et al*. Total bone and liver alkaline phosphatase in plasma: Biological variations and reference limits. *Clin Chem* 1983; 29 : 634-41.

Schoenau E, Herzog KH, Boechles HJ. Clinical relevance of alkaline phosphatase determinations by high performance liquid chromatography. *J Clin Chem Clin Biochem* 1986; 24 : 641-6.

Schoenau E, Herzog KH, Boehles HJ. Liquid-chromatographic determination of isoenzymes of alkaline phosphatase in serum and tissue homogenates. Clin Chem 1986; 32 : 816-8.

Sherwin JE, Sobennes JR. Liver function. In "Clinical chemistry : Theory, analysis, correlation" 3<sup>rd</sup> ed, Kaplan LA, Pesce AJ. ed., St. Louis, C.V. Mosby Company, 1996 : 505-27.

Siangprorh O. Factors affecting the separation of liver and bone alkaline phosphatase isoenzymes in serum by cellulose acetate electrophoresis. Bull Chiang Mai Assoc Med Sci 1998; 31 : 81-91.

Siede WH, Sieffert UB. Quantitative alkaline phosphatase isoenzyme determination by electrophoresis on cellulose acetate membranes. Clin Chem 1977; 23 : 28-34.

Surangkul D. The development of methods for quantitation of serum total sialic acid and hyaluronan. M.S. Thesis, Chiang Mai university, 1998.

Swallow DM, Povey S, Parker M, *et al.* Mapping of the gene coding for the human liver/bone/kidney isoenzyme of alkaline phosphatase to chromosome 1. Ann Hum Genet 1986; 50 : 211-35.

Tietz NW, editor : Clinical guide to laboratory tests, 2<sup>nd</sup> ed, Philadelphia, W.B. Saunders Company, 1990.

Tietz NW, *et al.* Textbook of Clinical Chemistry., Philadelphia ,W.B. Saunders Company, 1982 : 704-16.

Valenzuela GJ, Munson LA, Tarbaux NM, Farley JR. Time-dependent changes in bone, placental, intestinal, and hepatic alkaline phosphatase activities in serum during human pregnancy. Clin Chem 1987; 33 : 816-8.

Van Belle H. Alkaline phosphatase I. Kinetics and inhibition by levamisole of purified isoenzymes from humans. Clin Chem 1976; 22 : 972-6.

Van Hoof VO, De Broe ME. Interpretation and clinical significance of alkaline phosphatase isoenzyme patterns. Crit Rev Clin Lab Sci 1994; 31: 197-293.

Van Hoof VO, Hoyiaerts MF, Geryl H, *et al.* Age and sex distribution of alkaline phosphatase isoenzymes by agarose electrophoresis. Clin Chem 1990; 36 : 875-8.

Verpooten GF, Nouwen EJ, Hoylearts MF, *et al.* Segment specific localization of intestinal-type alkaline phosphatase in human kidney. Kidney Int 1989; 36 : 617-25.

Wallinder H, Angback K, Kahan J, *et al.* Measurement of alkaline phosphatase activity by Kodak Ektachem 700 XR analyzer compared with other routine analytical methods. Clin Chem 1989; 35 : 328-9.

Weiss MJ, Ray K, Henthorn PS, *et al.* Structure of the human liver/bone/kidney alkaline phosphatase gene. J Biol Chem 1988; 263 : 12002-10.

Whyte MP, Landf M, Ryan LM, *et al.* Alkaline phosphatase : Placental and tissue-non specific isoenzymes hydrolyze phosphoethanolamine, inorganic pyrophosphate and pyridoxal 5'- phosphate substrate accumulation in carriers of hypophosphatasia corrects during pregnancy. J Clin Invest 1995; 95 : 1440-5.