

## VII. REFERENCE

- 1.) Jeffreys AJ, Wilson V, Thein SL. Individual specific "fingerprint" of human DNA. *Nature* 1985; 316: 76-9.
- 2.) Nakamura Y, Leppert M, Connell P, et al. Variable number of tandem repeat (markers) for human gene mapping. *Science* 1987; 235: 1616-22.
- 3.) Edwards A, Civitello A, Hammond HA, et al. DNA typing and genetic mapping with trimeric and tetrameric tandem repeats. *Am J Hum Genet* 1991; 49: 746-56.
- 4.) Edwards A, Hammond HA, Jin L, et al. Genetic variation at five trimeric and tetrameric tandem repeat loci in four human population groups. *Genomics* 1992; 12: 241-53.
- 5.) Litt M, Luty JA. A hypervariable microsatellite revealed by in vitro amplification of a dinucleotide repeat within the cardiac muscle actin gene. *Am J Hum Genet* 1989; 44: 397-401.
- 6.) Brook JD, Mc Currach ME, Harley HG, et al. Molecular basis of myotonic dystrophy: expansion of a trinucleotide(CTG) repeat at the 3' end of a transcript encoding a protein kinase family member. *Cell* 1992; 68: 799-808.
- 7.) Polymeropoulos MH, Rath DS, Xiao H, Merril CR. Tetranucleotide repeat polymorphism at the human coagulation factor XIIIa subunit gene (F13A1). *Nucl Acids Res* 1991; 19: 4306.

- 8.) Polymeropoulos MH, Xiao H, Rath DS, Merril CR. Tetranucleotide repeat polymorphism at the human tyrosine hydroxylase gene (TH). *Nucl acids Res* 1991; 19: 3753.
- 9.) Kremer EJ, Ptitchard M, Lynch M, et al. Mapping of DNA ionstability at the fragile x to a trinucleotide repeat sequence p(CGG)n. *Science* 1991; 252: 1711-14.
- 10.) Mac Donald ME, Ambrose CM, Duyao MP, et al. A novel gene containing a trinucleotide repeat that is expanded and unstable on Huntington's disease chromosomes. *Cell* 1993; 72: 971-83.
- 11.) Nagafuchi S, Yanagisawa H, Sato K, et al. Dentatorubral and pallidoluysian atrophy expansion of an unstable CAG trinucleotide on chromosome 12p. *Nat Genet* 1994; 6: 14-8.
- 12.) Orr H, Chung M, Banfi S, et al. Expansion of an unstable trinucleotide CAG repeat in spinocerebella ataxia type 1. *Nat Gen* 1993; 4: 221-6.
- 13.) Urquhart A, Kimpton CP, Downes TJ, et al. Variation in short tandem repeat sequences, a survey of twelve microsatellite loci for use as forensic identification markers. *Int J Leg Med* 1994; 107: 13-20.
- 14.) Hammond HA, Jin L, Zhong Y, Caskey CT, Chakraborty R. Evaluation of 13 STR loci for use in personal identification applications. *Am J Hum Genet* 1994; 55: 175-89.
- 15.) Huang PL, Lee-Huang S. DNA Polymorphisms and Forensic Identification. In: Lee HC, Gaenslen RE, (eds). *DNA and Other Polymorphisms in Forensic Science*. Chicago: Year Book Medical Publisher, 1990: 1-25.

- 16.) Tautz D. Hypervariability of simple sequences as a general source for polymorphic DNA markers. *Nucl Acids Res* 1989; 17: 6463-71.
- 17.) Weber JL, May PE. Abundant class of human DNA polymorphism which can be typed using the polymerase chain reaction. *Am J Hum Genet* 1989; 44: 388-96.
- 18.) Smith GW, Graham CA, Nevin J, Nevin NC. Detection of maternal cell contamination in amniotic fluid cell cultures using fluorescent labelled microsatellites. *J Med Genet* 1995; 32: 61-4.
- 19.) Neuhuber F, Radacher M. Agenetic study of the short tandem repeat systems vWA and THO1 in an Australian population. *Forensic Sci Int* 1997; 87: 211-7.
- 20.) Hammond HA, Caskey CT. Human DNA fingerprinting using short tandem repeat 10 loci. *Methods Mol Cell Biol* 1994; 5: 78-86.
- 21.) Balazs I, Baird M, Clyne M, et al. Human population genetic studies of five hypervariable DNA loci. *Am J Hum Genet* 1989; 44: 182-90.
- 22.) Ziegler JS, Su Y, Corcoran KP, et al. Application of automated DNA sizing technology for genotyping microsatellite loci. *Genomics* 1992; 14: 1026-31.
- 23.) Litt M and Luty JA. Dinucleotide repeat polymorphism at D6S89 locus. *Nucl Acid Res* 1990; 18: 4301.
- 24.) Lorente M, Lorente JA, Wilson MR, et al. Spanish population data on seven loci: D1S80, D17S5, HUMTHO1, HUMVWA, ACTBP2, D21S11 and HLA-DQA1. *Forensic Sci Int* 1997; 86: 163-71.

- 25.) Park SJ, Lee WG, Lee SW, et al. Genetic variations at four tetrameric tandem repeat loci in Korean population. *J Forensic Sci* 1997; 42: 125-9.
- 26.) Blaecker H, Rasheed BK, McLendon RE, et al. Microsatellite analysis of childhood brain tumors. *Genes, Chromosomes & Cancer* 1996; 15: 54-63.
- 27.) Nassar KE, Mathew J, Thomas N, et al. Analysis of the D1S80 (pMCT118) VNTR locus polymorphism in a native Kuwaiti population by the polymerase chain reaction. *Forensic Sci Int* 1996; 78: 131-8.
- 28.) Whitaker JP, Clayton TM, Urquhart AJ, et al. Short tandem repeat typing of bodies from a mass disaster: High success rate and characteristic amplification patterns in highly degraded samples. *Biotechniques* 1995; 18: 670-7.
- 29.) Santos SM, Budowle B, Smerick JB, et al. Portuguese population data on the six short tandem repeat loci- CSF1PO, TPOX, TH01, D3S1358, VWA and FGA. *Forensic Sci Int* 1996; 83: 229-35.
- 30.) Bhoopat T, Steger HF. Frequency distribution of D1S80 alleles in the northern Thai population analysed by amplified fragment length polymorphism technique. *Forensic Sci Int* 1996; 81: 149-55.
- 31.) Pinheiro F, Pontes L, Gene M, et al. Population study of the HUMTHO1, HUMVWA31A, HUMF13A1 and HUMFES/FPS STR polymorphisms in the north of Portugal. *J Forensic Sci* 1997; 42: 121-4.
- 32.) Lee JCI, Chen CH, Tsai LC, et al. The screening of 13 short tandem repeat loci in the Chinese population. *Forensic Sci Int* 1997; 87: 137-44.

- 33.) Fisher RA. Standard calculations for evaluating a blood group system. *Heredity* 1951; 5: 95-102.
- 34.) Garber RA, Morris JW. General Equations for the Average Power of Exclusion for Genetic System of N Codominant Alleles in One-parent and No-parent Cases of Disputed Parentage. In: Walker (ed), *Inclusion Probabilities in Parentage Testing*. Arlington: American Association of Blood Banks, 1983: 277-80.
- 35.) Fowler JCS, Burgoine LA, Scott AC, et al. Repetitive deoxyribonucleic acid (DNA) and human genome variation- a concise review relevant to forensic biology. *J Forensic Sci* 1988; 33: 1111-26.
- 36.) Trent RJ. Forensic Medicine. In: Trent RJ (ed), *Molecular Medicine*. London: Churchill Livingstone, 1993: 180.
- 37.) Anker R. Tetranucleotide repeat polymorphism at the human thyroid peroxidase (hTPO) locus. *Hum Mol Genet* 1992; 1: 137
- 38.) Gill P, Kimpton C, Aloja ED, et al. Report of the european DNA profiling group (EDNAP)-towards standardisation of short tandem repeat (STR) loci. *Forens Sci Int* 1994; 65: 51-9.
- 39.) Polymeropoulos MH. Tetranucleotide repeat polymorphism at the human coagulation factor XIII A subunit gene (F13A1). *Nucl Acids Res* 1991; 19: 4306.
- 40.) Polymeropoulos MH. Tetranucleotide repeat polymorphism at the c-fes/fps proto-oncogene (FES). *Nucl Acids Res* 1992; 19: 4018.
- 41.) Mancuso DJ, Tuley EA, Westfield LA, et al. Structure of the gene for human von Willebrand factor. *J Biol Chem* 1989; 264: 19512-27.

- 42.) Drozd MA, Archard L, Lincoln PJ, et al. An investigation of the HUMVWA31A locus in British caucasians. *Forens Sci Int* 1994; 69: 161-70.
- 43.) Tamarin RH. Principles of Genetics. Dubuque: Wm. C. Brown Communication, 1993: 522-38.
- 44.) Tamarin RH. Principles of Genetics. Dubuque: Wm. C. Brown Communication, 1993: 69-71.
- 45.) Thompson C M. Tables of the Percentage Points of the Chi-square Distribution. *Biometrika* 1941; 32: 188-9.
- 46.) Oorschot VR, Gutowski SJ, Robinson SL. HUMTHO1: Amplification, species specificity, population genetics and forensic applications. *Int J Legal Med* 1994; 107: 121-6.
- 47.) Puers C. Identification of repeat sequence heterogeneity at the polymorphic STR locus HUMTHO1(AATG)<sub>n</sub> and reassignment of alleles in population analysis using a locus-specific allelic ladder. *Am J Human Genet* 1993; 53: 953-58.
- 48.) Bhoopat T, Sriduangkaew S, Steger HF. An investigation of the THO1 locus in a population from northern Thailand. *Int J Legal Med* 1997; 110: 286-87.
- 49.) Lins AM, Sprecher CJ, Puers C, et al. Multiplex sets for the amplification of polymorphic short tandem repeat loci- silver stain and fluorescence detection. *Biotechniques* 1996; 20: 882-9.
- 50.) Ambach E, Parson W, Niederstatter H, et al. Austrian Caucasian population data for the quadruplex plus amelogenin: Refined mutation rate for HumvWFA31/A. *J Forensic Sci* 1997; 33: 1136-39.