REFERENCES

- Abitbol, M.M. (1993). Vaginal birth after cesarean section: the patient's point of view. American Family Physician, 47 (1), 129-134.
- Affonso, D.D., & Stichler, J.F. (1978). Exploratory study of women's reactions to have a cesarean birth. Birth and the Family Journal, 5(2), 88-94.
- Ajzen, I., & Fishbein, M. (1980). Understanding attitudes and prediction social behavior. Englewood Cliffs, N.J.:

 Prentice-hall.
- Applegate, J.A. & Walhout, M.F. (1992). Cesarean section rate: A comparison between family physicians and obstetricians. Family Practice Research Journal, 12, 255-262.
- Bernard, H.R. (1988). Research methods in cultural anthropology. Newbury Park: Sage publication.
- Braveman, P., Egerter, S., Edmonston, f., & Verson, M. (1995). Racial/ ethnic differences in the likelihood of cesarean delivery, California. American Journal of Public Health, 85(5), 625-630.
- Churchill, H. (1997). Cesarean birth: Experience, practice and history. Cheshire: Books for midwives press.

- Cranley, M.S., Hedahl, K.J., & Pegg, S.H. (1983). Women's perceptions of vaginal and cesarean deliveries.

 Nursing Research, 32(1), 10-15.
- Cummins, S.H. (1988). Views of cesarean birth among primiparous Mexican women in Los Angeles. Birth, 15, 164-170.
- Cunningham, F.G., MacDonald, P.C., Leveno, K.J., Gant, N.F., & Gilstrap, L.C. (1993). Williams obstetrics (19th ed.).

 Norwalk, CT: Appleton & Lange.
- Downie, R.S., Tannahill, C., & Tannahill, A. (1996). Health promotion models and values (2nd ed.). Oxford:

 University Press.
- Ekblad, U., & Grenman, S. (1992). Maternal weight gain during pregnancy and pregnancy outcome. International Journal of Gynecology, Obstetrics, 39, 277-283.
- Fawcett, J. (1981). Needs of cesarean birth parents. Journal of Obstetrics, Gynecology, and Neonate Nursing, 10,372-376.
- Fawcett, J. (1992). Women's perceptions of cesarean and vaginal delivery: Another look. Research of Nursing & Health 15(6),439-446.
- Fawcett, J., & Weiss, M.E. (1993). Cross-cultural adaptation to cesarean birth. Western Journal of Nursing Research, 15(3), 282-297.

- Fawcett, J. (1993). Effects of information on adaptation to cesarean birth. Nursing Research, 42, 49-53.
- Fawcett, J., Tulmen, T. & Spedden, P. (1994). Responses to vaginal birth after cesarean section. Journal of Obstetrics,

 Gynecology, Neonate Nursing, 23(3), 253-259.
- Flamm, B.L., & Quilligan (1996). Cesarean section: guidelines for appropriate utilization. Birth, 23(2), 117-118.
- Francome, C., & Savage, W. (1993). Cesarean section in Britain and the United states 12% or 24%: is either the right rate? Social Science and Medicine, 37(1), 1199-1218.
- Francome, C., Savage, W., Churchill, H., & Lewison, H. (1993).

 Cesarean birth in Britain. Cambridge: Middlesex

 University.
- Francome, C. (1994). Cesarean birth in Britain (1994 supplement). Cambridge: Middlesex University.
- Gould, J.B., Davey, B., & Stafford, R.S. (1989). Socioeconomic differences in rates of cesarean section. New England Journal of Medicine, 321(4), 233-239.
- Hecker, B.I., & Ajzen, I. (1983). Improving the prediction of health behavior: An approach based on the theory of reasoned action. Academic Psychology Bulletin, 5, 11-19.
- Hua, J.Z. (1991). Science of women's health. Beijing: Chinese population publication.

- Hueston, W.H. & Rudy, M. (1994). Factors predicting elective repeat cesarean delivery. Obstetrics & Gynecology, 85 (5),741-744.
- Jemmott, L.S., & Jemmott, J.B. (1991). Applying the theory of reasoned action to AIDS risk behavior: Condom use among black women. Nursing Research, 40 (4),228-234.
- Johnson, S.R., Elkins, T.E., Strong, C. & Phelan, J.P. (1986).

 Obstetrics decision-making: responses to patients who request cesarean delivery. Obstetrics & Gynecology, 67(6),847-850.
- Joseph, G.F., Stedman, C.M. & Robichaux, A.G. (1991). Vaginal birth after cesarean section: the impact of patient resistance to trial of labor. American Journal of Obstetrics, Gynecology, 164(6), 1441-1447.
- Kirk, E.P., Doyle, k.A., Leigh, J. & Garrard, M.L. (1990). Vaginal
 birth after cesarean or repeat cesarean section:
 medical risks or social realities? American Journal
 of Obstetrics, Gynecology, 162(6), 1398-1403.
- Kline, J. & Arias, F. (1993). Analysis of factors determining the selection of repeated cesarean section or trial of labor in patients with histories of prior cesarean delivery. Journal of Reproductive Medicine, 38(4),289-292.

- Laschinger, H.K.S., & Goldenberg, D. (1993). Attitudes of practicing nurses as predictors of intended care behavior with persons who are HIV positive: Testing the Ajzen-Fishbein theory of reasoned action.

 Research in Nursing & Health, 16(6), 441-450.
- Lewison, J. (1995). Cesarean birth in Britain. MIDIRS Midwifery digest, 5(1), 72.
- Lierman, L.M. & Young, H.M. (1990). Predicting breast selfexamination using the theory of reasoned action. Nursing Research, 39(2), 97-101.
- Marut, J.S., & Mercer, R.T. (1979). Comparison of primiparas' perceptions of vaginal and cesarean births. Nursing Research, 28(4), 260-266.
- Mascarenhas, L., Biervliet, F., Gee, H. (1994). Dutch model of maternity care. British Midwifery Journal, 308(4), 1102
- McClain, C.S. (1985). Why women choose trial of labor or repeat cesarean section. Journal of Family Practice, 21(3), 210-216.
- McClain, C.S. (1987). Patient decision making: the case of delivery method after a previous cesarean section.

 Culture Medical Psychiatry, 11(4), 495-508.
- Meier, P.R., & Porreco, R.P. (1982). Trial of labor following cesarean section: A two-year experience. American

 Journal Obstetrics, Gynecology, 144(5), 671-678.

- Mish, F.C., et al (1995). Merrian Webster's collegiate

 dictionary (10th ed.). Massachusetts: Merrian-Webster.
- Munro, B.H. (1997). Statistical methods for health care research (3rd Ed). Philadelphia: Lippincott.
- Murphy, M.c., & Harvey, S.M. (1989). Choice of a childbirth method after cesarean. Women and Health, 15(2), 67-85.
- Myls, M.F. (1993). Textbook for midwives: With modern concepts of obstetrics & neonatal care (12th ed.). Churchill Livingstone.
- NIH Consensus development task force (1981). Statement on cesarean childbirth. American Journal of Obstetrics & Gynecology, 144, 671-678.
- Notzon, F.C., Placek, P.J. & Taffel, S.M. (1987). Comparisons of national cesarean section rates. New England Journal of Medicine, 316(12),386-389.
- Pender, N.J. & Pender, A.R. (1986). Attitudes, subjective norms, and intentions to engage in health behaviors. Nursing Research, 35(1), 15-18.
- Pender, N.J. (1996). Health promotion in nursing practice (3rd ed.). Connecticut: Appleton & Lange.
- Polit, D.F., Hungler, B.P. (1990). Nursing research: principles and methods (4th ed.). Philadelphia: J.B.Lippincott Company.
- Porreco, R.R. (1985). High cesarean section rate: A new perspective. Obstetrics & Gynecology, 65(3),307-311.

- Proffitt, C., & Smart, J.L. (1983). Predicting and understanding mothers' infant-feeding intentions and behavior: testing the theory of reasoned action. Journal of Personality and Social Psychology, 44 (4), 657-671.
- Reichert, J.A., Baron, M.& Fawcett, J. (1993). Changes in attitudes toward cesarean birth. Journal of Obstetrics, Gynecology, Neonate Nursing, 22(2), 159-167.
- Roy, C. (1976). Introduction to nursing: An adaptation model.

 Englewood Cliffs, NJ: Prentice-Hall.
- Ryding, E.L. (1993). Investigation of 33 women who demanded a cesarean section for personal reasons. ACTA

 Obstetrica et Gynecologica Scandinavica, 72(4), 280-285.
- Savage, W. & Francome, C. (1993). British Cesarean section rate:

 have we reached a plateau? British Journal of

 Obstetrics, Gynecology, 100 (5), 493-496.
- Shearer, E.L.(1993). Cesarean section: medical benefits and cost. Social Science and Medicine, 37(10),1223-1231.
- Sherwen, L.N., Scoloveno, M.A., & Weingarten, C.T. (1995).

 Nursing care of the childbearing family (2nd ed.).

 Norwalk: Appleton & Lange.
- Stafford, R.S. (1991). The impact of nonclinical factors on repeat cesarean section. JAMA, 256(1), 59-63.

- Taffel,S.M., Placek,P.J., Moien,M., & Kosary,C.L.(1991). 1989
 U.S. Cesarean section rate steadies: VBAC rate rises
 to nearly one in five. Birth,18,73-77.
- Taffel, S.M., Placek, P.J., & Kosary, C.L. (1992). US cesarean section rates 1990: An update. Birth, 19(1), 21-22.
- Wen, X.Y. (1994). Cesarean section: guidelines for appropriate utilization. Chinese Journal of Obstetrics & Gynecology, 28(8), 502-503.
- Woolbright, L.A. (1996). Why is the cesarean delivery rate so high in Alabama? An examination of risk factors, 1991-1993. Birth, 23(1), 20-25.
- Xu, P., Lui, Z., Ding, F., & Quan, Y. (1994). Study on Psychological character of pregnant women and nursing application. Chinese Journal of Nuring 29(9),515-518.
- Yan, W., & Xu, H. (1994). Factors influencing selecting delivery mode of expectant women in Shanghai. Shanghai Medical Journal, 17 (10),581-583.
- Zhao, Y., Guan, J., & Xie, H. (1990). A study of Psychological needs of pregnant and laboring women. Chinese Journal of Maternal and Child Health, 1990 (May), 30.
- Zhen, P., & Huang, X.H. (1996). The changing trend of cesarean section incidence and indication in 35 years. Chinese Journal of Obstetrics & Gynecology, 31(3),142-145.

Zhou, H.P., & Wang, D.F. (1994). The relationship of the delivery mode and the perinatal mortality. ACTA Academic Medicine Shanghai, 21(9), 103-106.

