

TABLE OF CONTENTS

| | Page |
|--|------|
| ACKNOWLEDGEMENT | iii |
| ENGLISH ABSTRACT | iv |
| THAI ABSTRACT | vii |
| LIST OF TABLES | xii |
| LIST OF ILLUSTRATIONS | xv |
| LIST OF ABBREVIATIONS | xvii |
| INTRODUCTION | 1 |
| LITERATURE REVIEW | 3 |
| OBJECTIVES | 10 |
| MATERIALS | 11 |
| METHODS | |
| 1. Dissolution Testing | 12 |
| 2. Bioequivalence Testing | 18 |
| 3. Analytical Method of Atenolol | 22 |
| 4. Data Analysis and Statistical Methods | 30 |
| RESULTS | |
| 1. Dissolution Testing | 33 |
| 2. Pharmacokinetics and Bioequivalence Testing | 38 |
| DISCUSSION | |
| - Dissolution Testing | 73 |

| | Page |
|---|------|
| - Pharmacokinetics and Bioequivalence Testing | 74 |
| CONCLUSION | 78 |
| REFERENCES | 79 |
| APPENDIX | 84 |
| VITA | 93 |

มหาวิทยาลัยเชียงใหม่
Chiang Mai University

LIST OF TABLES

| Table | | Page |
|--------------|---|-------------|
| 1 | List of oral atenolol preparations being tested. | 11 |
| 2 | Data for calibration curve as measured of the absorbance of 5 standard atenolol concentrations in 0.1 N HCl. | 16 |
| 3 | Demographic characteristics of subjects. | 20 |
| 4 | Randomized sequences of treatments for subjects. | 21 |
| 5 | Atenolol inter-assay (between day) precision. | 28 |
| 6 | Atenolol intra-assay (within day) precision. | 28 |
| 7 | Atenolol recovery from plasma. | 29 |
| 8 | Mean (\pm SD) percents dissolution of 6 tablets of 50 mg Tenormin [®] , Prenolol [®] and Tenolol [®] . | 34 |
| 9 | Mean (\pm SD) percents dissolution of 6 tablets of 100 mg Tenormin [®] , Prenolol [®] and Tenolol [®] . | 36 |
| 10 | Plasma atenolol concentrations (ng/ml) following a single oral administration of 50 mg Tenormin [®] . | 40 |
| 11 | Plasma atenolol concentrations (ng/ml) following a single oral administration of 50 mg Prenolol [®] . | 41 |
| 12 | Plasma atenolol concentrations (ng/ml) following a single oral administration of 50 mg Tenolol [®] . | 42 |
| 13 | Plasma atenolol concentrations (ng/ml) following a single oral administration of 100 mg Tenormin [®] . | 43 |

| Table | Page |
|---|-------------|
| 14 Plasma atenolol concentrations (ng/ml) following a single oral administration of 100 mg Prenolol®. | 44 |
| 15 Plasma atenolol concentrations (ng/ml) following a single oral administration of 100 mg Tenolol®. | 45 |
| 16 Pharmacokinetic parameters of 50 mg Tenormin®. | 60 |
| 17 Pharmacokinetic parameters of 50 mg Prenolol®. | 61 |
| 18 Pharmacokinetic parameters of 50 mg Tenolol®. | 62 |
| 19 Pharmacokinetic parameters of 100 mg Tenormin®. | 63 |
| 20 Pharmacokinetic parameters of 100 mg Prenolol®. | 64 |
| 21 Pharmacokinetic parameters of 100 mg Tenolol®. | 65 |
| 22 Comparison of pharmacokinetic parameters (mean \pm SD) between doses of 50 and 100 mg atenolol. | 66 |
| 23 Comparison of atenolol pharmacokinetic parameters (mean \pm SD) between female and male. | 67 |
| 24 Parametric 90% confidence intervals for the mean pharmacokinetic parameters of Prenolol® 50 mg vs Tenormin® 50 mg. | 68 |
| 25 Parametric 90% confidence intervals for the mean pharmacokinetic parameters of Tenolol® 50 mg vs Tenormin® 50 mg. | 69 |

| Table | Page |
|--|-------------|
| 26 Parametric 90% confidence intervals for the mean pharmacokinetic parameters of Prenolol® 100 mg vs Tenormin® 100 mg. | 70 |
| 27 Parametric 90% confidence intervals for the mean pharmacokinetic parameters of Tenolol® 100 mg vs Tenormin® 100 mg. | 71 |
| 28 Summary of pharmacokinetic parameters (n=12) of atenolol after a single oral administration of 50 mg Tenormin®, Prenolol® and Tenolol®. | 72 |
| 29 Summary of pharmacokinetic parameters (n=12) of atenolol after a single oral administration of 100 mg Tenormin®, Prenolol® and Tenolol®. | 72 |
| 30 Mean (\pm SD) pharmacokinetic parameters of atenolol following a single oral administration of 50 mg and 100 mg Tenormin®, Prenolol®, Tenolol® and previous studies. | 77 |

LIST OF ILLUSTRATIONS

| Figure | | Page |
|--------|---|------|
| 1 | Chemical structure of atenolol (C ₁₄ H ₂₂ N ₂ O ₃). | 3 |
| 2 | The UV absorption spectrum of atenolol 100 µg/ml in 0.1 N HCl. | 15 |
| 3 | Calibration curve of atenolol standard solutions in 0.1 N HCl measured at 273.6 nm. | 17 |
| 4 | Typical chromatogram of atenolol in the plasma after an extraction procedure before and 1.0 h after a single oral administration of atenolol. | 25 |
| 5 | Typical calibration curve of atenolol in plasma. | 27 |
| 6 | Mean percent dissolution-time curves of 6 tablets of 50 mg Tenormin [®] , Prenolol [®] and Tenolol [®] . | 35 |
| 7 | Mean percent dissolution-time curves of 6 tablets of 100 mg Tenormin [®] , Prenolol [®] and Tenolol [®] . | 37 |
| 8 | Mean plasma concentration-time curves after a single oral administration of 50 mg atenolol. | 46 |
| 9 | Mean plasma concentration-time curves after a single oral administration of 100 mg atenolol. | 47 |
| 10 | Plasma concentration-time curves of individual subject (n=12) following a single oral administration of 50 mg Tenormin [®] . | 48 |

| Figure | | Page |
|---------------|---|-------------|
| 11 | Plasma concentration-time curves of individual subject (n=12) following a single oral administration of 50 mg Prenolol®. | 49 |
| 12 | Plasma concentration-time curves of individual subject (n=12) following a single oral administration of 50 mg Tenolol®. | 50 |
| 13 | Plasma concentration-time curves of individual subject (n=12) following a single oral administration of 100 mg Tenormin®. | 51 |
| 14 | Plasma concentration-time curves of individual subject (n=12) following a single oral administration of 100 mg Prenolol®. | 52 |
| 15 | Plasma concentration-time curves of individual subject (n=12) following a single oral administration of 100 mg Tenolol®. | 53 |
| 16 | Comparative plasma concentration-time curves of individual subject following a single oral administration of 50 mg atenolol. | 54-56 |
| 17 | Comparative plasma concentration-time curves of individual subject following a single oral administration of 100 mg atenolol. | 57-59 |

LIST OF ABBREVIATIONS

| | | |
|--------|---|--|
| min | = | minute |
| h | = | hour |
| no. | = | number |
| conc. | = | concentration |
| ng | = | nanogram |
| µg | = | microgram |
| mg | = | milligram |
| kg | = | kilogram |
| nm | = | nanometre |
| mm | = | millimetre |
| cm | = | centimetre |
| m | = | metre |
| µl | = | microlitre |
| ml | = | millilitre |
| L | = | litre |
| Cl | = | Clearance |
| HPLC | = | high performance liquid chromatography |
| UV | = | ultraviolet |
| 90% CI | = | 90% confidence interval |
| %CV | = | percent coefficient of variation |
| N | = | normal (gram-equivalent/litre) |
| mM | = | millimolar |

| | | |
|------|---|--------------------------------|
| °C | = | degree celcius |
| rpm | = | round per minute |
| SD | = | standard deviation |
| yr | = | year |
| e.v. | = | extravascular |
| i.v. | = | intravascular |
| USP | = | The United States Pharmacopeia |
| Mfd. | = | manufactured date |

มหาวิทยาลัยเชียงใหม่
Chiang Mai University