

REFERENCES

- Ammon, H.P.T. and Wahl, M.A. (1991) Pharmacology of curcumin, *Planta. Med.*, 57, 1-7.
- Arlow, F.L., Walczak, S.M. and Luk, G.D. (1989) Attenuation of AOM-induced colonic mucosal ornithine decarboxylase and tyrosine kinase activity by calcium in rats, *Cancer Res.*, 49, 5884-5888.
- Barch, D.H. and Rundhagen, L.M. (1994) Ellagic acid induces NAD(P)H: Quinone reductase through activation of the antioxidant responsive element of the rat NAD(P)H: quinone reductase gene, *Carcinogenesis*, 15, 2065-2068.
- Beaker, R.A., Barrows, L.R. and Shank, R.C. (1981) Methylation of liver DNA guanine in hydrazine hepatotoxicity: dose-response and kinetic characteristic of 7-methylguanine and O⁶-methylguanine formation and persistence in rats, *Carcinogenesis*, 2(11), 1181-1188.
- Bird, R.P. (1987) Observation and quantification of aberrant crypts in the murine colon treated with a colon carcinogen: preliminary findings, *Cancer Lett.*, 37, 147-151.
- Block, G., Patterson, B., and Subar, A. (1992) Fruit, vegetables and cancer prevention: a review of the epidemiological evidence, *Nutr. Cancer*, 18, 1-29.
- Boone, C.W., Kelloff, G.J. and Malone, W.E. (1990) Identification of candidate chemopreventive agents and their evaluation in animal models and human clinical trials: a review, *Cancer Res.*, 50, 2-9.
- Bos, J.L., Fearon, E.R., Hamilton, S.R., Verlaan-de Vries M., van Boon, J.H., van der Eb A.J. and Volgestrin, B. (1987) Prevalence of ras gene mutation in colorectal cancer, *Nature(Lond.)*, 327, 293-297.
- Buettner, G.R. (1993) The peaking order of free radicals and antioxidants: Lipid peroxidation, a locophenol, and ascorbate, *Arch. Biochem. Biophys.*, 300, 535.

- Buset, M., Lipkin, M. and Winawer, S. (1987) Inhibition of human colonic epithelial cell proliferation in vivo and in vitro by calcium, *Cancer Res.*, 46, 5426-5430.
- Chang, W.W.L. (1984) Histogenesis of colon cancer in experimental animals, *Scan. J. Gastroenterol. (suppl.)*, 104, 327-343.
- Craven, P.A., Neidig, M. and Derubertis, F.R. (1985) Fatty acid stimulated oxidation of methylazomethanol in rat colonic mucosa, *Cancer Res.*, 45, 1115-1121.
- Dixit, R. and Gold, B. (1986) Inhibition of N-methyl-N-nitrosourea-induced mutagenicity and DNA methylation by ellagic acid, *Proc. Natl. Acad. Sci.*, 83, 8039-8043.
- Draper, H.H. and Hadley, M. (1990) Malondialdehyde determination as index of lipid peroxidation, *Methods Enzymol.*, 186, 421-431.
- Ernster, L. (1967) DT-diaphorase, *Methods Enzymol.*, 10, 309-317.
- Feinberg, A. and Zedeck, M.S. (1980) Production of a highly reactive alkylating agent from the organospecific carcinogen methylazoxymethanol by alcohol dehydrogenase, *Cancer Res.*, 40, 4446-4450.
- Fiala, E.S. (1977) Investigations into metabolism and mechanism of action of the colon carcinogens, 1,2-dimethylhydrazine and azoxymethane, *Cancer*, 40, 2436-2445.
- Habig, W.H., Pabst, M.J. and Jakoby, W.B. (1974) Glutathione S-Transferases: The first enzymatic step in mercapturic acid formation, *J. Biol. Chem.*, 249(22), 7130-7139.
- Halliwell, B. (1993) The chemistry of free radicals. In "Antioxidants, Chemical, Physiological, Nutritional and Toxicological Aspects-Toxicology and Industrial Health" Williams, G.M., ed., Priceton Scientific Publishing Co., Priceton, NJ, p. 76.
- Hodgson, E. and Levi, P.E. (1994) Reactive metabolites and toxicity, *Introduction to Biochemical toxicology*, 2nd edition, p. 220.

- Jiratchariyakul, W., Okabe, H., Moonkarndi, P., Picha, P., and Frahm, A.W. (1995) Cytotoxicity principles of *Murdannia loriformis* (Hassk.) Rolla Roa et Kammathy, *The 3rd National Cancer Conference*, Bangkok, Thailand, 1-42.
- Kelloff, G.J., Boone, C.W., Steele, V.E., et al., (1994) Mechanistic considerations in chemopreventive drug development, *J. Cell Biochem.*, 20 (suppl.), 1-24.
- Kensler, T., Stczynski, P., Groopman, J., et al., (1982) Mechanisms of chemoprotection by oltipraz, *J. Cell Biochem.*, 161 (suppl.), 167-172.
- Krishnan, K. and Brenner, D.E. (1996) Chemoprevention of colorectal cancer, *Gastro. clin. North Am.*, 25(4), 821-858.
- Kunchandy, E. and Rao, M.N. (1990) Oxygen radical scavenging activity of curcumin, *Int. J. Pharmaceut.*, 58, 237-240.
- Lijinsky, W., Saavedra, J.E. and Reuber, M.D. (1985) Organ-specific carcinogenesis in rats by methyl- and ethylazoxyalkanes, *Cancer Res.*, 45, 76-79.
- Medicinal Plants in Siri Rukhachati Garden (1992)* Mahidol University Amarinn Printing Group, Thailand, ISBN 978-587-439-6, 257.
- Mutsumoto, H., Takada, R.H. and Komeji, D.Y. (1979) Synthesis of the glucuronic acid conjugate of methylazoxymethanol, *Cancer Res.*, 39, 3070-3073.
- Osawa, T., Ide, A., Su, J.D. and Namiki, M. (1987) Inhibition of lipid peroxidation by ellagic acid, *J. Agric. Food Chem.*, 35, 808-812.
- Pegg, A.E. (1988) Polyamine metabolism and its importance in neoplastic growth and as a target for chemotherapy, *Cancer Res.*, 48, 759-774.
- Pereira, M.A., Barnes, L.H., Rassman, V.L., Kelloff, G.V. and Steele, V.E. (1994) Use of azoxymethane-induced foci of aberrant crypts in rat colon to identify potential cancer chemopreventive agents, *Carcinogenesis*, 15, 1049-1054.
- Piazza, G.A., Rahm, A.L., Krutzsch, M. et al., (1995) Antineoplastic drugs sulindac sulfide and sulfone inhibit cell growth by inducing apoptosis, *Cancer Res.*, 55, 3110-3116.

- Pretlow, T.P., Barrow, B.J., Aston, W.S., O'Riordan, M.A., Juncisek, J.A. and Stellato, T.A. (1991) Aberrant crypts: putative preneoplastic foci in human colonic mucosa, *Cancer Res.*, 51, 1564-1567.
- Ruangyuttikarn, W., Appleton, M.L. and Yost, G.S. (1991) Metabolism of 3-methylindole in human tissues, *Drug Metab. Dispos.*, 19, 977.
- Shiff, S.J., Koutsos, M.I. and Qiao, L. (1996) Nonsteroid antiinflammatory drugs inhibit the proliferation of colon adenocarcinoma cell: Effect on cell cycle and apoptosis, *Exp. Cell Res.*, 222, 179-188.
- Slaga, T.J. (1989) Critical events and determinants in multistages skin carcinogenesis in "Carcinogenicity and Pesticides" Ragsdale, N.N. and Menzer, R.E., eds., American Chemical Society, Washington DC.
- Sohn, S.O., Ishizaki, H., Yang, S.C. and Fiala, E. (1991) Metabolism of azoxymethane, methylazoxymethanol and N-nitrosodimethylamine by cytochrome P450IIE1, *Carcinogenesis*, 12(1), 127-131.
- Sporn, M.B., and Newton, D.L. (1979) Chemoprevention of cancer with retinoids, *Fed. Proc.*, 38, 2528-2534.
- Stoner, G. and Mukhtar, H. (1995) Polyphenols as cancer chemopreventive agents, *J. Cell Biochem.*, 22 (suppl.), 169-180.
- Tajima, K., Hirose, K., Nakagawa, N., Kuroishi, T., and Tominaga, S. (1985) Urban-rural difference in the trend of colo-rectal cancer mortality with special reference to the subsites of colon cancer in Japan, *Jpn. J. Cancer Res.*, 76, 717-728.
- Vinitketkumnien, U., Charoenkunathum, W., Kongtawelert, P., Lertprasertsuke, N., Picha, P., and Matsushima, T. (1996) Antimutagenicity and DT-diaphorase inducer activity of the Thai Medicinal Plant, *Murdannia loriformis*, *J. Herbs, Spices and Medicinal Plants*, 4(1), 45-52.
- Vogel, V.G. and McPherson, R.S. (1989) Dietary epidemiology of colon cancer, *Hematol. Oncol. Clin. North. Am.*, 3, 35-63.

- Wargovich, M.J., Eng, V.W. and Newmark, H.L. (1983) Calcium ameliorates the toxic effect of deoxycholic acid on colonic epithelium, *Carcinogenesis*, 4, 1205-1207.
- Wargovich, M.J., Goldberg, M.T., Newmark, H.L. and Bruce, W.R. (1983) Nuclear aberrations as a short-term test for genotoxicity to the colon: Evaluation of nineteen agents in mice, *J. Natl. Cancer. Inst.*, 71, 133-137.
- Wattenberg, L.W. (1985) Chemoprevention of cancer, *Cancer res.*, 45, 1-8.
- Wattenberg, W.L. (1992) Chemoprevention of cancer by naturally occurring and synthetic compounds, *Cancer Chemoprevention*, CRC Press Inc., 19-39.
- Weisburger, J.H. (1971) Colon carcinogen: Their metabolism and mode of action, *Cancer*, 28, 60-70.
- Wood, A.W., Huang, M-T, Cahnge, R.L., et al., (1982) Inhibition of the mutagenicity of bay region diol epoxides of polycyclic aromatic hydrocarbons by naturally occurring plant phenols: Exceptional activity of ellagic acid, *Proc. Natl. Acad. Sci. U.S.A.*, 79, 5513-5517.