

## TABLE OF CONTENTS

	Page
Acknowledgement	iii
Abstract	iv
Table of contents	ix
List of figures	xii
List of tables	xiv
Abbreviations	xv
Chapter 1 Introduction	1
1.1 Statement of problem	1
1.2 Literature reviews	4
1.2.1 Aberrant crypt foci (ACF) formation and colon carcinogenesis	4
1.2.2 Chemopreventive agents and colon cancer	5
1.2.3 Drug metabolizing enzymes	10
1.2.3.1 Phase I enzymes	13
1.2.3.2 Phase II enzymes	13
1.2.4 AOM metabolism	15
1.3 Purposes of the study	17
Chapter 2 Material and Method	18
2.1 Chemicals	18
2.2 Extraction of <i>Murdannia loriformis</i>	18
2.3 Animal	18
2.4 Effect of <i>M. loriformis</i> Extract on Aberrant crypt foci (ACF) formation	20
2.4.1 Aberrant crypt foci (ACF) evaluation	23
2.5 Effect of <i>M. loriformis</i> Extract on DNA adduct formation	23
2.5.1 Induction of DNA adduct by AOM	23
2.5.2 Determination of DNA adduct formation	25

2.5.2.1 Isolation of DNA	25
2.5.2.2 DNA hydrolysis	26
2.5.2.3 HPLC analysis of DNA adduct	26
2.6 Assay for antioxidant activity of <i>M. loriformis</i> extract	29
2.7 Effect of <i>M. loriformis</i> extract on some drug metabolizing enzyme	31
2.7.1 Preparation of hepatic microsomal and cytosolic fractions	33
2.7.2 Determination of Phase I enzymatic activity	35
2.7.2.1 Determination of total cytochrome P450 content	35
2.7.2.2 Determination of Aminopyrine demethylase (APD) activity	35
2.7.3 Determination of Phase II enzymatic activity	37
2.7.3.1 Determination of Glutathione S-transferase (GST) activity	37
2.7.3.2 Determination of DT-diaphorase activity	38
2.7.3.3 Determination of UDP-glucuronyl transferase (UDP-GT) activity	40
Chapter 3 Results	42
3.1 Effect of <i>M. loriformis</i> extract on AOM-induced Aberrant crypt foci formation	42
3.1.1 Effect of <i>M. loriformis</i> extract on AOM-induced Aberrant crypt foci formation at initiation stage	42
3.1.2 Effect of <i>M. loriformis</i> extract on AOM-induced Aberrant crypt foci formation at promotion stage	42
3.2 Effect of <i>M. loriformis</i> extract on AOM-induced DNA adduct formation	43
3.3 Antioxidant activity of <i>M. loriformis</i> extract	52
3.4 Effect of <i>M. loriformis</i> extract on Phase I and Phase II enzymatic activity	53

3.4.1 Total P450 content	53
3.4.2 Aminopyrine demethylase (APD) activity	53
3.4.3 Glutathione <i>S</i> -transferase (GST) activity	53
3.4.4 DT-diaphorase activity	54
3.4.5 UDP-Glucuronyl transferase (UDP-GT) activity	54
Chapter 4 Discussion and Conclusion	58
Reference	63
Appendix	68
Vita	78

## LIST OF ILLUSTRATIONS

Figure	Page
1. <i>Murdannia loriformis</i> (Hassk.) Rolla Rao et Kammathy	3
2. The relationship between metabolism, activation, detoxification and toxicity of a chemical	12
3. Azoxymethane metabolic pathway	16
4. Protocol for extraction of <i>Murdannia loriformis</i>	19
5. Protocol for studying the effect of <i>M. loriformis</i> extract on AOM-induced ACF formation at initiation stage	21
6. Protocol for studying the effect of <i>M. loriformis</i> extract on AOM-induced ACF formation at promotion stage	22
7. Protocol for studying the effect of <i>M. loriformis</i> extract on AOM-induced DNA adduct formations	24
8. Protocol for DNA extraction	27
9. Protocol for preparing DNA solutions for HPLC analysis	28
10. Protocol for antioxidant assay	30
11. Protocol for studying the effect of <i>M. loriformis</i> extract on drug-metabolizing enzyme	31
12. Protocol for microsomal and cytosol preparation	34
13. Protocol for the determination of aminopyrine N-demethylase activity	36
14. Assay for Glutathione S-transferase activity	37
15. Assay for DT-diaphorase activity	39
16. Assay for UDP-glucuronyl transferase activity	41
17a. Rat body weight of AOM-induced ACF at initiation stage	45
17b. Rat body weight of AOM-induced ACF at promotion stage	47

18a. Correlation curve between No. of ACF/colon and O <sup>6</sup> -methylguanine	49
18b. Correlation curve between No. of ACF/colon and N <sup>7</sup> -methylguanine	51
19. Antioxidant activity of <i>M. loriformis</i> extract	52
20. Morphology of Aberrant crypt foci (a) 2 crypts/focus and (b) more than 4 crypts/focus	74
21. HPLC profile for standard O <sup>6</sup> -methylguanine	75
22. HPLC profile for standard N <sup>7</sup> -methylguanine	76
23. HPLC profile for DNA adduct sample	77

## LIST OF TABLES

Table	Page
1. Agents with colorectal chemopreventive activity	7
2. Enzymes important in catalyzing metabolic activations	14
3. Inhibition effect of <i>M. loriformis</i> extract on AOM-induced aberrant crypt foci in male F344 rats at initiation stage	44
4. Inhibition effect of <i>M. loriformis</i> extract on AOM-induced aberrant crypt foci in male F344 rats at promotion stage	46
5. Effect of <i>M. loriformis</i> extract on level of O <sup>6</sup> -methylguanine in AOM-induced rats	48
6. Effect of <i>M. loriformis</i> extract on level of N <sup>7</sup> -methylguanine in AOM-induced rats	50
7. Effect of <i>M. loriformis</i> extract on P450 content	55
8. Effect of <i>M. loriformis</i> extract on APD activity	55
9. Effect of <i>M. loriformis</i> extract on GST activity	56
10. Effect of <i>M. loriformis</i> extract on DT-diaphorase activity	56
11. Effect of <i>M. loriformis</i> extract on UDP-GT activity	57

## ABBREVIATIONS

ACF	Aberrant crypt foci
AOM	Azoxymethane
BSA	Bovine serum albumin
°C	degree celsius
CDNB	1-chloro-2,4-dinitrobenzene
CO	carbonmonoxide
DCPIP	2,6-dichlorophenolindophenol
DMSO	dimethylsulfoxide
DNA	deoxyribonucleic acid
EDTA	Ethylene diamine tetra acetic acid
EtOH	Ethanol
FAD	Flavin adenine dinucleotide
g	gram
G6PDH	Glucose-6-phosphate dehydrogenase
GSH	Glutathione
H <sub>2</sub> O	water
HPLC	High Performance Liquid Chromatography
hr.	hour
kg bw.	kilogram body weight
M	Molar
µg	microgram
min	minute
µl	microlitre
ml	mililitre
<i>M. loriformis</i>	<i>Murdannia loriformis</i>
mM	milimolar
N <sup>7</sup> -meGu	N <sup>7</sup> -methylguanine

NADH	Nicotinamide adenine dinucleotide reduced form
nm	nanometer
No.	number
O <sup>6</sup> -meGu	O <sup>6</sup> -methylguanine
PBS	phosphate buffer saline
P.O.	per os
rpm.	round per minute
RT	room temperature
TBA	Thiobarbituric acid
TCA	Trichloroacetic acid
U	unit
UDP	uridine 5'-diphosphate
UDPGA	UDP-glucuronic acid