

REFERENCES

1. Ammon HPT, Wahl MA. Pharmacology of curcuma longa. *Planta Med* 1991; 57:1-7.
2. Simal RC, Dhawan BN. Pharmacology of diferuloylmethane (curcumin), a non -steroidal anti-inflammatory agent. *J. Pharm. Pharmacol* 1973; 25: 447-452.
3. Sharma OP. Antioxidant activity of natural curcumin and related compounds. *Biochem. Pharmacol* 1976; 25: 1811-1812.
4. Nagabushan M. and Bhide SV. Nonmutagenicity of curcumin and its antimutagenic action versus chili and capsaicin. *Nutr. Cancer* 1986; 8: 201-221.
5. Abraham SK, Sharma L and Kesavan PC. Protective effects of chlorogenic acid, and curcumin and β -carotene against γ -radiation-induced in vivo chromosomal damage. *Mutat.Res* 1993; 303: 109-112.
6. Huang MT, Wang ZY, Georgiadis CA, Laskin JD, and Conney AH. Inhibitory effects of curcumin on tumor initiation by benzo (a) Pyrene and 7,12-dimethylbenz (a) anthracene. *Carcinogenesis* 1992; 13: 2183-2186.
7. Huang TS, Lee SC, and Lin JK, Suppression of c-jun/AP-1 activation by an inhibitor of tumor promotion in mouse fibroblast cells. *Proc, Natl. Acad. Aci. USA* 1991; 88: 5292 - 5296.
8. Kaker SS , and Roy D. Curcumin inhibits TPA induced expression of c-fos, c-jun and c-myc proto-oncogene messenger RNAs in mouse skin. *Cancer Lett* 1994; 87: 85-89
9. Lui JY, and Lin JK. Inhibitory effects of curcumin on protein kinase C activity induced by 12-O-tetradecanoyl-phorbol-13-acetate in NIH3T3 cells. *Carcinogenesis* 1993; 14: 857-861.
10. Lu YP, Chang RI, Huang MT, and Conney AH. Inhibition effect of curcumin on 12-O-tetradecanoyl-phorbol-13-acetate induced increase ornithine decarboxylase mRNA in mouse epidermis. *Carcinogenesis* 1993; 14: 293-297.

11. Chortle L, Cheung J and Kamar R. Inhibition of ligand-induced activation of epidermal growth factor receptor tyrosine phosphorylation by curcumin. *Carcinogenesis* 1995; 16: 1741-1745.
12. Sambaiah K and Srinivasan K. Influence of spice and principles on hepatic mixed function oxygenase system in rats. *Indian. J Biochem.Biophys* 1989; 26: 254 -458.
13. Susan M and Rao MN. Induction of glutathione S -transferase activity by curcumin in mice. *Arzeneimittelforschung* 1992; 42: 962-964.
14. Stoner GD and Mukhtar. Polyphenols as cancer chemopreventive agents. *J.Cell.Biol. chem* 1995; 22 (Suppl.): 169-180.
15. Viaje A, Slaga TJ, Weiler M, Weinstein IB. Effect of antiinflammatory agents on mouse skin tumor promotion, epidermal DNA synthesis, phorbol ester-induced cellular proliferation, and production of plasminogen activators. *Cancer Res* 1977; 37: 1530 - 1536.
16. Kozumbo WJ, Seed JL, kensler TW. Inhibition by 2(3)-tert-butyl-4-hydroxyanisole and other antioxidants of epidermal ornithine decarboxylase activity induced by 12-O-tetradecanoyl-phorbol-13-acetate. *Cancer Res* 1983; 43: 2555-2559.
17. Smart RC, Hung HT, Han ZT, Kaplan MC, Focella A and Conney AH. Inhibition of 12-O-tetradecanoyl-phorbol-13-acetate induction of ornithine decarboxylase activity, DNA synthesis, and tumor promotion in mouse skin by ascorbic and ascorbyl palmitate. *Cancer Res* 1987; 47: 6633-6638.
18. Huang MT, Lysz T, Ferraro T, Abidi TF, Laskin JD and Conney AH. Inhibitory effects of curcumin on in vitro lipoxygenase and cyclooxygenase activities in mouse epidermis. *Cancer Res* 1991; 51: 813-819.
19. Limtrakul P, Lipikornkoson S, Namwong O, Apisariyakul A. and Dunn FW. Inhibitory effect of dietary curcumin on skin carcinogenesis in mice. *Cancer Lett* 1997; 116: 197 - 203.
20. Nishizuka Y. Studies and prospective of protein kinase C family for cellular regulation. *Cancer* 1989; 63: 1892-1903.

21. Wettest WC, Khan WA, Merchenthaler I, Rivera H, Halpern AE, Phung HM, Negro VA, Hannun YA. Tissue and cellular distribution of the extended family of protein kinase C isoenzymes. *J. Cell. Biol.* 1992; 117: 121-133.
22. Hug H, Sarre TF. Review article: Protein kinase C isoenzymes: divergence in signal transduction?. *Biochem. J.* 1993; 291: 329-343.
23. Reynolds NJ, Baldassare JJ, Henderson PA, Shuller JL, Ballas LM, Burns DJ, Moomaw CR and Fisher GJ. Translocation and downregulation of protein kinase C isoenzymes - α and - ϵ by phorbol and bryostatin -1 human keratinocytes and fibroblast. *J. Invest. Dermatol.* 1994; 103: 364-369.
24. Dlugosz AA, Mischak H, Mshinki JF, Yuspa SH. Transcripts encoding protein kinase C alpha, delta, epsilon, zeta and eta expressed in basal and differentiation mouse keratinocytes in vitro and exhibit quantity changes in neoplastic cells. *Mol. Carcinogen* 1992; 5: 286 -292.
25. Borner C, Guadagno SN, Fabbro D, Weinstein IB. Expression of four protein kinase C isoforms in rat fibroblast. Differential alteration in ras , src , and fos transformed cell. *J.Biol.Chem* 1992; 267: 12900 -12910.
26. Oliver AR and Parker PJ. Expression and characterization of protein kinase C-delta. *Eur.J.Chem* 1991; 200: 805-810.
27. Renaldo NJ, Talwar S, Baldassare JJ, Henderson PA, Elder JT, Voohees JJ. and Fisher GJ. Differential induction of phosphatidylcholine hydrolysis, diacylglycerol formation and protein kinase activation by epidermal growth factor and transforming growth factor - alpha in normal human skin fibroblast and keratinocytes. *Biochem. J.* 1993; 294: 535-544.
28. Martha W. Some current perspectives on chemical carcinogenesis in humans and experimental animals: Presidential address. *Cancer Res* 1983; 38:1479-1496.
29. Conney AH, Lysz T, Ferro T, Abidi TF, Manchand PS, Laskin JD and Huang MT. Inhibitory effect of curcumin and some related compounds on tumor and arachidonic acid metabolism in mouse skin. *Adv. Enzyme. Regul* 1993; 31: 385-396.

30. Marion M, Ying C. Inhibition of tumor necrosis factor by curcumin, A phytochemical. Biochemical Pharmacology 1995; 49(11): 1551-1556.
31. Chi-Tang Ho and *et al.* Food phytochemicals for cancer prevention II. American Chemical Society, Washington, DC.1994.
32. Platel K and Srinivasan K. Influence of dietary species or their active principles on digestive enzymes of small intestinal mucosa in rats. Int. J. Food Sci. Nutr 1996; 47(1): 55-59.
33. Nirmala C and *et al.*, Protective role of curcumin against isoproterenol induced myocardial infarction in rats. Mol Cell Biochem 1996; 59(2): 85-93.
34. Babu, P.S. and Srinivasan, K. Influence of dietary curcumin and cholesterol on the progression of experimentally induced diaetes in albino rat. Mol. Cell. Biochem 1995; 152(1): 13-21.
35. Berenblum I. The cocarcinogenic action of croton resin. Cancer Res 1994; 1: 44-48.
36. Hecker E. Phorbol esters from croton oil, chemical nature and biological activities. Naturwissenschaft 1967; 54: 282-284.
37. Van Duran BL. Tumor-promoting agents, two-stage carcinogenesis. Pro. Exp. Tumor Res 1969; 11: 31-68.
38. Blumberg PM. *In vitro* studies on the model of action of the phorbol esters, potent tumor promoters. Part I.CRC Critical Review in Toxicology,CRC Press.1980; 8: 153-197.
39. Rahmsdorf HJ and Herrlich P. Regulation of gene expression by tumor promoters. Pharmac.Ther.1990; 48: 157-188.
40. Nishizuka Y. Protein kinase C and lipid signaling for sustained responses cellular. Faseb J 1995; 9: 484-496.
41. Newton AC. Protein Kinase C : Structure functioned regulation. J.Biol. Chem 1995; 270: 28495-2849.
42. Herley JH, Newton AC, Parker P, Blumberg PM ,Nishizuka Y. Taxonomy and function of C1 protein kinase C homology domains. Protein Sci 1997; in press.
43. Newton AC. Protein kinase C: Seeing two domains. Curr Biol 1995; 5: 973-976.

44. Basher N, Samson Y, Beret E, Liven E. Isolation and characterization of PKC-L, a new member of the protein kinase C-related gene family specificity expresses in lung, skin and heart. Mol. Cell. Biol 1991; 11: 126-133.
- 45 Hanks SK and et al., The eucaryote protein kinase superfamily kinase (catalytic domain) structure and classification. Faseb J 1995; 9: 576-596.
- 46 Newton Ac. Cofactor regulation of protein kinase C. In protein kinase C. Edited by Dekker LV, Parker PJ. Austin, Texas : RG Landes ; 1997; 25-44.
- 47 Mosior M and Newton AC. Calcium-independent binding to interfacial phorbol esters causes protein kinase C to associate with membranes in the absence of acidic lipids. Biochemistry 1996; 35: 1612-1623.
- 48 Tsutakawa SE and et al., Determination of *in vivo* phosphorylation sites in protein kinase C. J.Biol Chem 1995; 270: 26807-26812.
- 49 Keranen LM and Dutil EM. Protein kinase C is regulated *in vivo* by three functionally distinct phosphorylation. Curr Biol 1995 ; 5:1394-1403.
- 50 Cazaubon S and et al., Threonine-479 is a critical site for permissive activation of protein kinase C α . Biochem J 1994; 301: 443-448.
- 51 Lee JY and et al. Ceramide inactivates cellular protein kinase C alpha. J. Biol. Chem 1996; 271: 13169-13174.
- 52 Mochyl -Rosen D. Localization of protein kinases by anchoring proteins: a theme in signal transduction. Science 1995; 268: 247-251.
- 53 Acs P and et al., Differential activation of PKC isoenzyme by 14-3-3 ζ protein. Biochem Biophys Res Com 1995; 216: 103-109.
- 54 Lehel C. Protein Kinase C ϵ subcellular localization domains and proteolytic degradation Sites. J. Biol. Chem 1995; 270: 19651-19658.
- 55 Philip AP, Adrian LH. Potential for protein kinase C inhibitors in cancer therapy. Cancer Treat Res 1995; 78: 3-27.
- 56 Fry MJ, Panaotou G, Booker GW and Waterfield MD. New insights into protein tyrosine kinase receptor signaling complexes. Protein Sci 1993; 2: 1785-1797.

- 57 Panayoto G, Waterfield MD. The assembly of signaling complexes by receptor tyrosine kinases. *Bioassays* 1993; 15: 171-177.
- 58 Dawsin T, Bond J, Wnyford-Thomas D. Toxicology of phorbol esters for human epithelial cells expressing a mutant *ras* oncogene. *Mol carcinog.* 1993; 8: 280-289.
- 59 Carlos U. Normal skin, histology for pathology edited by Stephan S. Stenberg. Raven Press. Ltd. New York.1992.
- 60 Richard LE. Structure, function, and differentiation of the keratinocytes. *Physiological reviews* 1989; 69: 1316-1346.
- 61 Richard LE. James F, and Nancy AR. The epidermal keratinocytes as a model for the study of gene regulation and cell differentiation. *Physiological reviews*.1997; 77: 397-424.
- 62 Green HE and *et al.*, Differentiation of cultured human epidermal cells. *Cell* 1995; 11: 405-416.
- 63 Jiang CK, Magnaldo T, Ohtsuki M, Freedber MF, Blumerg M. Epidermal growth factor and transforming growth alpha specifically induce the activation and hyperproliferation association keratin 6 and 163. *Proc Natl Acad Sci USA* 1993; 90: 6786-6790.
- 64 Hill CS, Treiman R. Transcriptional regulation by extracellular signals: mechanisms and specificity. *Cell* 1995; 80: 199-211.
- 65 Woodgett JR and *et al.*, Regulation of jun/AP-1 oncoproteins by protein phosphorylation in advances in second messenger and phosphorylation research, edited by BL. Brown New York: Raven.1993; 28: 261-269.
- 66 Kartasova T and *et al.*, Effects of UV,4-NQO and TPA on gene expression in cultured human epidermal keratinocytes. *Nucleic Acids Res* 1987; 15: 5945-5962.
- 67 Dlugosz AA and *et al.*, Coordinate changes in gene expression which mark the spinous to granular cell transition in epidermis are regulated by protein kinase C. *J.Cell. Biol* 1993; 120: 217-225.

- 68 Chida D, and Koroki T. Downregulation of phorbol diester receptors by proteolytic degradation of protein kinase C in a cultured cell line of fetal rat skin keratinocytes. J.Biol.Cem 1986; 261: 13013-13018.
- 69 Nicholas JR, Joseph B, Patricia A. Translocation and down regulation of protein kinase C isoenzymes - α and - ϵ by phorbol ester and bryostatin-1 in human keratinocytes and fibroblasts. J. Invest. Dermatol 1994;103: 364-369.
- 70 Sanjaya S, Bharat BA. Activation of transcription factor NF-kB is suppressed by(Diferuloyl metane). J. Biol. Chem 1995; 42: 24995-25000.
- 71 Pittelkow MR and Scott RE. New Techniques for the *In vitro* culture of Human skin keratinocytes and perspectives on their use for grafting of patients with extensive burn. Mayo Clinic Proceedings 1986; 61: 771-777.
- 72 Karasek MA. Cell culture of human skin epidermal cells. Biochem and physiol of the skin. New York ed. Goldsmith, L. A. Oxford University Press. 1986; 230 -240.
- 73 Fisher GJ, Henderson PA, Voohees JJ, Baldassare JJ. Epidermal growth factor-induced hydrolysis of phosphatidylcholine by phospholipase D and phospholipase C in human dermal fibroblast. J cell physiol 1994 146; 309-317.
- 74 Loliver HL, Nira JR and Rose JR. Protein measurement with the Folin phenol reagent. J. Biol. Chem 1951; 28: 265 - 275.
- 75 Laemmli UK. Polyacrylamide gel electrophoresis. Nature 1970; 227: 680-685.
- 76 Lifescience., 7,pp.12-13.Amersham International plc,1992.
- 77 Bamroong W. Inhibitory effect of curcumin on TPA-induced c-fos expression in mouse skin. Thesis, Chiang Mai University,1998.
- 78 Baier BG, Ubrell F, Baer B. Protein kinase C -theta isoenzyme selective stimulation of the transcription factor of complex AP-1 in T-lymphocytes. Mol. Cell. Biol 1996;16 (4): 1842-50.
- 79 Nishizuka Y, Intracellular signaling by the hydrolysis and activation of protein kinase C. Science 1992; 258: 607-614.

- 80 Neidel JE, Khun LJ, Vaderbark GR. Phorbol diester receptor copurifies with protein kinase C. Proc Natl Acad Sci USA 1983; 80: 2642-2646.
- 81 Namwong O. Effect of curcumin on skin tumorigenesis in mice. Thesis, Chiang Mai University, 1998.
- 82 Ashendel, CL. The phorbol ester receptor : a phospholipid- regulated protein kinase Biochem. Biophys. Acta 1985; 822: 219-242.
- 83 Nishizuka Y. The role protein kinase C in cell surface signal transduction. Nature 1984; 308: 693-698.
- 84 Koizumi H, Tanaka H, Fukaya T, Yasui C, Ohkawara A. Translocation of protein kinase C from cytosol to membrane fractions in human epidermal keratinocytes by recombinant human interferon-gamma. J. Invest. Dermatol 1990; 1(4): 297-302.
- 85 Griffiths CE, Esmann J, Fisher G, Voorhees JJ, Nickoloff B. Differential modulation of keratinocytes intercellular adhesion molecule -1 expression by gamma interferon and phorbol ester evidence for involvement of protein kinase C signal transduction. J.Biol.Chem 1990; 123 (3): 333-42.
- 86 Chol E, Toscano WA Jr. Modulation of adenylate cyclase in human keratinocytes by protein kinase C. J. Biol. Chem 1998; 263 (32): 17167-72.
- 87 Sarah A, Roberts W, Jonathan R. and Fred E. Translocation of the α and ϵ isotypes of protein kinase C in Swiss 3T3 cells in response to phorbol ester stimulation. Biochem society transactions 1997; 458s: 25.
- 88 Ono Y and et al., Phorbol ester binding to protein kinase C requires a cysteine-rich zinc finger like sequence. Proc Natl Acad Sci USA 1989; 86: 4868-4871.
- 89 Peter J and et al., The complete primary structure of protein kinase C-the major phorbol ester receptor. Science 1986; 233 (22): 853-858.

- 90 Mochly-Rosen D. Localization of protein kinases by anchoring proteins: a theme in signal transduction. *Science* 1995; 268: 247-251.
- 91 Newton AC. Regulation of PKC. *Curr Opin Cell Biol* 1997; 9(2): 161-167.
- 92 Csaba L, Zoltan O, Gabor J. Protein kinase C ε subcellular localization domains and proteolytic degradation sites. *J. Biol. Chem* 1995; 270: 19651-19658.
- 93 McLyrene TM, Blacksear PJ, Prescott SM. Protein kinase C regulates the nuclear localization of diacylglycerol kinase C-ζ. *Nature* 1998; 394: 697-700.
- 94 Andree R and *et al.*, The molecular biology of nervous system-specific proteins. *Biochem Soc. Trans* 1992; 20: 603-607.
- 95 Ame P and Whitlock Jr. Genetic and molecular aspects of 2, 3, 7, 8-tetrachlorodibenzo-p-dioxin action. *Annu. Rev. Pharcol. Toxicol* 1990; 30: 251-77.
- 96 Allan P and Joyce CK. 2,3,7,8-tetrachlorodibenzo-p-dioxin and related halogenated aromatic hydrocarbon: examination of the mechanism of toxicity. *Annual.Rev.Pharmacol. toxicol* 1982; 22: 517-54.
- 97 Ford JM and Hait WN. Pharmacology of drugs that alter multidrug resistance in cancer. *Pharmacol. Rev.* 1990; 42(3): 155-199.
- 98 Macro Racchi and *et al.*, Characterization and distribution of protein kinase C isoforms in human fibroblast. *J. Biol. Chem* 1994; 314: 107-111.
- 99 Matsumi MS, Iarda I, Wang N, Deleo VA. Protein kinase C agonist and antagonist effects in normal human epidermal keratinocytes. *J. Invest Derm* 1993; 6: 247-56.
- 100 Michell F and *et al.*, Protein kinase C δ is activated by caspase-dependent proteolysis during ultraviolet radiation -induced apoptosis of human keratinocytes. *J.Biol. Chem* 1999; 273: 29995-30002.
- 101 Huang C, Ma W, Bowde GT, Dong Z. Ultraviolet B-induced activated protein-1 activation dose not require epidermal growth factor receptor but is block by dominant negative PKC lamda/iota. *J. Biol. Chem* 1996; 271: 31262-31268.