EFFECT OF CURCUMIN ON LEVEL AND DISTRIBUTION OF TPA (12-O-TETRADECANOYL PHORBOL-13-ACETATE) INDUCED PROTEIN KINASE C ISOENZYME -£ IN HUMAN KERATINOCYTES

WANIDA CHEARWARE

A THESIS SUBMITTED TO THE GRADUATE SCHOOL IN
PARTIAL FULFILLMENT OF THE REQUIREMENTS
FOR THE DEGREE OF MASTER OF SCIENCE
IN BIOCHEMISTRY

GRADUATE SCHOOL
CHIANG MAI UNIVERSITY
JULY 1999

EFFECT OF CURCUMIN ON LEVEL AND DISTRIBUTION OF TPA (12-O-TETRADECANOYL PHORBOL-13-ACETATE) INDUCED PROTEIN KINASE C ISOENZYME-& IN HUMAN KERATINOCYTES WANIDA CHEARWARE A THESIS HAS BEEN APPROVED TO BE A PARTIAL FULFILLMENT OF THE REQUIREMENTS FOR THE DEGREE OF MASTER OF SCIENCE IN BIOCHEMISTRY

EXAMINING COMMITTEE Limtraked CHAIRMAN
Associate Professor Dr. Porn-ngarm Limtrakul
MEMBER
Associate Professor Dr. Maitree Suttajit
Karyfamlut, P. MEMBER
Assistant Professor Dr. Prachya Kongtawelert
a. aprisoniyabril. MEMBER
Associate Professor Dr. Amphawan Apisariyakul

July 1999

Copyright by the Graduate School, Chiang Mai University

ACKNOWLEDGEMENTS

The author wishes to express her gratitude and deepest appreciation to Associate Professor Dr. Pom-ngarm Limtrakul, thesis advisor, for her excellent guidance, generous help, valuable advice and kindness encouragement throughout this study. This thesis could not have accomplished without her understanding and gracious assistance.

She is also indebted to Dr. Robert W. Gracy and Dr. Dan Dimitrijevich of University of North Texas Health Science Center at Fort Worth; and my advisory committees. Their comments and suggestions were greatly helpful in completing this thesis.

The author is very grateful to Dr. Aram Limtrakul, the obstetrician at Chiang Mai public health promotion center, who kindly helped in collecting the specimens, abdominal cesarean and /or juvenile foreskin (circumcision) throughout this study.

She is also thankful to all the staff members in the Department of Biochemistry, Faculty of Medicine. Their teaching and suggestion during the course work were very helpful for the understanding of this study.

The special thanks are given to Mr. Songyot Anuchapreeda, Mr. Suviwek Lipikomkoson, Miss. Kanchana Keawmanee and Miss. Sasisophin Luekhamham for their excellent instruction, training, suggestion and sincere help.

She also would like to extend her gracious thanks to Mr. Thara Phisetkamkul, and Mr.Banyat Punta for their kind help in the process of presentation.

The success of this thesis was supported by the grant from Faculty of Medicine Endowment fund for Medical Research. Some chemicals and equipment used in this study were provided by American Institute For Cancer Research (AICR). Therefore, the author would like to express sincere thanks for invaluable support here.

Finally, her deepest gratitude is expressed to her family for their love, understanding and encouragement throughout the study.

Wanida Chearwae