

CONTENTS

	Page
ACKNOWLEDGEMENTS	iii
ABSTRACT (English)	iv
ABSTRACT (Thai)	v
LIST OF TABLES	x
LIST OF FIGURES	xiii
ABBREVIATIONS	xvi
CHAPTER 1	
INTRODUCTION	
1.1 Pesticides	1
1.1.1 Toxicological Properties	2
1.1.2 Formulations	3
1.2 Organophosphorus Insecticides	6
1.2.1 Mode of Action of Organophosphorus Insecticides	9
1.3 Methyl Parathion	10
1.3.1 Identity, Properties, and Uses	10
1.3.1.1 Chemical Name	10
1.3.1.2 Structure	10
1.3.1.3 Synonyms	11
1.3.1.4 Chemical and Physical Properties	11
1.3.1.5 Formulations, Uses, and Production	11
1.3.2 Toxicity	11
1.3.3 Determination of Methyl Parathion	12

	Page	
1.4	Flow Injection Analysis	14
1.4.1	Historical Perspectives	14
1.4.2	Basic Principles of FIA	17
1.4.3	Dispersion of Sample Zone	19
1.5	General Instrumentation of FIA	22
1.5.1	Liquid Delivery Units (Pump)	23
1.5.2	Injection Valves	25
1.5.3	Mixing Reactors	27
1.5.4	Detectors	29
1.5.4.1	Spectrophotometers	29
1.6	Research Aims	30
CHAPTER 2		
OPTIMEZATION OF FLOW INJECTION SPECTROPHOTOMETRY		
FOR METHYL PARATHION DETERMINATION		
2.1	Introduction	31
2.2	Experimental	32
2.2.1	Apparatus and Instruments	32
2.2.2	Chemicals	33
2.2.3	Preparation of Standard Solutions and Reagents	33
2.3	Preliminary Studies of Absorption Spectrum of Methyl Parathion Using Alkaline Hydroxylamine	34
2.3.1	Absorption Spectrum by Conventional Method	34
2.3.2	Absorption Spectrum by FIA-Spectrophotometric Method	35

	Page
2.4 Optimization of the Flow Injection (FI) System	37
2.4.1 Wavelength	37
2.4.2 Effect of Sodium Hydroxide (NaOH) Concentrations	38
2.4.3 Effect of Hydroxylamine (H_3NOHCl) Concentrations	39
2.4.4 Effect of Temperature	40
2.4.5 Effect of Flow Rates	41
2.4.6 Effect of Inner Diameter of Mixing Tubing R1	43
2.4.7 Effect of the Length of Mixing Tubing R1	44
2.4.8 Effect of the Size of Coiled Mixing Part R1	45
2.4.9 Effect of Inner Diameter of Mixing Tubing R2	46
2.4.10 Effect of the Length of Mixing Tubing R2	47
2.4.11 Effect of the Size of Coiled Mixing Part	48
2.4.12 Effect of Glass Bead Column as a Mixing Reactor R1	49
2.4.13 Effect of Glass Bead Column as a Mixing Reactor R2	50
2.4.14 Effect of Various Shapes of Mixing Part R1 and R2	51
2.4.15 Effect of Injection Volume	52
2.5 Analytical Characteristics of the Method	53
2.5.1 Linear Range	53
2.5.2 Reproducibility of the Flow Injection System	55
2.5.3 Detection Limit	55
2.5.4 Calibration Curve	57
2.5.5 Effect of Interferences	58

	Page
CHAPTER 3	
DETERMINATION OF METHYL PARATHION IN PLANT MATERIALS AND COMMERCIAL FORMULATIONS	
3.1 Introduction	61
3.2 Experimental	62
3.2.1 Apparatus and Instruments	62
3.2.2 Chemicals	62
3.3 Sample Preparation	63
3.4 Analysis of Methyl Parathion in Vegetable Samples and Commercial Formulations	64
3.4.1 FIA Method	64
3.4.2 Spectrophotometric Method	65
3.4.3 Polarographic method	70
3.4.4 Comparison of the Proposed FIA Method with Spectrophotometric and Polarographic Methods	76
CHAPTER 4	
DISCUSSION AND CONCLUSIONS	
4.1 Influence of Reaction Variables	79
4.2 Analytical Parameters	83
4.3 Interference Studies	83
4.4 Analysis of Methyl Parathion in Plant Materials and Commercial Formulations	84
4.5 Conclusions	85

REFERENCES	Page
	87
APPENDIX	91
VITA	95

มหาวิทยาลัยเชียงใหม่
Chiang Mai University

LIST OF TABLES

Table		Page
1.1	Toxicities of chemicals based on the LD ₅₀ values	2
1.2	Quantities of imported pesticide formulation in 1984	6
1.3	Classification of organophosphorus Insecticides	7
1.4	Water Solubilities of some organophosphorus insecticides	8
1.5	A brief review of methyl parathion determination	14
2.1	Experimental condition for methyl parathion determination	36
2.2	Peak height at various wavelengths	36
2.3	Effect of NaOH concentration on peak height	38
2.4	Effect of hydroxylamine concentration of peak height	39
2.5	Effect of temperature on peak height	40
2.6	Effect of pump flow rate on peak height	41
2.7	Effect of the inner diameter of mixing tubing on peak height	43
2.8	Effect of the length of mixing tubing on peak height	44
2.9	Effect of the size of coiled mixing part on peak height	45
2.10	Effect of the inner diameter of mixing tubing R2 on peak height	46
2.11	Effect of the length of mixing tubing R2 on peak height	47
2.12	Effect of the size of coiled mixing part R2 on peak height	48
2.13	Effect of the length of s.b.s.r. R1 on peak height	49
2.14	Effect of the length of s.b.s.r. R2 on peak height	50
2.15	Effect of various shapes of mixing part R1 and R2 on peak height	51
2.16	Effect of injection volume on peak height	52
2.17	Analytical characteristics for methyl parathion determination	53

Table	Page
2.18 Study of linear range	54
2.19 Reproducibility of replicated determination of methyl parathion	55
2.20 Peak height obtained for blank solutions	56
2.21 Peak heights obtained from low concentrated methyl parathion determination	56
2.22 Peak height for calibration curve	57
2.23 Effect of interferences	58
3.1 Application of the FIA method for the determination of methyl parathion in various vegetable samples	63
3.2 Application of the FIA method for the determination of methyl parathion in different commercial formulations	65
3.3 Absorbance for calibration curve	66
3.4 Application of the spectrophotometric method for the determination of methyl parathion in various vegetable samples	68
3.5 Application of the spectrophotometric method for the determination of methyl parathion in different commercial formulations	70
3.6 Variation of peak intensity of various concentrations of methyl parathion	71
3.7 Application of the polarographic method for the determination of methyl parathion in various vegetable samples	74
3.8 Application of the polarographic method for the determination of methyl parathion in different commercial formulations	76

Table	Page
3.9 Comparison of the proposed FIA method with Spectrophotometric and polarographic methods for Determination of methyl parathion in vegetable samples	77
3.10 Comparison of the proposed FIA method with spectrophotometric and polarographic methods for determination of methyl parathion in commercial formulations	78
4.1 Analytical characteristics for methyl parathion determination with alkaline hydroxylamine	85

LIST OF FIGURES

Figure		Page
1.1	The normal enzymic hydrolysis of acetylcholine to choline	9
1.2	Stage of development and classification of automated solution analysis	15
1.3	The parallel between manual and automated operations that have to be performed in the course of a typical colorimetric assay	16
1.4	The basic components of an FIA system	18
1.5	Typical detector output of an FIA system into which a dye solution is repeatedly injected	19
1.6	Dispersed sample zone in flow system	20
1.7	Relationship between the rollers of a peristaltic pump and the pump tube	24
1.8	Syringe injector	26
1.9	Rotary injection valve	27
1.10	The microreactor geometries most frequently used in FIA	28
1.11	A spectrophotometric flow-cell	30
2.1	Schematic diagram of the flow system used for methyl parathion determination	31
2.2	FIA system for methyl parathion determination	32
2.3	Absorption spectrum of 4-nitrophenol against reagent blank solution	35
2.4	Peak height at various wavelengths	37

Figure	Page
2.5 Relationship between slope (mV/ppm) and NaOH concentration (M)	38
2.6 Relationship between slope (mV/ppm) and H ₃ NOHCl concentration (M)	39
2.7 Relationship between slope (mV/ppm) and temperature(°C)	40
2.8 Relationship between slope (mV/ppm) and pump flow rate (ml/min)	42
2.9 Relationship between sampling rate (samples/hr) and pump flow rate	42
2.10 Relationship between slope (mV/ppm) and I.D. of mixing tubing (in)	43
2.11 Relationship between slope (mV/ppm) and length of mixing tubing (cm)	44
2.12 Relationship between slope (mV/ppm) and size of coiled mixing part	45
2.13 Relationship between slope (mV/ppm) and I.D. of mixing tubing R2 (in)	46
2.14 Relationship between slope (mV/ppm) and length of mixing tubing R2	47
2.15 Relationship between slope (mV/ppm) and size of coiled mixing part R2	48
2.16 Relationship between slope (mV/ppm) and length of s.b.s.r. R1 (cm)	49
2.17 Relationship between slope (mV/ppm) and length of s.b.s.r. R2 (cm)	50

Figure	Page
2.18 Relationship between slope (mV/ppm) and various shape of mixing part	51
2.19 Relationship between slope (mV/ppm) and injection volume (μ l)	53
2.20 Relationship between net signal (mV) and various concentration of methyl parathion (ppm)	54
2.21 Calibration signal output of methyl parathion determination	57
2.22 The calibration curve of the FIA method for methyl parathion determination	58
3.1 Absorption spectra of various concentrations of azo dye against a reagent blank	67
3.2 The calibration curve of the spectrophotometric method for methyl parathion determination	67
3.3 Standard addition curve for methyl parathion determination in Cabbage, Lettuce, Chinese kale, and Cowpea, using spectrophotometric method.	69
3.4 Polarogram of various concentration of methyl parathion	72
3.5 Calibration curve of polarographic method for methyl parathion determination	73
3.6 Standard addition curve for methyl parathion determination in Cabbage, Lettuce, Chinese kale, and Cowpea, using polarographic method.	75
4.1 Normal absorption of the hydrolysis process of methyl parathion into 4-nitrophenol	79
4.2 The hydrolysis reaction of methyl parathion to liberate 4-nitrophenol	80

ABBREVIATIONS

AR	analytical reagent
°C	degree Celsius
cm	centimeter
e.g.	for example
<i>et al.</i>	and other people
FIA	flow injection analysis
hr	hour
I.D.	inner diameter
in	inch
l	liter
min	minute
mg	milligram
ml	milliliter
mm	millimeter
mV	millivolt
M	molar
nm	nanometer
no.	number
O.D.	outer diameter
ppm	part per million
PTFE	polytetrafluoroethylene
RSD	relative standard deviation
sec	second
s.b.s.r.	single bead string reactor

SD	standard deviation
μg	microgram
UV	ultraviolet
w/v	weight by volume

มหาวิทยาลัยเชียงใหม่
Chiang Mai University