

## VII. REFERENCES

Ajello L, Padhye AA, Sukroongreung S, Nilakul CH, Tantimavanic S. Occurrence of *Penicillium marneffei* infections among wild bamboo rats in Thailand. *Mycopathologia* 1995; 13: 1-8.

Andrews P. The gel-filtration behaviour of proteins related to their molecular weights over a wide range. *Biochem J* 1965; 69: 595-606.

Bartricki-Garcia S. Cell wall chemistry, morphogenesis, and taxonomy of fungi. *Annual Review of Microbiol* 1968; 22: 87-108.

BIO-RAD Laboratories, California, USA. Instruction manual.

Bretscher MS. Major human erythrocyte glycoprotein spans the cell membrane. *Nature New Biol* 1971; 231: 229-32.

Cao L, Chan CM, Lee C, Wong SSY, Yuen KY. MP1 encode an abundant and highly antigenic cell wall mannoprotein in the pathogenic fungus *Penicillium marneffei*. *Infect Immun* 1998 a; 66 (3): 966-73.

Cao L, Chen D, Lee C, Chan CM, Chan KM, Vanittanakom N, et al. Detection of specific antibodies against an antigenic mannoprotein for the diagnosis of penicilliosis marneffei. *J Clin Microbiol* 1998 b; 36(10): 3028- 31.

Cao L, Chan KM, Chen D, Vanittanakom N, Lee C, Chan CM, et al. Detection of cell wall mannoprotein mp1p in culture supernatants of *Penicillium marneffei* and in sera of penicilliosis patients. *J Clin Microbiol* 1999; 37(4): 981-6.

Capponi M, Surean P, Segretain G. Penicilliosis de *Rhizomys sinensis*. *Bull Soc Pathol Exot* 1956; 49: 418-21.

Chan JKC, Tsang DNC, Wong DKK. *Penicillium marneffei* in bronchoalveolar lavage fluid. *Acta Cytologica* 1989; 33(4): 523-6.

Chan YF, Chow TC. Ultrastructural observations on *Penicillium marneffei* in natural human infection. *Ultrastruct Pathol* 1990; 14(5): 439-52.

Chan YF, Woo KC. *Penicillium marneffei* osteomyelitis. *J Bone Joint Surg (Br)* 1990; 72: 500-3.

Chandler FW, Watts JC. *Pathogenic Diagnosis of Fungal Infections*. Chicago, Ill: ASCP Press; 1987.

Chariyalertsak S, Sirisanthana T, Supparatpinyo K, Nelson KE. Seasonal variation of disseminated *Penicillium marneffei* infections in Northern Thailand: a clue to the reservoir?. *J Infect Dis* 1996 a; 173 (6): 1490-3.

Chariyalertsak S, Sirisanthana T, Supparatpinyo K, Praparattanapan J, Nelson KE. Case-control study of risk factors for *Penicillium marneffei* infection in Human Immunodeficiency Virus-infected patients in Northern Thailand. *Clin Infect Dis* 1997; 24: 1080-6.

Chariyalertsak S, Vanittanakom P, Nelson KE, Sirisanthana T, Vanittanakom N. *Rhizomys sumatrensis* and *Cannomys badius*, new natural animal hosts of *Penicillium marneffei*. *J Med Vet Mycol* 1996 b; 34: 5-10.

Chiengchanvit S, Mahanupab P, Hirunsri P, Vanittanakom N. Cutaneous manifestations of disseminated *Penicillium marneffei* mycosis in five HIV- infected patients. *Mycoses* 1991; 3: 245-9.

Chongtrakool P, Chaiyaroj SC, Vitayasi V, Trawatcharegon S, Trampaisan R, Kalnawakul S, et al. Immunoreactivity of a 38-kilodalton *Penicillium marneffei* antigen with Human Immunodeficiency virus-positive sera. *J Clin Microbiol* 1997; 35 (9): 2220-3.

- Cole GT, Kruse D, Seshan KR. Antigen complex of *Coccidioides immitis* which elicits a precipitin antibody response in patients. *Infect Immun* 1991; 59: 2434-46.
- Cooper CR, McGinnis MR. Pathology of *Penicillium marneffei*: An Emerging Acquired Immunodeficiency Syndrome-Related Pathogen. *Arch Pathol Lab Med* 1997; 121: 798-804.
- Cui J, Tanaka R, Taguchi H, Sano A, Ito E, Fukushima K, et al. Histopathological and electron microscopical studies on experimental *Penicillium marneffei* infection in mice. *J Med Vet Mycol* 1997; 35: 347-353.
- Deng ZL, Conner DH. Progressive disseminated penicilliosis caused by *Penicillium marneffei* : report of eight cases and differentiation of the causative organism from *Histoplasma capsulatum*. *Am J Clin Pathol* 1985; 84: 323-7.
- Deng ZL, Ribas JL, Gibson DW, Connor DH. Infections caused by *Penicillium marneffei* in China and Southeast Asia : Review of eighteen published case and report of four more Chinese cases. *Rev Infect Dis* 1988; 10(3): 640-52.
- Deng ZL, Yun M, Ajello L. Human penicilliosis marneffei and its relation to the bamboo rat (*Rhizomys pruinosus*). *J Med Vet Mycol* 1986; 24: 383-9.
- DiSalvo DA, Flickling AM, Ajello L. Infection caused by *Penicillium marneffei* : Description of first natural infection in man. *Am J Clin Pathol* 1973; 60: 259-63.
- Drouhet E. Penicilliosis due to *Penicillium marneffei* : a new emerging systemic mycosis in AIDS patients travelling or living in Southeast Asia, Review of 44 cases reported in HIV infected patients during the last 5 years compared to 44 cases of non AIDS patients reported over 20 years. *J Mycol Med* 1993; 4: 195-224.

Drouhet E, Dupont B. Infection à *Penicillium marneffei*: mycose Systémique à manifestations cutanées associée au SIDA. J Mycol Med 1995; 5: 21-34.

Duong TA. Infection due to *Penicillium marneffei*, an emerging pathogen: review of 155 reported cases. Clin Infect Dis 1996; 23: 125-30.

Dupont B, Huber M, Kim SJ, Bennett JE. Galactomannan antigenemia and antigenuria in aspergillosis: studies in patients and experimentally infected rabbits. J Infect Dis 1987; 155: 1-11.

Estrada AJ, Styren D, Cutsem VJ, Pierard FC, Pierard GE. Immunohistochemical identification of *Penicillium marneffei* by monoclonal antibody. Int J Dermatol 1992; 31(6): 410-2.

Gomez MJ, Torosantucci A, Arancia S, Maras B, Parisi L, Cassone A. Purification and biochemical characterization of a 65-kilodalton mannoprotein (MP 65), a main target of anti-*Candida* cell-mediated immune responses in humans. Infect Immun 1996; 64(7): 2577-84.

Gordon MA. *Paecilomyces lilacinus* (Thom) Samson, from systemic infection in an armadillo (*Dasyurus novemcinctus*). Sabouraudia. 1984; 22: 109-10.

Hearn VM. Antigenicity of *Aspergillus* species. J Med Vet Mycol 1992; 30: 11-25.

Hearn VM, Wilson EV, Latge JP, Mackenzie DWR. Immunochemical studies of *Aspergillus fumigatus* mycelial antigens by polyacrylamide gel electrophoresis and Western blotting techniques. J Gen Microbiol 1990; 136: 1525-35.

Heath TC, Patel A, Fisher D, Bowden FJ, Currie B. Disseminated *Penicillium marneffei*: presenting illness of advanced HIV infection; a clinicopathological review, illustrated by a case report. Pathology 1995; 27(1): 101-5.

Hilmarsdottir I, Datry A, Meynard JL, Rogeaux O, Katlama C, Chalot M, et al. Infection disseminee a *Penicillium marneffei* observee chez deux patients infects par le VIH-Reunion. Soc Fr Mycol Med 1991; November 22-23, Abst: pp. 62

Hilmarsdottir I, Meynard JL, Rogeaux O, Guermonprez G, Datry A, Katlama C, et al. Disseminated *Penicillium marneffei* infection associated with human immunodeficiency virus : a report of two cases and a review of 35 published cases. J AIDS 1993; 6(5): 466-71.

Hulshof CMJ, Van Zanten RAA, Sluiters JF Ende, ME van der Samson, RS Zondervan PE, Wagenvoort JHT. *Penicillium marneffei* infection in an AIDS patients [letter]. Eur J Clin Microbiol Infect Dis 1990; 9: 370.

Hung CC, Hsueh PR, Chen MY, Hsiao CH, Chang SC, Luh KT. Invasive infection caused by *Penicillium marneffei* : An emerging pathogen in Taiwan. Clin Infect Dis 1988; 26: 202-3.

Imwiddhaya P. Systemic fungal infections in Thailand. J Med Vet Mycol 1994; 32(5): 395-9.

Imwiddhaya P, Sekhon AS, Mastro TD, Garg AK, Ambrosie E. Usefulness of a microimmunodiffusion test for the detection of *Penicillium marneffei* antigenemia, antibodies, and exoantigens. Mycopathologia 1997; 138: 51-5.

Jayanetra P, Nitayanant P, Ajello L, Padhye AA, Lolekha S, Atichartakarn V, et al. Penicilliosis marneffei in Thailand: report of five human cases. Am J Trop Med Hyg 1984; 33(4): 637-44.

Jeavons L, Hamilton AJ, Vanittanakom N, Ungpakorn R, Evans EGV, Sirisanthana T, et al. Identification and purification of specific *Penicillium marneffei* antigens and their recognition by human immune sera. J Clin Microbiol 1998; 36(4): 949- 54.

Jones PD, See J. *Penicillium marneffei* infection in patients infected with Human Immunodeficiency Virus : Late presentation in an nonendemicity. Clin Infect Dis 1992; 15: 744.

Julander I, Petrini B. *Penicillium marneffei* infection in a Swedish HIV-infected immunodeficient narcotic addict. Scand J Infect Dis 1997; 29(3): 320-2.

Kaufman L, Standard PG, Anderson SA, Jalbert M, Swisher BL. Development of specific fluorescent-antibody test for tissue form of *Penicillium marneffei*. J Clin Microbiol 1995; 33(8): 2136-8.

Kaufman L, Standard PG, Jalbert M, Kantipong P, Limpakarnjanarat K, Mastro TD. Diagnostic antigenemia tests for Penicilliosis marneffei. J Clin Microbiol 1996; 34(10): 2503-5.

Kobayashi M, Miyoshi I. Immunoblot analysis of *Aspergillus fumigatus* antigen with human antibodies and lectin probes. Intern Med 1993; 32: 98-105.

Kok I, Veenstra J, Rietra PJ, Dirks GOS, Blaauwgeers IL, Weigel HM. Disseminated *Penicillium marneffei* as an imported disease in HIV-1 infected patients, Description of two cases and a review of the literature. Neth J Med 1994; 44 (1): 18-22.

Kruse D, Cole GT. Isolation of tube precipitin antibody-reactive fractions of *Coccidioides immitis*. Infect Immun 1990; 58: 169-78.

Kudeken N, Kawakami K, Kusano N, Saito A. Cell-mediated immunity in host resistance against infection caused by *Penicillium marneffei*. J Med Vet Mycol 1996; 34: 371-8.

Kwon-Chung KJ, Bennett JE. Medical Mycology. Philadelphia, Pa: Lea & Febiger; 1992.

Kwon-Chung KJ, Rhodes JC. Encapsulation and melanin formation as indicators of virulence in *Cryptococcus neoformans*. *Infect Immun* 1986; 51: 218-23.

Leammler UK. Cleavage of structural proteins during the assembly of the head of bacteriophage T4. *Nature* 1970; 227: 680-5.

Lehmann PF, Gibbons J, Senitzer D, Ribner BS, Freimer EH. T lymphocyte abnormalities in disseminated histoplasmosis. *Am J Med* 1983; 75: 790-4.

Le Pape P, and Deunff J. Antigène glycoprotéique circulant d'*Aspergillus fumigatus* détection dans le sérum de souris par une technique ELISA. *Bulletin de la Société Française de Mycologie Médicale* 1987; 16: 169-72.

Li JS, Pan LQ. Mycologic investigation on *Rizomys pruinosus senex* in Guangxi as natural carrier with *Penicillium marneffei*. *Chin Med J* 1989; 102(6): 477-85.

Li JS, Pan LQ, Wu SX, Su SB, Shan LY. Disseminated penicilliosis marneffei in China: report of three cases. *Chin Med J* 1991; 104: 247-51.

Li PC, Tsui MC, Ma KF. *Penicillium marneffei*: indicator disease for AIDS in South East Asia. *AIDS* 1992; 6: 240-1.

Lundgren B, Kovacs JA, Nelson NN, Stock F, Martinez A, Gill VJ. *Pneumocystis carinii* and specific fungi have a common epitope, identified by a monoclonal antibody. *J Clin Microbiol* 1992; 30: 391-5.

Ma KF, Tsui MS, Tsang DN. Fine needle aspiration diagnostic of *Penicillium marneffei* infection. *Acta Cytol* 1991; 35(5): 557-9.

McGinnis MR. *Penicillium marneffei*, dimorphic fungus of increasing importance. *Clin Microbiol Newslett* 1994; 16: 29-31.

Mekaprateep M. Immunoblot analysis of extracellular proteins secreted from mold and yeast forms of *Penicillium marneffei*. M.S. Thesis, Chiang Mai University, 1995.

Notermans S, Veeneman GH, Zuylen CWEMV, Hoogerhout P, Boom JHV. (1->5) linked  $\beta$ -D-galactofuranosides are immunodominant in extracellular polysaccharides of *Penicillium* and *Apergillus* species. Mol Immunol 1988; 25: 975-9.

O'Farrell Patrick H. High resolution Two-dimensional electrophoresis of proteins. J Biol Chem 1975; 250: 4007-21.

Orendi JM, Verheul AFM, De Vos NM, Visser MR, Snippe H, Cherniak R, et al. Mannoproteins of *Cryptococcus neoformans* induce proliferative response in human peripheral blood mononuclear cells (PBMC) and enhance HIV-1 replication. Clin Exp Immunol 1997; 107: 293-99.

Ortiz BL, Garcia AM, Restrepo A, McEwen JG. Immunological characterization of a recombinant 27 kilodalton antigenic protein from *Paracoccidioides brasiliensis*. Clin Diag Lab Immunol 1996; 3: 239- 41.

Pautler KB, Padhye AA, Ajello L. Imported *Penicillium marneffei* in the United States : report of a second human infection Sabouraudia. J Med Vet Mycol 1984; 22: 433-8.

Peto TE, Bull R, Millard PR, et al. Systemic mycosis due to *Penicillium marneffei* in a patient with antibody to human immunodeficiency virus. J Infect 1988; 16: 285-90.

Phillips P. *Penicillium marneffei* Part of Southeast Asian AIDS. JAMA 1996; 276(2): 86-7.

- Piehl MR, Kaplan RL, Haber MH. Disseminated penicilliosis in a patient with acquired immuno deficiency syndrome. *Arch Pathol Lab Med* 1988; 112: 1262-4.
- Pierard GE, Estrada JA, Pierard FC, Thiry A, Styne D. Immunohistochemical expression of galactomannan in the cytoplasm of phagocytic cells during invasive Aspergillosis. *Am J Clin Pathol* 1991; 96: 373-6.
- Pracharktam R, Sriurairatna S, Jayanetra P. Morphological variation in pathogenic strains of *Penicillium marneffei*. *J Med Assoc Thai* 1992; 75 (Suppl.1): 172-9.
- Rosenberg IM. Lectin blotting, Protein analysis and purification, Benchtop techniques. Birkhauser, Boston 1996; 167-8.
- San-Blas F, San-Blas G. *Paracoccidioides brasiliensis*. In P.J. Szaniszlo (Ed.) *Fungal Dimorphism*, Plenum Press, New York 1985: 93-120. .
- Sathapatayavongs B, Damrongkitchaiporn S, Saengditha P, Kiatboonsri, Jayanetra P. Disseminated penicilliosis associated with HIV infection [letter]. *J Infect* 1989; 19: 84-5.
- Segretain G. *Penicillium marneffei* n, sp., agent d'une mycose du systeme reticulo-endothelial. *Mycopathol Mycol Appl* 1959; 11: 327-53.
- Sekhon AS, Garg AK, Padhye AA, Hamir Z. In vitro susceptibility of mycelial and yeast forms of *Penicillium marneffei* to amphotericin B, fluconazole, 5-flucocytosine and itraconazole. *Eur J Epidemiol* 1993; 9: 553-8.
- Sekhon AS, Garg AK, Padhye AA, Standard PG, Kaufman L, Ajello L. Antigenic relationship of *Penicillium marneffei* to *P. primulinum*. *J Med Vet Mycol* 1989; 27: 105-12.
- Sekhon AS, Li JSK, Garg AK. *Penicillium mameffei* : serological and exoantigen studies. *Mycopathologia* 1982; 77: 51-7.

Sekhon AS, Padhye AA, Garg AK. In vitro sensitivity of *Penicillium marneffei* and *Pythium insidiosum* to various antifungal agents. Eur J Epidemiol 1992; 8: 427-32.

Sekhon AS, Stein L, Garg AK, Black WA, Glezos JD, Wong C. Pulmonary penicilliosis marneffei : report of the first imported case in Canada. Mycopathologia 1994; 128(1): 3-7.

Sinclair J, Rickwood D. Two-dimensional gel electrophoresis. In: Hames BD and Rickwood D, editors. Gel electrophoresis of protein: a practical approach. England: IRL Press Oxford, 1981: 189-218.

Sirisanthana T. Disseminated *Penicillium marneffei* infection in patients with acquired immunodeficiency syndrome. Jpn J Med Mycol 1996 b; 37: 5-8.

Sirisanthana T. *Penicillium marneffei* infection. In: Proceedings of the 5<sup>th</sup> Western Pacific Congress on Chemotherapy and Infectious Disease (Singapore). Singapore: Communication Consultants 1996 a: 66-7.

Sirisanthana V, Sirisanthana T. *Penicillium marneffei* infection in children infected with human immunodeficiency virus. Pediatr Infect Dis J 1993; 12(12): 12021-5.

Sirisanthana V, Sirisanthana T. Disseminated *Penicillium marneffei* infection in human immunodeficiency virus-infected children. Pediatr Infect Dis J 1995; 14: 935-40.

So SY, Chan PY, Jone BM. A case of invasive penicilliosis in Hong Kong with immunologic evaluation. Am Rev Respir Dis 1985; 131: 662-5.

Supparatpinyo K. Penicilliosis marneffei : Report of three cases from Maharaj Nakorn Chiang Mai Hospital. Chiang Mai Med Bull 1990; 29: 27-32.

Supparatpinyo K, Chiewchanvit S, Hirunsri P, Uthammachai C, Nelson KE, Sirisanthana

T. *Penicillium marneffei* infection in patients infected with human immunodeficiency virus. Clin Infect Dis 1992; 14: 871-4.

Supparatpinyo K, Khamwan C, Baosoung V, Nelson KE, Sirisanthana T. Disseminated

*Penicillium marneffei* infection in Southeast Asia. Lancet 1994; 344: 110-3.

Supparatpinyo K, Nelson KE, Merz WG, et al. Response to antifungal therapy by human immunodeficiency virus-infected patients with disseminated *Penicillium marneffei* infections and in vitro susceptibilities of isolates from clinical specimens. Antimicrob Agents Chemother 1993; 37: 2407-11.

Tanphaichitra D, Simuang S. Cellular immunity (T-cell subset using monoclonal antibody) in tuberculosis, melioidosis, pasteurellosis, penicilliosis, and role of levamisole and isoprinosine. Develop biol Standad 1984; 57: 117-23.

Towbin H, Staehelin T, Gordon J. Electrophoretic transfer of proteins from polyacrylamide gels to nitrocellulose sheets: procedure and some applications. Proc Natl Acad Sci 1979; 76(9): 4350-4.

Tsang DNC, Chan JKC, Lau YT, Lim W, Tse CH, Chan NK. *Penicillium marneffei* infection : an underdiagnosed disease?. Histopathology 1988; 13: 311-8.

Van Cutsem J. In-vitro- und in-vivo-Aktivitat von Itraconazol. Med Klinik 1991; 86: 5-8.

Van Cutsem J, Meulemans L, Van Gerven F, Stynen D. Detection of circulating galactomannan by Pastorex *Aspergillus* in experimental invasive aspergillosis. Mycoses 1990; 33: 61-69.

Van Cutsem J, Van Gerven F. Activitie' anti fongique in vitro de l'itraconazole sur les champignonons filamenteux opportunistes: traitement de la ke'ratomycose et de la pe'nicilliose expe'rimentales. J Mycol Med 1991; 1: 10-5.

Vanittanakom N, Mekaprateep M, Khumwan C, Khanjanasthiti P, WannalakT, Sriburee

P, et al. Morphological characterization and pleomorphism of *Penicillium marneffei* clinical isolates. *Chiang Mai Med Bull.* 1993; 32(3, Suppl.): 50.

Vanittanakom N, Mekaprateep M, Sittisombut N, Supparatpinyo K, Kanjanasthiti P,

Nelson KE, et al. Western immunoblot analysis of protein antigens of *Penicillium marneffei*. *J Med Vet Mycol* 1997; 35: 123-31.

Vithayasai P, Vithayasai V. Atlas of HIV infection. Bangkok: Support the Children Foundation 1994: 9-40.

Viviani MA, Tortorano AM, Rizzadini G, Quirino T, Kaufman L, Padhye AA, et al.

Treatment and serological studies of an Italian case of Penicilliosis marneffei contracted in Thailand by a drug addict infected with the human immunodeficiency virus. *Eur J Epidemiol* 1993; 9(1): 79-89.

Wheat J, Wheat H, Connolly P, Kleiman M, Supparatpinyo K, Nelson KE, et al. Cross-reactivity in *Histoplasma capsulatum* variety *capsulatum* antigen assays of urine samples from patients with endemic mycoses. *Clin Infect Dis* 1997; 24 (6): 1169-71.

Wilson EV, Hearn VM, Mackenzie DWR. Evaluation of a test to detect circulating *Aspergillus fumigatus* antigen in a survey of immunocompromised patients with proven or suspected invasive disease. *J Med Vet Mycol* 1987; 25: 365-75.

Wortman PD. Infection with *Penicillium marneffei*. *Int J Dermatol* 1996; 35: 393-9.

Yuen WC, Chan YF, Loke SL, Seto WH, Poon GP, Wong KK. Chronic

lymphadenopathy caused by *Penicillium marneffei*: a condition mimicking tuberculous lymphadenopathy. *Br J Surg* 1986; 73: 1007-8.

Yuen KY, Wong SS, Tsang DN, Chau PY. Serodiagnosis of *Penicillium marneffei*. *Lancet* 1994; 334: 444-5.