

REFERENCES

- Annual Hospital Report of Hunan Medical University. (1995).
Report of hospitalized patients in 1995. Hunan,
China: Hunan Medical University.
- Annual Hospital Report of Hunan Medical University. (1996).
Report of hospitalized patients in 1996. Hunan,
China: Hunan Medical University.
- Annual Hospital Report of Hunan Medical University. (1997).
Report of hospitalized patients in 1997. Hunan,
China: Hunan Medical University.
- Baker, R. A. U., Jones, S., & Sanders, C. (1996). Degree of
burn, location of burn, and length of hospital stay
as predictors of psychosocial status and physical
functioning. *Journal of Burn Care Rehabilitation*,
17, 327-33.
- Bernstein, N., Connell, K. Q., & Chedekel, D. (1992).
Patterns of burns adjustment. *Journal of Burn Care
Rehabilitation*, 13, 4-12.
- Billing, S., & Moor, R. (1984). Coping, stress, and social
resources among adults with unipolar depression.
Journal of Person Society Psychology, 46(4), 877-
891.
- Blades, B., Mellis, N., & Munster, A. M. (1982). A burn
specific health scale. *The Journal of Trauma*, 22,
872-875.

- Blalock, S. J., Bunker, B. J., & Devellis, R. F. (1994). Psychological distress among survivors of burns injury: The role of outcome expectations and perceptions of important. *Journal of Burn Care Rehabilitation*, 15, 421-427.
- Blumenfield, M., & Schoep, M. (1992). Reintegrating the healed burned adult into society: Psychological problems and solutions. *Clinical Plastics Surgery*, 19(3), 599-605.
- Browne, G., Byrne, C., Brown, B., Pennock, M., Streiner, D., Roberts, R., Eyles, P., Truscott, D., & Dabbs, R. (1985). Psychosocial adjustment of burn survivors. *Burns*, 12, 28-35.
- Brundage, D. J., & Broadwell, D. C. (1991). *Medical-surgical nursing: Concepts and clinical practice* (4th ed.). St. Louis: Mobsy.
- Byers, J. F., & Smyth, k. A., (1997). Application of a transactional model of stress and coping with critical patients. *Dimensions of Critical Care Nursing*, 293-300.
- Cardona, V. D., Hurn, P. D., Mason, P. B., Scanlon, A. M., & Veise-Berry, S. W. (1994). *Trauma nursing* (2nd ed.). Philadelphia: W. B. Saunders.

- Caldwell, L. M. (1991). The influence of preference for information on preoperative stress and coping in surgical outpatients. *Applied Nursing Research*, 4 (4), 177-183.
- Chinese Report. (1989). A great historical turn in the burns medical science. *The Chinese Journal of Burns Wounds and Surface Ulcers*, 1, 62-67.
- Chinese Report. (1998). Statistic Information Center of Ministry of Public Health.
- Choiniere, M., Melzack, R., Rondeau, J., Girard, N., & Paquin, M-J. (1989). The pain of burn characteristics and correlates. *Journal of Trauma*, 29, 1531-1539.
- Clark, D. M., Minas, J., & Stuart, A. (1997). The prevalence of psychiatric morbidity in general hospital inpatient. *Australian and New Zealand Journal of Psychiatry*, 25, 322-329.
- Craven, R. F., & Hirnle, C. J. (1996). *Fundamental of nursing: Human health and function* (2nd ed.). Philadelphia: Lippincott.
- Cobb, N., Maxwell, G., & Silverstein, P. (1990). Patient perception of quality of life after burn injury: Results of an eleven years survey. *Journal of Burn Care and Rehabilitation*, 11, 330-333.

- Davis, S. T., & Sheely-Adolphson, P. (1997). Psychological interventions. *Nursing Clinics of North America*, 32 (2), 331-343.
- Difede, J., Jaffe, A. B., Musngi, G., Perry, S., & Yurt, R. (1997). Determinants of pain expression in hospitalized burn patients. *Pain*, 72, 245-251.
- Eckenrode, J., & Bolger, N. (1995). Daily and within-day event measurement. In S. Cohen, R. C. Kessler, & L. U. Gorgon (Eds.). *Measuring stress: A guide for health and social scientists*. New York: Oxford University.
- Fong, J. (1997). A study of self monitoring processes and coping behavior in burn victims. *Burns*, 23(1), s8-s11.
- Folkman, S., & Lazarus, R. (1980). An analysis of coping in a middle aged community sample. *Journal Health Social Behavior*, 21, 219-239.
- Franulic, A., Gonzalez, X., Trucco, M., & Vallejos, F. (1996). Emotional and psychosocial factors in burn patients during hospitalization. *Burns*, 22(8), 618-622.
- Helm, P. A. (1992). Burn rehabilitation: Dimensions of the problem. *Clinics in Plastic Surgery*, 19(3), 551-552.

- Hurren, J. S. (1995). Rehabilitation of the burned patient: James Laing memorial essay for 1993. *Burns*, 21(2), 116-126.
- Jalowiec, A. (1979). Stress and coping in hypertensive and emergency room patients. Unpublished master's thesis. University of Illinois, Chicago.
- Jalowiec, A., & Powers, M. J. (1981). Stress and coping in hypertensive and emergency room patients. *Nursing Research*, 30 (1), 10-15.
- Jalowiec, A., Murphy, S. P., & Powers, M. J. (1984). Psychometric assessment of the Jalowiec Coping Scale. *Nursing Research*, 33, 157-161.
- Jalowiec, A. (1988). Confirmatory factor analysis of the Jalowiec Coping Scale. In C. F. Waltz & O. L. Strickland (Eds.). *The measurement of nursing outcomes, volume 1: Measuring client outcome*. New York: Springer.
- Kanner, A. D., Coyne, J. C., Schaefer, C, & Lazarus, R. S. (1981). Comparison of two modes of stress measurement: Daily hassles and uplifts versus major life events. *Journal of Behavioral Medicine*, 4, 1-39.
- Khoosal, D. L., Broad, J. A., Smith, R. J., & Settle, J. A. D. (1987). A one-year psychological follow-up of the most severely burned victims of the Bradford fire. *Burns*, 13(5), 411-415.

- Khamis, V. (1993). Victims of the Intifada: The psychosocial adjustment of the injury. *Behavioral Medicine*, 19, 94-101.
- Konigova, R., & Pondelicek, I. (1987). Psychological aspects of burns. *Scand Journal Plastics Reconstructive Surgery*, 21, 311-314.
- Lazarus, R. S., & Folkman, S. (1984). *Stress, appraisal, and coping*. New York: Springer.
- Lewis, S. M., Collier, I. C., & Keitkemper, M. M. (1993). *Medical-surgical nursing: An assessment and management of client problems* (4th ed.). New York: McGraw-Hill.
- Li, Y. (1995). *Treatment of burns*. Beijing: Health.
- Malt, U., & Ugland, O. M. (1989). A long-term follow-up study of burned adults. *Acta Psychiatrica Scandinavica Supplement*, 80, 94-102.
- Mateu, L. P., & Hernandez, J. J. C. (1996). Emotional aspects in burned patients: Usage of a health state classification system. *Burns*, 22(5), 396-398.
- McGrouther, D. A. (1997). Facial disfigurement. *British Medical Journal*, 314(5),
- McNett, S. (1987). Social support, threat, and coping responses and effectiveness in the functionally disabled. *Nursing Research*, 36, 98-103.
- Morris, P. J., & Malt, R. A. (1994). *Oxford textbook of surgery*. New York: Oxford University.

- Orr, D. A., Reznikoff, M., & Smith, G. M. (1989). Body image, self-esteem, and depression in burn-injured adolescents and young adults. *Journal of Burn Care Rehabilitation*, 10, 454-461.
- Parle, M., Jones, B., & Maguire, P. (1996). Maladaptive coping and affective disorders amongst cancer patients. *Psychological Medicine*, 26, 735-744.
- Patterson, D. R., Everett, J. J., Bombardier, C. H., Questad, K. A., Lee, V. K., & Marvin, J. A. (1993). Psychological effects of severe burn injuries. *Psychological Bulletin*, 113(2), 365-368.
- Partridge, J., & Robinson, E. (1995). Psychological and social aspects of burns. *Burns*, 21(6), 453-457.
- Phipps, W. J., Cassmeyer, V. L., Sands, J. K., & Lehman, M. K. (1995). *Medical-surgical nursing*. St. Louis: Mosby.
- Powers, M. J., & Jalowiec, A. (1987). Profile of the well controlled: Well adjusted hypertensive patient. *Nursing Research*, 36, 106-110.
- Polit, D. F., & Hungler, B. P. (1995). *Nursing research: Principles and methods* (5th ed.). New York: J. B. Lippincott.

- Pruzinsly, T., Rice, L. D., Himel, H. N., Morgan, R. F., & Edlich, R. F. (1992). Psychometric assessment of psychological factors influencing adult burn rehabilitation. *Journal of Burn Care Rehabilitation*, 13(1), 79-86.
- Qin, X. H. (1992). Strive for further popularization of the moist exposed burn therapy to the rural area and grass-root medical unit. *The Chinese Journal of Burn Wounds and Surface Ulcer*, 1, 64-65.
- Roberts, D., & Appleton, V. (1989). Psychological care of burned injured patients. *Plastics Surgery Nursing*, 9, 62-65.
- Robinson, L. (1990). Stress and anxiety. *Nursing Clinics of North America*, 24, 935-943.
- Settle, J. A. D. (1996). *Principles and practice of burns and management*. New York: Churchill Livingstone.
- Selye, H. (1976). *The stress of life* (revised ed.). New York: McGraw-Hill.
- Sheffield, C. G., Irons, G. B., Mucha, P., Malce, J. F., Ilstrup, D. M., & Stonnington, H. H. (1988). Physical and psychological outcome after burns. *Journal of Burn Care Rehabilitation*, 9, 172-177.
- Taal, L., & Faber, A. W. (1998). Posttraumatic stress and maladjustment among adult burn survivors. *Burns*, 24, 399-450.

- Tucker, P. (1986). The burn victim: A review of psychological issues. *Australian and New Zealand Journal of Psychiatry*, 20, 423-420.
- Tucker, P. (1987). Psychosocial problems among adult burn victims. *Burns*, 13, 7-14.
- Wallace, L. M., & Lees, J. (1988). A psychological follow-up study of adult patients discharged from a British Burn Units. *Burns*, 14, 39-45.
- Wegmann, J. A. (1992). Measuring Coping. In M. Frank-Stromborg (Ed.). *Instruments for Clinical nursing research*. Boston: Jones and Bartlett.
- White, A. C. (1982). Psychiatric study of patient with severe burn injuries. *British Medical Journal*, 284, 465-467.
- Williams, E. E., & Griffiths, T. A. (1991). Psychological consequences of burn injury. *Burns*, 17 (6), 478-480.
- Xiao, J. & Cao, B. R. (1992). Burn injuries in the Dong Bei area of China: A study of 12,606 cases. *Burns*, 18 (3), 228-232.