

TABLE OF CONTENTS

| | Page |
|------------------------------------|------|
| Acknowledgement | iii |
| Abstract | iv |
| Abstract in Thai | vi |
| List of Tables | x |
| List of Illustrations | xii |
| Chapter I Introduction | 1 |
| Chapter II Theory | 4 |
| 2.1 Light Scattering Theory | 4 |
| 2.2 Photon Correlation | 14 |
| 2.3 Particles Diffusion | 18 |
| Chapter III Sample Preparation | 23 |
| 3.1 Introduction | 23 |
| 3.2 Cleaning Process | 23 |
| 3.3 Sample Preparation | 24 |
| Chapter IV Experiments and Results | 27 |
| 4.1 Experimental Methods | 27 |
| 4.1.1 Instrument Setup | 27 |
| 4.1.2 Procedures | 30 |

| | |
|--|----|
| 4.2 Data Treatment | 31 |
| 4.2.1 Determination of Translational diffusion coefficient | 31 |
| 4.2.2 Determination of Apparent translational diffusion coefficient | 32 |
| 4.2.3 Determination of constant k_D | 33 |
| 4.2.4 Determination of the friction constant | 34 |
| 4.2.5 Determination of the constant k_c | 34 |
| 4.2.6 Determination of sizes of polystyrene | 35 |
| 4.2.7 Determination of second virial coefficient A_2 | 35 |
| 4.3 Results | 36 |
| Chapter V Conclusion and Discussion | 77 |
| References | 81 |
| Appendix A | 83 |
| Appendix B | 85 |
| Appendix C | 96 |
| Curriculum Vitae | 98 |

LIST OF TABLES

| Table | Page |
|--|------|
| 3.1 The fraction of polystyrene $M = 100000$ and $M = 600000$ in the cyclohexane with various concentration. | 25 |
| 4.1 Fraction and total concentration of each sample | 37 |
| 4.2 Γ from fitting with single exponential of each sample at several temperatures | 38 |
| 4.3 Average photon count per unit concentration and fraction f of each sample | 38 |
| 4.4 Coefficient C from fitting the correlation data to Equation 4.1 for sample 3-7 | 39 |
| 4.5 The coefficient D from fitting the correlation data to Equation 4.1 for sample 3-7 | 39 |
| 4.6 The apparent translational diffusion coefficient of all samples | 40 |
| 4.7 Diffusion coefficient of polystyrene $M = 100000$ in cyclohexane | 40 |
| 4.8 Diffusion coefficient of polystyrene $M = 600000$ | |

| | |
|---|----|
| in cyclohexane | 41 |
| 4.9 Diffusion coefficient at zero concentration, k_D , hydrodynamic radius, and hydrodynamic volume of polystyrene $M = 100000$ | 41 |
| 4.10 Diffusion coefficient at zero concentration, k_D , hydrodynamic radius, and hydrodynamic volume of polystyrene $M = 600000$ | 42 |
| 4.11 Friction constant of polystyrene $M = 100000$ in cyclohexane | 42 |
| 4.12 Friction constant of polystyrene $M = 600000$ in cyclohexane | 43 |
| 4.13 Friction constant at zero concentration, constant k_c , and second virial coefficient A_2 for polystyrene $M = 100000$ | 43 |
| 4.14 Friction constant at zero concentration, constant k_c , and second virial coefficient A_2 for polystyrene $M = 600000$ | 44 |
| 4.15 Apparent diffusion coefficient of sample 3-7 | 44 |
| 4.16 Constants k_D and k_c which calculated from theory | 45 |

LIST OF ILLUSTRATIONS

| Figure | Page |
|---|------|
| 2.1 Incident and scattered beam from a particle | 5 |
| 2.2 Determination of scattering vector K | 6 |
| 2.3 Schematic of the autocorrelation function forming routine | 15 |
| 2.4 Flowchart of autocorrelation subroutine | 17 |
| 3.1 Standard polystyrene $M = 600000$ and $M = 100000$ from Pressure Chemical Company | 25 |
| 4.1 Block diagram of photon correlation experimental setup | 28 |
| 4.2 Temperature control chamber with insulator | 29 |
| 4.3 The photon correlation function versus delay time from the sample 4, $M = 100000$ with $c_1 = 3.5$ mg/ml and $M = 600000$ with $c_2 = 1.3$ mg/ml, at the temperature 49.8°C , taken with 4500 runs | 46 |
| 4.4 Distribution of photon count of scattering intensity from sample 2, polystyrene $M = 600000$ and concentration is 2 mg/ml, taken with 4500 runs | 46 |
| 4.5 Plot of diffusion coefficient versus concentration of polystyrene $M = 100000$ in cyclohexane at temperature | |

| | |
|--|----|
| 37.2°C | 47 |
| 4.6 Plot of diffusion coefficient versus concentration of polystyrene $M = 100000$ in cyclohexane at temperature 39.2°C | 48 |
| 4.7 Plot of diffusion coefficient versus concentration of polystyrene $M = 100000$ in cyclohexane at temperature 42.4°C | 49 |
| 4.8 Plot of diffusion coefficient versus concentration of polystyrene $M = 100000$ in cyclohexane at temperature 44.7°C | 50 |
| 4.9 Plot of diffusion coefficient versus concentration of polystyrene $M = 100000$ in cyclohexane at temperature 47.2°C | 51 |
| 4.10 Plot of diffusion coefficient versus concentration of polystyrene $M = 100000$ in cyclohexane at temperature 49.8°C | 52 |
| 4.11 Plot of diffusion coefficient versus concentration of polystyrene $M = 600000$ in cyclohexane at temperature 37.2°C | 53 |

- 4.12 Plot of diffusion coefficient versus concentration of polystyrene $M = 600000$ in cyclohexane at temperature 39.2°C 54
- 4.13 Plot of diffusion coefficient versus concentration of polystyrene $M = 600000$ in cyclohexane at temperature 42.4°C 55
- 4.14 Plot of diffusion coefficient versus concentration of polystyrene $M = 600000$ in cyclohexane at temperature 44.7°C 56
- 4.15 Plot of diffusion coefficient versus concentration of polystyrene $M = 600000$ in cyclohexane at temperature 47.2°C 57
- 4.16 Plot of diffusion coefficient versus concentration of polystyrene $M = 600000$ in cyclohexane at temperature 49.8°C 58
- 4.17 Plot of diffusion coefficient at zero concentration for polystyrene $M = 100000$ in cyclohexane versus temperature 59
- 4.18 Plot of diffusion coefficient at zero concentration for polystyrene $M = 600000$ in cyclohexane versus temperature 60
- 4.19 Plot of constant k_D of polystyrene $M = 100000$ in cyclohexane

| | |
|---|----|
| versus temperature | 61 |
| 4.20 Plot of constant k_D of polystyrene $M = 600000$ in cyclohexane versus temperature | 62 |
| 4.21 Plot of hydrodynamic radius of polystyrene $M = 100000$ at zero concentration versus temperature | 63 |
| 4.22 Plot of hydrodynamic radius of polystyrene $M = 600000$ at zero concentration versus temperature | 64 |
| 4.23 Plot of friction constant versus concentration of polystyrene $M = 100000$ in cyclohexane at temperature $37.2\text{ }^\circ\text{C}$ | 65 |
| 4.24 Plot of friction constant versus concentration of polystyrene $M = 100000$ in cyclohexane at temperature $39.2\text{ }^\circ\text{C}$ | 66 |
| 4.25 Plot of friction constant versus concentration of polystyrene $M = 100000$ in cyclohexane at temperature $42.4\text{ }^\circ\text{C}$ | 67 |
| 4.26 Plot of friction constant versus concentration of polystyrene $M = 100000$ in cyclohexane at temperature $44.7\text{ }^\circ\text{C}$ | 68 |
| 4.27 Plot of friction constant versus concentration of polystyrene $M = 100000$ in cyclohexane at temperature $47.2\text{ }^\circ\text{C}$ | 69 |
| 4.28 Plot of friction constant versus concentration of polystyrene $M = 100000$ in cyclohexane at temperature $49.8\text{ }^\circ\text{C}$ | 70 |
| 4.29 Plot of friction constant versus concentration of polystyrene | |

| | |
|--|----|
| M = 600000 in cyclohexane at temperature 37.2 °C | 71 |
| 4.30 Plot of friction constant versus concentration of polystyrene | |
| M = 600000 in cyclohexane at temperature 39.2 °C | 72 |
| 4.31 Plot of friction constant versus concentration of polystyrene | |
| M = 600000 in cyclohexane at temperature 42.4 °C | 73 |
| 4.32 Plot of friction constant versus concentration of polystyrene | |
| M = 600000 in cyclohexane at temperature 44.7 °C | 74 |
| 4.33 Plot of friction constant versus concentration of polystyrene | |
| M = 600000 in cyclohexane at temperature 47.2 °C | 75 |
| 4.34 Plot of friction constant versus concentration of polystyrene | |
| M = 600000 in cyclohexane at temperature 49.8 °C | 76 |