REFERENCES

- Allen, M. (1989). Meaning of visual impairment to visually impaired patients. **Journal of Advanced Nursing, 14,** 640-646.
- Allen, M. (1990). Adjusting to visual impairment. Journal of Ophthalmic Nursing and Technology. 9(1), 47-51.
- American Academy of Ophthalmology (1987). Eye care for the American people. San Francisco: American Academy of Ophthalmology.
- Anderson, K. L., & Burckhardt, C. S. (1999).

 Conceptualization and measurement of quality of life as an outcome variable for health care intervention and research. Journal of Advanced Nursing, 29(2), 298-306.
- Barron, C. R., Foxall, M. J., Dollen, K. V., Jones, P. A., & Shull, K. A. (1994). Marital status, social support, and loneliness in visually impaired elderly people. Journal of Advanced Nursing, 19, 272-280.
- Bernbaum, M., Albert, S. G., Duckro, P. N., & Merkel, W. (1993). Personal and family stress in individuals with diabetes and vision loss. Journal of Clinical Psychology, 49(5), 670-677.
- Bloom, J., & Spiegel, D. (1984). The effect of two dimensions of social support on the psychological well-being and social functioning of women with advanced breast cancer. Social Sciences and Medicine, 19(5), 831-837.

- Brandt, P. A., & Weinert, C. (1981). The PRQ: A social support measure. Nursing Research, 30(5), 277-280.
- Brillhart, B. (1988). Family support for the disabled.

 Rehabilitation Nursing, 13 (6), 316-319.
- Burns, N., Susan, K., & Grove (1995). Understanding nursing research. Philadelphia: W. B. Saunders.
- Caldwell, S. M. (1988). Measuring family well-being:

 Conceptual model, reliability, validity, and use. In

 C. F. Waltz, & U. L. Strickland (Eds.). Measurement

 of nursing outcomes: Measuring patient outcome

 (Vol.I.) (pp. 397-422). New York: Springers.
- China Health Ministry (1998). China health ministry statistics. China: China Health Ministry.
- Cobb, S. (1976). Social support as a moderator of life stress. Psychosomatic Medicine, 38(5), 300-314.
- Cohen, S. (1988). Psychosocial models of the role of social support in the etiology of physical disease. **Health**Psychology, 7(3), 269-297.
- Courten, A. M., Stevens, C. J., Crebolder, J. M., & Philipsen, K. (1996). Longitudinal study on quality of life and social support in cancer patients.

 Cancer Nursing, 19(3), 162-169.
- Davis, L. L. (1992). Instrument review: Getting the most from a panel of experts. Applied Nursing Research, 5 (4), 194-197.
- Dean, H. (1985). Choosing multiple instruments to measure the quality of life. Oncology Nursing Forum, 12(5), 96-100.

- Desai, P., Reidy, A., Minassian. D. C., Vafidis, G., & Bolger, J. (1996). Gain from cataract surgery:

 Visual function and quality of life. British Journal of Ophthalmology, 80(10), 868-873.
- deWit, S. C. (1998). Essentials of medical-surgical nursing (4th ed.) (pp.926-950). Philadelphia: W. B. Saunders.
- Dibble, S. L., Padilla, G. V., & Dodd, M. J. (1998). Gender differences in the dimensions of quality of life.

 Cancer Nursing, 25(3), 577-583.
- Drench, M. E. (1994). Changes in body image secondary to disease and injury. Rehabilitation Nursing, 19, 31-36.
- Fallowfield, L. (1990). The quality of life: The missing measurement in health care. London: Souvenir.
- Farquhar, M. (1995). Definition of quality of life:
 Taxonomy. Journal of Advanced nursing, 22, 502-508.
- Ferrans, C. E., & Powers, M. J. (1985). Quality of life index: Development and psychometric properties.

 Advanced Nursing Research, 8(1), 15.
- Ferrans, C. E., & Powers, M. J. (1993). Quality of life of hemodialysis patients. **ANNA Journal**, **20**(5), 575-581.
- Ferrans, C. E., & Powers, M. J. (1992). Psychometric assessment of the quality of life index. Research in Nursing and Health, 15, 29-38.
- Ferrell, B. R. (1990). Study critique: Development of a quality of life index for patients with cancer.

 Oncology Nursing Forum, 17 (Supplement), 15-19.

- Fink, S. V. (1995). The influence of family resources and family demands on the strains and well-being of caregiving families. Nursing Research, 44(3), 139-146.
- Flanagan, J. C. (1982). Measurement of quality of life:

 Current state of the art. Archives of Physical

 Medicine Rehabilitation, 63, 56-59.
- Foxall, M. J., Barron, C. R., Dollen, K. V., Jomes, P. A., & Shull, K. A. (1992). Predictors of loneliness in low vision adults. Western Journal of Nursing Research, 14(1), 86-99.
- Foxall, M. J., Barron, C. R., Dollen, K. V., Shull, K. A., & Jones, P. A. (1994). Low-vision elders: Living arrangements, loneliness, and social support.

 Journal of Gerontological Nursing, 20(8), 6-14.
- Frank-Sromborg, M. (1992). Single instruments for measuring quality of life. In M. Frank-Stromborg (Ed.),

 Instrument for clinical nursing research (2nd ed.)

 (pp. 79-95). Boston: Jones & Bartlett.
- Friedman, M. M. (1993). Social support resources and psychological well-being in older women with heart disease. Research in Nursing and Health, 18, 405-413.
- Friedman, M. M. (1994). The relationship of emotional and tangible support to psychological well-being among older women with heart failure. Research in Nursing and Health, 17, 433-440.

- Frost, N. A., Sparrow, J. M., Durant, J. S., Donovan, J. L., Peters, T. J., & Brookes, S. T. (1998). Development of questionnaire for measurement of vision-related quality of life. Ophthalmic Epidemiology, 5(4), 185-210.
- Fry, A. (1994). Effective communication with people with visual disabilities. Nursing Times, 90(44), 42-43.
- Goodinson, M. S., & Singleton, J. (1989). Quality of life: A critical review of current concepts, measures and their clinical implications. Journal of Nursing Standard, 26(4), 327-341.
- Grimes, M. R., Scardino, M. A., & Martone, J. F. (1992).

 Worldwide blindness. Nursing Clinics of North

 America, 27(3), 807-816.
- Hicks, F. D., Larson, J. L., & Ferrans, C. E. (1992).

 Quality of life after liver transplant. Research in

 Nursing and Health, 15, 111-119.
- Horowitz, A. (1994). Vision impairment and functional disability among nursing home residents.

 Gerontology, 34(3), 316-323.
- House, J. S. (1981). Work stress and social support.

 Readings, M. A.: Addison-Wesley.
- Jassak, P. F. (1992). Families: An essential element in the care of the patient with cancer. Oncology Nursing

 Forum, 19(6), 871-876.

- Jiang, X. L (1999). Family social support and self-care behaviors of chronic obstructive pulmonary disease patient. Thesis for Master of Nursing Science in Medical and Surgical Nursing, Graduate School, Chiang Mai University, Thailand.
- Jones, W. H., Freemon, J. E., & Goswick, R. A. (1981). The persistence of loneliness: Self and other determinants. Journal of Personality. 49, 27-48.
- Klein, B. E., Klein, R., Lee, K. E., & Cruickshanks, K. J. (1998). Performance-based and self-assessed measures of visual function as related to history of falls, hip fractures, and measured gait time. Ophthalmology, 105(1), 160-164.
- Lambert, V. A., & Lambert, C. E. (1985). Psychosocial care of the physically ill: What every nurse should know (2nd ed.). New Jersey: Prentice-Hall.
- Lampert, J., & Lapolice, D. J. (1995). Functional considerations in evaluation and treatment of the clients with low vision. The American Journal of Occupational Therapy, 49(9), 885-890
- Lawson, R.W., Alan, M.J., & Lawrence, I. R. (1987).

 Psychosocial aspects of diabetic retinopathy.

 Diabetes Care, 10(3), 367-373.
- Lee, P.P., Spritzer, K., & Hay, R. D. (1997). The impact of blurred vision on functioning and well-being.

 Ophthalmologist, 104(3), 390-396.

- Lindsey, A. M. (1988). Social support: Conceptualizations and measurement instrument. In M. Frank-Stromborg (Ed.), Instruments for clinical nursing research (pp. 107-119). California: Appleton & Lange.
- Lindsey, A. M. (1992). Social support: Conceptualizations and measurement instruments. In M. Frank-Stromborg (Ed.), Instruments for clinical nursing research (2nd ed.) (pp. 107-119). Boston: Jones & Bartlett.
- Liu, M. (1999). Social support and quality of life among renal transplant patients. Thesis for Master of Nursing Science in Medical and Surgical Nursing, Graduate School, Chiang Mai University, Thailand.
- Mangione, C. M., Philips, R. S., Lawrence, M. G, Seddon, J. M., Orav, E. J., & Goldman, L. (1994). Improved visual function and attenuating of declines in health-related quality of life after cataract extraction. Archives of Ophthalmology, 112(11), 1419-1425.
- Meister, S. B. (1991). Family well-being. In A. C. Whall & J. F. Fawcett (Eds.), Family therapy development in nursing: State of the science and art (pp.209-232). Philadelphia: F. A. Davis.
- Nancy, L., & Wilson, M. A. (1996). An orientation to vision loss program: Meeting the needs of newly visually impaired older adults. The Gerontologist, 36(4), 534-537.

- Penckofer, S., & Holm, K. (1984). Early appraisal of coronary revascularization on quality of life.

 Nursing Research, 33(2), 60.
- Pender, N. J. (1987). Health promotion in nursing practice (2nd ed.). Norwalk, Connecticut: Appleton & Lange.
- Phipps, W. J. (1993). The patient with eye problems. In B.

 C. Long, W. J. Phipps, & V. L. Cassmeyer (Eds.),

 Medical-surgical nursing: A nursing process approach

 (3rd ed.) (pp. 1296-1326). St. Louis: Mosby.
- Polit, D. F., & Hungler, B. P. (1991). Nursing research:

 Principles and methods (4th ed.). Philadelphia:

 Lippincott.
- Procidano, M. E., & Heller, K. (1983). Measures of perceived social support from friends and from family: Three validation studies. American Journal of Community Psychology, 11(1), 1-24.
- Scott, I. U., Smiddy, W. E., Schiffman, J., Feuer, W. J., & Pappas, C. J. (1999). Quality of life of low-vision patients and the impact of low-vision services.

 American Journal of Ophthalmology, 128(1), 54-62.
- Scott, L. U., Schein, O. D., West, S., Bandeen-Roche, K., Enger, C., & Folsten, M. F. (1994). Functional status and quality of life among ophthalmic patients. Archieves of Ophthalmology, 112(5), 329-335.
- Smart, C. R., & Yates, J. W. (1987). Quality of life. Cancer, 60, 620-622.

- Smith, H. (1997). Support for patients with recent visual impairment. Nursing Times, 93(12), 56-58.
- Smith, S. C. (1997). The eye. In J. M. Thompson, G. K. McFarland, J. E. Hirsch, & S. M. Tucker (Eds.),

 Mosby's clinical nursing (4th ed.) (pp. 534-608). St. Louis: Mosby.
- Staab, A. S. & Hodges, L. C. (1996). Essentials of gerontological nursing: Adaptation to the aging process. Philadelphia: Lippincott.
 - Tell, G. S., Mittelmark, M. B., Hylander, B., Shumaker, S. A., Russell, G., & Burkart, J. M. (1995). Social support and health-related quality of life in black and white dialysis patients. ANNA Journal, 22(3), 301-308.
 - Tilden, V. P., & Weinert, C. (1987). Social support and the chronically ill individual. Nursing Clinics of North America, 22(3),613-620.
- Tong, J. (1990). Social relationship and health. Chinese

 Mental Health Journal, 7(2), 63-66.
- UN Population Division. World Population Prospects: The 1998

 Revision, 1999 (On-line). Available WWW:

 www.popin.org/pop1998/8.htm.
- Uppalabut, S. (1994). A study of quality of life of leukemia patients. Thesis for Master of Nursing Science in Medical and Surgical Nursing, Graduate School, Mahidol University, Thailand.
- Vader, L. A. (1992). Vision and vision loss. Nursing Clinics of North America, 27(3), 705-714.

- Wang, T., Ye, R. G., Li, H. Q., Yan, J.P., Yuang, Y. J., Yu, L. Q., Zhu, L. Y., Shen, q. R., & Li, X. Q. (1995).

 Quality of life of chronic dialysis patients.

 Journal of Kidney Disease, 11(4), 227-229.
- Webb, C. R., Wrigley, M., Yoels, W., & Fine, P. R. (1995).

 Explaining quality of life for persons with traumatic brain injuries 2 years after injury.

 Archives of Physical Medicine and Rehabilitation, 76, 1113-1119.
- Weinert, C. (1988). Measuring social support: Revision and further development of the personal resource questionnaire. In C. F. Walts & O. L. Strickland (Eds.), Measurement of nursing outcomes: Vol. One, Measuring client outcomes (pp. 309-327). New York: Springers.
- White, N., Richard, J. M., & Fry, C. (1992). Coping, social support and adaptation to chronic illness. Western Journal of Nursing Research, 14(2), 211-224.
- Williams, R. A., Brody, B. L., Thomas, R. G., Kaplan, R. M., & Brown, S. I. (1998). The psychosocial impact of macular degeneration. Archives of Ophthalmology, 116(4), 514-520.
- World Health Organization (1997). Strategies for the prevention of blindness in national programmes: A primary health care approach (2nd ed.). Geneva: WHO.
- Wulsin, L. R., Jacobson, A. M., & Rand, L. L. (1987).

 Psychosocial aspects of diabetic retinopathy.

 Diabetes Care, 10, 367-373.

- Yan, M. (1995). **Textbook of ophthalmology** (4th ed.). Beijing:
 People health publisher.
- Young-Graham, K. & Longman, A. J. (1987). Quality of life and person with melanoma: Preliminary model testing.

 Cancer Nursing, 10(6), 338-346.
- Zhan, L. (1992). Quality of life: Conceptual and measurement issues. Journal of Advanced Nursing, 17, 795-800.
- Zhang, H. Y. (1997). Family support and self-care behaviors of breast cancer patients receiving combined therapy in six teaching hospitals at Beijing. Thesis for Master of Nursing Science in Medical and Surgical Nursing, Graduate School, Chiang Mai University, Thailand.
- Zhang, J. P. (1998). Family support and quality of life among hemodialysis patients. Thesis for Master of Nursing Science in Medical and Surgical Nursing, Graduate School, Chiang Mai University, Thailand.
- Zhang, S. Y., Zou, L. H., Gao, Y. Q., Di, Y., & Wang, X. D. (1992). National epidemiological survey of blindness and low vision in China. Chinese Medical Journal, 105(7), 603-608.
- Zhu, M. X. (1997). Quality of life of non-insulin dependent diabetes mellitus patients. Thesis for Master of Nursing Science in Medical and Surgical Nursing, Graduate School, Chiang Mai University, Thailand.