

REFERENCES

- Arnheim, D.D. (1987). *Essentials of athletic training*. USA: Times Mirror/Mosby College Publisher.
- Asmussen, E., Klausen, K., Nielson, L.E., Techow, O.S.A., and Tonder, P.J. (1974). Lactate production and anaerobic work capacity after prolonged exercise. *Acta Physiol. Scand.*, 90, 731-742
- Astrand, P.O., and Rodahl, K. (1986). *Textbook of work physiology*. 2nd ed. Newyork: Mcgraw-Hill Book Co.
- Bedford, T., Tipton, C., Wilson, N., Oppliger, R., and Gisolfi, C. (1979). Maximum oxygen consumption of rats and its changes with various experimental procedures. *J. Appl. Physiol.*, 46, 1278-1283
- Bergstrom, J., Hermansen, L., Hultman, E., and Saltin, B. (1967). Diet, muscle glycogen and physical performance. *Acta. Physiol. Scand.*, 71, 140-150
- Blair, S.N., Kohn, W.H., Paffenbarger, R.S. Jr., et al. (1989). Physical fitness and all-cause mortality. A prospective study of healthy men and women. *J. Am. Med. Assoc.*, 262, 2395-2401
- Bosch, A.N., Dennis, S.C., and Noakes, T.D. (1993). Influence of carbohydrate - loading on fuel substrate turnover and oxidation during prolonged exercise. *J. Appl. Physiol.*, 74, 1921-1927
- Bosch, A.N., Dennis, S.C., and Noakes, T.D. (1994). Influence of carbohydrate ingestion on fuel substrate turnover and oxidation during prolonged exercise. *J. Appl. Physiol.*, 76, 2364-2372

- Boyadjiev, N. (1996). Increase of aerobic capacity by submaximal training and high fat diets. *Folia Medica*, 37, 49-59
- Brewer, J., Williams, C., and Patton, A. (1988). The influence of high carbohydrate diets on endurance running performance. *Eur. J. Appl. Physiol.*, 57, 698-706
- Brook, G.A., and Fahey, T.D. (1984). *Exercise Physiology: Human bioenergetics and its applications*. New York: McGraw-Hill, Inc.
- Brouns, F., and Vusse, G.J. (1998). Utilization of lipids during exercise in human subjects: metabolic and dietary constraints. *Br. J. Nutr.*, 79, 117-128
- Brown, R.C., and Cox, C.M. (1998). Effects of high fat versus high carbohydrate diets on plasma lipids and lipoproteins in endurance athletes. *Med. Sci. Sports Exerc.*, 30, 1677-1683
- Bush, T.L., Fried, L.P., and Barret-Conner, E. (1988). Cholesterol, lipoproteins, and coronary heart disease in women. *Clin. Chem.*, 34, B60-B70
- Buttrick, P.M., and Scheuer, J. (1994). *The heart*. 8th ed. USA: R.R. Donnelley & Sons Company
- Champe, P.C., and Harvey, R.A. (1994). *Lippincott's illustrated reviews: biochemistry*. 2nd ed. Philadelphia: J.B. Lippincott Company
- Clausen, J.P. (1977). Effect of physical training on cardiovascular adjustment to exercise in man. *Physiol. Rev.*, 57, 779-815
- Conlee, R.K., Hammer, R.L., Winder, W.W., Bracken, M.L., Nelson, A.G., and Barnett, D.W. (1990). Glycogen repletion and exercise

- endurance in rats adapted to a high fat diet. *Metabolism*, 39, 289-294
- Costill, D.L., Gollnick, P.D., Jansson, E.D., Saltin, B., and Stein, E.M. (1973). Glycogen depletion pattern in human muscle fibers during distance running. *Acta. Physiol. Scand.*, 89, 374-383
- Costill, D.L., Coyle, E., Dalsky, G., Evans, W., Fink, W., and Hoopes, D. (1977). Effects of elevated plasma FFA and insulin on muscle glycogen usage during exercise. *J. Appl. Physiol.*, 43, 695-699
- Costill, D.L., Pascoe, D.D., Fink, W.J., Robergs, R.A., and Barr, S.I. (1990). Impaired muscle glycogen resynthesis after eccentric exercise. *J. Appl. Physiol.*, 69, 46-50
- Coyle, E.F., and Coggan, A.R. (1984). Effectiveness of carbohydrate feeding in delaying fatigue during prolonged exercise. *Sports Med.*, 1, 446-458
- Coyle, E.F., Coggan, A., Hemmert, M., and Ivy, J. (1986). Muscle glycogen utilization during prolonged strenuous exercise when fed carbohydrate. *J. Appl. Physiol.*, 61, 165-172
- Devlin, J.T., Calles-Escandon, J., and Horton, E.S. (1986). Effects of preexercise snack feeding on endurance cycle exercise. *J. Appl. Physiol.*, 60, 980-985
- Duren, S.E., Jackson, S.G., Baker, J.P., and Aaron, D.K. (1987). Effect of dietary fat on blood parameters in exercised thoroughbred horses. In *Equine Exercise Physiology: Proceedings of the Second International Conference*. San Diego. Davis, CA: ICEEP Publications

- Fisher, E.C., Evan, W.J., and Phinney, S.D. (1983). Changes in skeletal muscle metabolism induced by a eucaloric ketogenic diet. *Biochemistry of exercise*. Champaign, IL: Human Kinetics
- Froberg, S.O., and Mossfeldt, F. (1971). Effect of prolonged strenuous exercise on the concentration of triglycerides, phospholipids and glycogen in muscle of man. *Acta. Physiol. Scand.*, 82, 167-171
- Gibala, M.J., McLean, D.A., Graham, T.E., and Saltin, B. (1998). Tricarboxylic acid cycle intermediate pool size and estimated cycle flux in human muscle during exercise. *Am. J. Physiol.*, 275 (2 Pt 1), E235-E242
- Gleeson, T.T., Mullin, W.J., and Bladwin, K.M. (1983). Cardiovascular responses to treadmill exercise in rats: effects of training. *J. Appl. Physiol.*, 54, 789-793
- Goedecke, J.H., Christie, C., Wilson, G., Dennis, S.C., Noakes, T.D., Hopkins, W.G., et al. (1999). Metabolic adaptations to a high-fat diet in endurance cyclists. *Metabolism*, 48, 1509-1517
- Gollnick, P.D., Piehl, K., Saubert, C.W., Armstrong, R.B. and Saltin, B. (1972). Diet, exercise, and glycogen changes in human muscle fibers. *J. Appl. Physiol.*, 33, 421-425
- Grundy, S.M. (1986). Comparison of monosaturated fatty acids and carbohydrates for lowering plasma cholesterol. *N. Engl. J. Med.*, 314, 745-748
- Hambleton, P.L., Slade, L.M., Hamer, D.W., Kienholz, E.W., and Lewis, L.D. (1980). Dietary fat and exercise conditioning, effect on metabolic parameters in the horse. *J. Animal Sci.*, 51, 1330-1338

- Harkins, J.D., Morris, G.S., Tulley, R.T., Nelson, A.G., and Kamerling, S.G. (1992). Effect of added dietary fat on racing performance in thoroughbred horses. *J. Equine Vet. Sci.*, 12, 123-129
- Hermansen, L., Hultman, E., and Saltin, B. (1967). Muscle glycogen during prolonged severe exercise. *Acta. Physiol. Scand.*, 71, 129-139
- Hickson, R.C., Rinnies, M.J., Conlee, R.K., Winder, W.W., and Holloszy, J.O. (1977). Effects of increased plasma fatty acid on glycogen utilization and endurance. *J. Appl. Physiol.*, 43, 829-833
- Hintz, H.F., Ross, M.W., Lesser, F.R., *et al.* (1987). The value of dietary fat for working horses I: biochemical and hematological evaluations. In *Proceedings of the 10th Equine Nutrition and Physiology Symposium*, Colorado State University. Savoy, IL: Equine Nutrition and Physiology Society
- Holloszy, J.O., and Coyle, E.F. (1984). Adaptations of skeletal muscle to endurance exercise and their metabolic consequences. *J. Appl. Physiol.*, 56, 831-838
- Holloszy, J.O., and Khort, W.M. (1996). Regulation of carbohydrate and fat metabolism during and after exercise. *Ann. Rev. Nutr.*, 16, 121-138
- Hultman, E. (1967). Physiological role of muscle glycogen in man, special reference to exercise. *Circ. Res.*, 20(suppl 1), I99-I114
- Issekultz, B., Miller, H.I., Paul, P., and Rodahl, K. (1965). Aerobic work capacity and plasma FFA turnover. *J. Appl. Physiol.*, 20, 293-296
- Jansson, E. (1981). Muscle enzyme adaptation to diet in man.

- Biochemistry of exercise*. Baltimore, M.D.: University Park
- Jansson, E., and Kaijser, L. (1982). Effect of diet on the utilization of blood-borne and intramuscular substrates during exercise in man. *Acta. Physiol. Scand.*, 115, 19-30
- Karlsson, J., Nordesjo, L.O., and Saltin, B. (1974). Muscle glycogen utilization during exercise after physical training. *Acta. Physiol. Scand.*, 90, 210-217
- Kelman, G.R., Maughan, R.J., and Williams, C. (1975). The effect of dietary modifications on blood lactate during exercise. *J. Physiol.*, 251, 34P-35P
- Kraegen, E.W., Storlien, L.H., Jenkins, A.B., and James, D.E. (1989). Chronic exercise compensates for insulin resistance induced by a high-fat diet in rats. *Am. J. Physiol.*, 256, E242-E249
- Kronfeld, D.S., Hammel, E.P., Ramberg, C.F., and Dunlap, H.L. (1977). Hematological and metabolic responses to training in racing sled dogs fed diets containing medium, low, or zero carbohydrate. *Am. J. Clin. Nutr.*, 30, 419-430
- Lambert, E.V., Speechly, D.P., Dennis, S.C., and Noakes, T.D. (1994). Enhanced endurance in trained cyclists during moderate intensity exercise following 2 weeks adaptation to a high fat diet. *Eur J. Appl. Physiol.*, 69, 287-293
- Lapachet, R.A.B., Miller, W.C., and Arnall, D.A. (1996). Body fat and exercise endurance in trained rats adapted to a high-fat and/or high-carbohydrate diet. *J. Appl. Physiol.*, 80, 1173-1179

- Lewandowski, E.C., Duben-Vomlauffer, J.L., and Bishop, M.L. (1987).
A laboratory manual for clinical chemistry. Philadelphia:
J.B. Lippincott Company
- Matsuo, T., Iwashita, S., Komuro, M., and Suzuki, M. (1999). Effects of high-fat diet intake on glucose uptake in central and peripheral tissues of non-obese rats. *J. Nutr. Sci. Vitaminol. (Tokyo)*, 45, 667-673
- Matsuo, T., and Suzuki, M. (1999). Effects of dietary composition and exercise timing on substrate utilization and sympathoadrenal function in healthy young women. *Metabolism*, 48, 1596-1602
- McArdle, W.D., Katch, F.T., and Katch, V.L. (1999). *Sports & Exercise Nutrition*. Philadelphia: Lippincott Williams & Wilkins
- Mercier, J.G., Hokanson, J.F., and Brook, G.A. (1995). Effects of cyclosporine A on skeletal muscle mitochondrial respiration and endurance time in rats. *Am. J. Respir. Crit. Care. Med.*, 151, 1532-1536
- Miller, W.C., Bryce, G.R., and Conlee, R.K. (1984). Adaptations to a high fat diet that increase exercise endurance in male rats. *J. Appl. Physiol.*, 56, 78-83
- Mokelke, E.A., Palmer, B.M., Cheung, J.Y., and Moore, R.L. (1997). Endurance training does not affect intrinsic calcium current characteristics in rat myocardium. *Am. J. Physiol.*, 273, H1193-H1197
- Mollica, M.P., Lossa, S., Liverini, G., and Soboll, S. (1999). Stimulation of oxygen consumption following addition of lipid substrates in liver

- and skeletal muscle from rats fed a high-fat diet. *Metabolism*, 48, 1230-1235
- Muoio, D.M., Leddy, J.J., Horvath, P.J., Awad, A.B., and Pendergast, D.R. (1994). Effect of dietary fat on metabolic adjustment to maximal Vo_2 and endurance in runners. *Med. Sci. Sports Exer.*, 26, 81-88
- Murrey, R.K., Granner, D.K., Mayer, P.A., and Rodwell, V.W. (1993). *Harper's biochemistry*. 23rd ed., Norwalk: Appleton & Lange Publishing.
- Neufer, P.D., Costill, D.L., Flynn, M.G., Kirwan, J.P., Mitchell, J.B., and Houmard, J. (1987). Improvements in exercise performance: effects of carbohydrate feedings and diet. *J. Appl. Physiol.*, 62, 983-988
- Okano, G., Sato, Y., Takumi, Y, and Sugawara, M. (1996). Effect of 4h preexercise high carbohydrate and high fat meal ingestion on endurance performance and metabolism. *Int. J. Sports Med.*, 17, 530-534
- Oldham, S.L., Potter, G.D., Evans, J.W., Smith, S.B., Taylor, T.S., and Barnes, W.S. (1990). Storage and mobilization of muscle glycogen in exercising horses fed a fat-supplemented diet. *J. Equine. Vet. Sci.*, 10, 353-359
- Orme, C.E., Harris, R.C., Marlin, D.J., and Hurley, J. (1997). Metabolic adaptation to a fat - supplemented diet by the thoroughbred horse. *Br. J. Nutr.*, 78, 443-458

- Oscai, L.B., Miller, M.G., and Arnall, D.A. (1987). Effects of dietary sugar and of dietary fat on food intake and body fat content in rats. *Growth*, 51, 64-73
- Parks, E.J., and Hellerstein, M.K. (2000). Carbohydrate - induced hypertriacylglycerolemia: historical perspective and review of biological mechanisms. *Am. J. Clin. Nutr.*, 71, 412-433
- Pendergast, D.R., Horvart, P.J., Leddy, J.J., and Venkatraman, J.T. (1996). The role of dietary fat on performance, metabolism, and health. *Am. J. Sports. Med.*, 24, S53-S58
- Phillips, S.M., Green, H.L., Tarnopolsky, M.A., Hergenhausen, G.J.F., Hill, R.E., and Grant, S.M. (1996). Effects of training duration of substrate turnover and oxidation during exercise. *J. Appl. Physiol.*, 81, 2182-2191
- Phinney, S.D., Birtrian, B.R., Evans, W.J., Gervino, E., and Blackburn, G.L. (1983). The human metabolic response to chronic ketosis without caloric restriction: preservation of submaximal exercise capability with reduced carbohydrate oxidation. *Metabolism*, 32, 769-776
- Pitsiladis, Y.P., Smith, I., and Maughan, R.J. (1999). Increased fat availability enhances the capacity of trained individuals to perform prolonged exercise. *Med. Sci. Sports Exerc.*, 31, 1570-1579
- Pruett, E.D.R. (1970). Glucose and insulin during prolonged work stress in men living on different diets. *J. Appl. Physiol.*, 28, 199-208
- Randle, P.J., Garland, P.B., Hales, C.N., and Newsholme, E.A. (1963). The

- glucose - fatty acid cycle. Its role in insulin sensitivity and the metabolic disturbances of diabetes mellitus. *Lancet*, i, 785-789
- Rinnie, M.J., Winder, W.W., and Holloszy, J.O. (1976). A sparing effect of increased plasma fatty acids muscle and liver glycogen content in the exercising rat. *Biochem. J.*, 156, 647-655
- Robergs, R.A., and Roberts, S.O. (1997). *Exercise physiology*. St.Louis: Mosby-Year Book, Inc.
- Rosholt, M.N., King, P.A., and Horton, E.S. (1994). High-fat diet reduces glucose transporter response to both insulin and exercise. *Am. J. Physiol.*, 35, R95-R101
- Saitoh, S., Matsuo, T., Tagami, K., Chang, H., Tokuyama, K., and Suzuki, M. (1996). Effects of short-term dietary change from high fat to high carbohydrate diets on the storage and utilization of glycogen and triacylglycerol in untrained rats. *Eur. J. Appl. Physiol. Occup. Physiol.*, 74, 13-22
- Scheuer, J., and Tipton, C.M. (1977). Cardiovascular adaptations to physical training. *Ann. Rev. Physiol.*, 39, 221-251
- Schrauwen, P., Van Marken Lichtenbelt, W.D., Saris, W.H., and Westerterp, K.R. (1997). Role of glycogen-lowering exercise in the change of fat oxidation in response to a high-fat diet. *Am. J. Physiol.*, 273, E623-E629
- Shephard, R.J. (1982). *Physiology and biochemistry of exercise*. New York: Praeger Publisher
- Shephard, R.J., and Astrand, P.O. (1992). *Endurance in sport*. London: Blackwell science publications.

- Sherman, W.M., Costill, D.L., Fink, W.L. and Miller, J.M. (1981). Effect of exercise-diet manipulation on muscle glycogen and its subsequent utilization during performance. *Int. J. Sports. Med.*, 2, 114-118
- Sherman, W.M., Doyle, J.A., Lamb, D.R., and Strauss, R.H. (1993). Dietary carbohydrate, muscle glycogen, and exercise performance during 7d of training. *Am. J. Clin. Nutr.*, 57, 27-31
- Sherman, W.M. (1995). Metabolism of sugars and physical performance. *Am. J. Clin. Nutr.*, 62(suppl), 228s-241s
- Simi, B., Sempore, B., Mayet, M.H., and Favier, R.J. (1991). Additive effects of training and high - fat diet on energy metabolism during exercise. *J. Appl. Physiol.*, 71, 197-20
- Simonsen, J.C., Sherman, W.M., Lamb, D.R., Dernbach, A.R., Doyle, J.A., and Strauss, R. (1991). Dietary carbohydrate, muscle glycogen, and power output during rowing training. *J. Appl. Physiol.*, 70, 1500-1505
- Smith, S.R., Jonge, L., Zachwieja, J.J., Roy, H., Nguyen, T., Rood, J.C., *et al.* (2000). Fat and carbohydrate balances during adaptation to a high fat diet. *Am. J. Clin. Nutr.*, 71, 450-457
- Spencer, M.K., Yan, Z., and Katz, A. (1991). Carbohydrate supplementation attenuates IMP accumulation in human muscle during prolonged exercise. *Am. J. Physiol.*, 261, C71-C76
- Starling, R.D., Trappe, T.A., Parcell, A.C., Kerr, C.G., Fink, W.J., and Costill, D.L. (1997). Effects of diet on muscle triglyceride and endurance performance. *J. Appl. Physiol.*, 82, 1185-1189

- Stone, H.L. (1977). Cardiac function and exercise training in conscious dogs. *J. Appl. Physiol.*, 42, 824-832
- Storlien, L.H., Jenkins, A.B., Chrisholm, D., and Kraegen, E. (1991). Influence of dietary fat composition on development of insulin resistance in rats. *Diabetes*, 40, 280-289
- Taylor, C.R., Hoppeler, H., Kennedy, C. (1995). High fat diet improves aerobic performance by building mitochondria. *FASEB J.*, 9, 1243
- Terblanche, S.E., Fell, R.D., Juhlin-Dannfelt, A.C., Craig, B.W., and Holloszy, J.O. (1981). Effects of glycerol feeding before and after exhausting exercise in rats. *J. Appl. Physiol.*, 50, 94-101
- Thompson, P.D., Cullinane, E.M., Eshleman, R., Kantor, M.A., and Herbert, P.A. (1984). The effects of high carbohydrate and high fat diets on the serum lipid and lipoprotein concentrations of endurance athletes. *Metabolism*, 33, 1003-1010
- Vaziri, N.D., Liang, K., and Barton, C.H. (1999). Effect of increased afterload on cardiac lipoprotein lipase and VLDL receptor expression. *Biochim. Biophys. Acta.*, 1436, 577-584
- Wallberg-Henriksson, H., and Holloszy, J.O. (1984). Contractile activity increases glucose uptake by muscle in severely diabetic rats. *J. Appl. Physiol.*, 57, 1045-1049
- Whiney, E.N., and Rolfes, S.R. (1996). *Understanding nutrition*. 7th ed., St. Paul: West Publishing Company
- Whitley, H.A., Humphreys, S.M., Campbell, I.T., Keegan, M.A., Jayanetti, T.D., Sperry, D.A., et al. (1998). Metabolic and performance

- responses during endurance exercise after high-fat and high-carbohydrate meals. *J. Appl. Physiol.*, 85, 418-424
- Williams, C., Brewer, J., and Walker, M. (1992). The effect of a high carbohydrate diet on running performance during a 30-km treadmill time trial. *Eur. J. Appl. Physiol.*, 65, 18-24
- Wolinsky, I., and Hickson, J.E. (1994). *Nutrition in exercise and sport*. 2nd ed., USA: CRC Press
- Wood, P.D. (1996). Exercise and lipids. *Am. J. Sports Med.*, 24, S59-S60
- Wright, D.A., Sherman, W.M., and Dernbach, A.R. (1991). Carbohydrate feeding before, during, or in combination improve cycling endurance performance. *J. Appl. Physiol.*, 71, 1082-1088