

TABLE OF CONTENTS

| | Page |
|-----------------------|------|
| Acknowledgements | iii |
| Abstract (in English) | v |
| Abstract (in Thai) | vii |
| LIST OF TABLES | x |
| LIST OF FIGURES | xii |
| LIST OF APPENDICE | xiv |
| ABBREVIATION | xv |
| INTRODUCTION | 1 |
| LITERATURE REVIEW | 5 |
| MATERIALS and METHODS | 20 |
| RESULTS | 36 |
| DISCUSSION | 72 |
| CONCLUSIONS | 76 |
| RECOMMENDATIONS | 77 |
| REFERENCES | 78 |
| APPENDICES | 85 |
| CURRICULUM VITAE | 113 |

LIST OF TABLES

| Table | Page |
|---|------|
| 1. Fertilization and root pruning regimes | 27 |
| 2. Total cost: baht per seedling per season | 55 |
| 3. Growth parameters of <i>Artocarpus lakoocha</i> with 12 treatments | 56 |
| 4. Growth parameters of <i>Balakata baccata</i> with 12 treatments | 57 |
| 5. Growth parameters of <i>Horsfieldia thorelii</i> with 12 treatments | 58 |
| 6. Average growth parameters for all study species of with 12 treatments | 59 |
| 7. Growth parameters of <i>Artocarpus lakoocha</i> in different types of block, container, root pruning and fertilization | 60 |
| 8. Growth parameters of <i>Balakata baccata</i> in different types of block, container, root pruning and fertilization | 61 |
| 9. Growth parameters of <i>Horsfieldia thorelii</i> in different types of block, container, root pruning and fertilization | 62 |
| 10. Average growth parameters of all species in different types of block, container, root pruning and fertilizer | 63 |
| 11. Mean of root score (characteristic) in different treatment of <i>Artocarpus lakoocha</i> | 64 |
| 12. Mean of root score (characteristic) in different treatment of <i>Balakata baccata</i> | 65 |
| 13. Mean of root score (gcharacteristic) in different treatment of <i>Horsfieldia thorelii</i> | 66 |

| Table | Page |
|--|------|
| 14. Seedling Quality Index (SQI) of <i>Artocarpus lakoocha</i> Roxb | 67 |
| 15. Seedling Quality Index (SQI) of <i>Balakata baccata</i> (Roxb.) Ess. | 68 |
| 16. Seedling Quality Index (SQI) of <i>Horsfieldia thorelii</i> Lec. | 69 |
| 17. Total Seedling Quality Index (SQI) for cross over three species | 70 |
| 18. Benefit Value (SQI/Cost) of <i>Artocarpus lakoocha</i> , <i>Balakata baccata</i> and <i>Horsfieldia thorelii</i> | 71 |

LIST OF FIGURES

| Figure | Page |
|---|------|
| 1. Average monthly temperature and rainfall at Chang Khain Station | 4 |
| 2. A good root system | 11 |
| 3. Deformed root by poor pricking out | 12 |
| 4. Deformed root by poor pricking out | 12 |
| 5. A spiraled root system | 13 |
| 6. Seeds and seedlings of <i>Artocarpus lakoocha</i> Roxb. 1, 3, 5, 12 days after germination | 31 |
| 7. Seedling of <i>Artocarpus lakoocha</i> Roxb. 12 months after germination | 31 |
| 8. Seeds and seedlings of <i>Balakata baccata</i> (Roxb.) Ess. 1, 2, 4, 5, 7, 10 days after germination | 32 |
| 9. Seedling <i>Balakata baccata</i> (Roxb.) Ess. 2 months after germination | 32 |
| 10. Capsule and seeds of <i>Horsfieldia thorelli</i> Lec. | 33 |
| 11. Seedling of <i>Horsfieldia thorelli</i> Lec. 12 months after germination | 33 |
| 12. Left: plastic bags 3 x 7 in, right: 2.5 x 9 in | 34 |
| 13. JICA (REX) tray | 34 |
| 14. Experiment design was randomized block in FORRU nursery | 35 |
| 15. Various stage of <i>Artocarpus lakoocha</i> Roxb. seedlings | 46 |
| 16. Various stage of <i>Balakata baccata</i> (Roxb.) Ess. seedlings | 47 |
| 17. Various stage of <i>Horsfieldia thorelli</i> Lec. seedlings | 48 |
| 18. Relative Growth Rate (RGR) of basal diameter and height (percent per year) of <i>Artocarpus lakoocha</i> | 49 |

| Figure | Page |
|--|------|
| 19. Final basal diameter of <i>Artocarpus lakoocha</i> | 49 |
| 20. Final height of <i>Artocarpus lakoocha</i> | 49 |
| 21. Shoot/root ratio of <i>Artocarpus lakoocha</i> | 49 |
| 22. Relative Growth Rate (RGR) of basal diameter and height (percent per year) of <i>Balakata baccata</i> | 50 |
| 23. Final basal diameter of <i>Balakata baccata</i> | 50 |
| 24. Final height of <i>Balakata baccata</i> | 50 |
| 25. Shoot/root ratio of <i>Balakata baccata</i> | 50 |
| 26. Relative Growth Rate (RGR) of basal diameter and height (percent per year) of <i>Horsfieldia thorelli</i> | 51 |
| 27. Final basal diameter of <i>Horsfieldia thorelli</i> | 51 |
| 28. Final height of <i>Horsfieldia thorelli</i> | 51 |
| 29. Shoot/root ratio of <i>Horsfieldia thorelli</i> | 51 |
| 30. Root score 1 | 52 |
| 31. Root score 2 | 52 |
| 32. Root score 3 | 53 |
| 33. Root score 4 | 53 |
| 34. Root score 5 | 54 |
| 35. Root score 6 | 54 |
| 36. Damping off in <i>Balakata baccata</i> (Roxb.) Ess. | 75 |
| 37. Caterpillar in <i>Balakata baccata</i> (Roxb.) Ess. | 75 |

LIST OF APPENDICES

| Appendix | Page |
|---|-------------|
| 1. ANOVA analysis | 85 |
| 2. Number and percent of root score | 105 |
| 3. Production cost analysis per seedling per season | 106 |
| 4. RGR curve in which the percentage growth per year is graphed against age days | 112 |