

**OPTIMIZATION OF SOLID PHASE MICROEXTRACTION
TECHNIQUE FOR THE DETERMINATION OF BTEX
COMPOUNDS IN REAL SAMPLES**

KUNTIMA SARAUBON

**A THESIS SUBMITTED TO THE GRADUATE SCHOOL IN
PARTIAL FULFILMENT OF THE REQUIREMENTS
FOR THE DEGREE OF
MASTER OF SCIENCE
IN CHEMISTRY**

**GRADUATE SCHOOL
CHIANG MAI UNIVERSITY
OCTOBER 2001**

**OPTIMIZATION OF SOLID PHASE MICROEXTRACTION
TECHNIQUE FOR THE DETERMINATION OF BTEX
COMPOUNDS IN REAL SAMPLES**

KUNTIMA SARAUBON

THIS THESIS HAS BEEN APPROVED
TO BE A PARTIAL FULFILMENT OF THE REQUIREMENTS
FOR THE DEGREE OF MASTER OF SCIENCE
IN CHEMISTRY

EXAMINING COMMITTEE

M. Rayanakorn

CHAIRMAN

Asst. Prof. Dr. Mongkon Rayanakorn

Y. Vaneesorn

MEMBER

Asst. Prof. Dr. Yuthsak Vaneesorn

S. Wangkarn

MEMBER

Dr. Sunanta Wangkarn

22 October 2001

ACKNOWLEDGEMENTS

The author wishes to express her sincere thanks and profound appreciation to her supervisor, Asst. Prof. Dr. Mongkon Rayanakorn, for his invaluable guidance, kind supervision and constant encouragement throughout this research work. The author also would like to extend her sincere thanks to the following:

To Mr. Pisan Kitsawatpaiboon, for his kind and helpful suggestion on GC, GC-MS and admirable service throughout this research work.

To Mr. Visut Chimakrin, Managing Director of Combination Ltd. Part., Bangkok, Thailand, for the generous loan of the SPME assembly which enabled the author to pursue this research to a success.

To Dr. Ponlayuth Sooksamiti, of the Mineral Resources Region 3 (Chiang Mai), for the Milli-Q water supply.

To Miss Jaruan Viriyahirunpiboon, Head of Toxicology Section, Regional Medical Sciences Center, Chiang Mai, for her helpful guidance and constant encouragement.

To Asst. Prof. Dr. Yuthsak Vaneesorn, Assoc. Prof. Dr. Kate Grudpan and Dr. Sunanta Wangkarn, for their helpful advice.

To Mrs. Subharat Thampitak, Miss Anongphan Junkuy and Asst. Prof. Dr. Werawan Ruangyuttikarn, Division of Toxicology, Department of Forensic Medicine, Faculty of Medicine, Chiang Mai University, for their helpful suggestion and encouragement throughout this research.

To Assoc. Prof. Dr. Pintip Ruenwongsa and Assoc. Prof. Dr. Bhinyo Panijphan, Department of Biochemistry, Faculty of Science, Mahidol University, for their useful suggestion.

To all of the author's friends at Chiang Mai University, for their help and encouragement in the laboratory and during the thesis preparation.

To the Chemistry Department of Chiang Mai University, the author is grateful for giving her an opportunity to pursue this research to a success.

The author would like to acknowledge the Postgraduate Education and Research Program in Chemistry (PERCH) and Dr. Bruno Werdelman Foundation for their contribution.

Finally, and most of all, the author would like to express her profound gratitude to her parents and also to her sister and brothers for their tender love, care, continual support understanding and endless encouragement.

Kuntima Saraubon

October 2001

มหาวิทยาลัยเชียงใหม่
Chiang Mai University