

REFERENCES

- Andrejko, M.J., Raymond Jr., R. and Cohen , A.D., 1983, Biogenic silica in peats : possible source chertfication in lignites, In : R. Raymond and M. Audrejko (eds.), Mineral matter in peat, its occurrence, form and distribution. Los Alamos National Laboratory, LA-9907-OBES, Los Alamos, New Mexico, p. 235-242.
- Barr, S.M., and MacDonald , A.L., 1981, Geochemistry and geochronology of late Cenozoic basalt's of southeast Asia : Summary. Geol. Soc. Amer. Bull., Part 1 , vol.92, p. 508-512.
- Brown, G.F., Buravas. S., Charaljavanaphet. J., Jalichandra, N., Johnston, W.D., Sresthaputra,V. and Taylor, G.G., 1951, Geological reconnaissance of the mineral deposits of Thailand U.S. Geol. Surv. Bull. 984, 183 pp.
- BS 1016, 1973, British Standards Institution, Methods for The Analysis and Testing of Coal and Coke, 13p.
- Buffetaut, E., Helmcke-Ingavat, R., Jaeger, J-J., Jongkanjanasoontorn, Y., Suteethorn, V. and Tong, H. 1989, Fossil vertebrates and the age of the intermontane basin of Thailand, In : Proc. Int. Symp. on Intermontane Basins : Geology and Resources, Chiang Mai, Thailand, 30 January – 2 February 1989, In : Thanasuthipitak, T. and Onchanum, P. (eds.), Chiang Mai Univ., Dept. of Geol. Sci., Chiang Mai Thailand, p.187-195.
- Bunopas, S., 1981, Palaeogeographic history of western Thailand and adjacent part of S.E.Asia ; A plate tectonics interpretation Geol. Surv. Paper 5, Dept. of Min. Res.,Thailand, 810 p.
- Bunopas S. 1982, Palaeogeographic history of Western Thailand and adjacent part of South-East Asia- A plate tectonics interpretation, Geological Survey paper No.5, Department of Mineral Resources, Thailand, 810 p.
- Burri, P.,1989, Hydrocarbon potential of Tertiary intermontane Basin in Thailand. Key note lecture, In : Thanasuthipitak, T. and Onchanum, P. (eds.), Proceedings of the International Symposium on Intermontane Basins, Geology and Resources. Chiang Mai University, Department of Geological Sciences, Thailand , p. 3-11.

- Bunopas, S., 1992, Regional Stratigraphic correlation in Thailand, Proc. National Conference on 'Geology Resources of Thailand : Potential for Future Development; Piancharoen, C. (ed.), Dept. Min. Res., Bangkok, p. 273-283.
- Casagrande, D.J., Siefert, K., Berschinski, C. and Sutton, N., 1977, Sulfur in peat-forming systems of the Okefenokee swamp and Florida Everglades : Origins of sulfur in coal, *Geochimica et Cosmochimica Acta*, vol. 41, p. 161-167.
- Chaodumrong, P., 1985, Sedimentological of some Tertiary deposits of Mae Moh Basin , Changwat Lampang, unpublished MS. Thesis, Chulalongkorn University, Thailand, 284p.
- Chinbunchorn, N., Pradidtan, S., and Sattayarak, N., 1989, Petroleum Potential of Tertiary Intermontane Basins in Thailand, International Symposium on Intermontane Basins : Geology & Resources Chiang Mai Thailand 30 January – 2 February 1989.
- Corsiri, R. and Crouch, A, 1985, Mae Moh coal deposit : Geological report, vol. 1. Rep., Thailand- Australia Lignite Mines Department Project, Electricity Generating Authority of Thailand, 448p.
- Curtis, C.D., 1983a, Geochemistry of porosity enhancement and reduction clastic Sediments, In : J.Brooks (ed.) Petroleum geochemistry and exploration of Europe. Special Publications of the Geological Society of London 12 , Blackwell Scientific Publications, Oxford, p. 113-125.
- Davis, A., Russell, S.J. Rimmer, S. M., and Yeakel, J/D., 1984, Some genetic implications of silica and aluminosilicates in peat and coal Int. Jour. Coal, Geol, Vol 3. P. 293-314.
- Deer, W.A., Howie, R.A. and Zussman, J., 1964. Rock forming mineral; non silicates, vol. 5 , 341p.
- Deevey., E. S., Jr., N. Nakai, and M. Stuiver, 1963, Fractionation of sulfur and carbon isotopes in a meromictic lake, *Science*, v. 139, p.407-408.
- Ducrog, S., Chaimance, Y., Suteethorn, V., and Jaeger, J.J., 1994, Ages and paleoenvironment of Miocene mammalian faunas from Thailand, *Palaeogeography Palaeoclimatology, Palaeoecology* , vol. 108,p. 149-163.
- Electricity Generating Authority of Thailand, 1996, Mae Moh Coal Deposit, Geological Report, In, W. Sompong, G. M. Springbett and P. R. Evans (eds.), 13-23p.
- Evans, P.R., and Jitapunkul, 1989, Thailand- Australia lignite mines development project Geology of the Mae Moh basin northern Thailand.

- Finkelman, R. B., 1981, Modes of occurrence of trace elements in coal, US.GeoL Sur. Open File Report, 81-99, 301 p.
- Finkelman, R.B. ,1982, Trace and minor elements in coal. In: M.H. Engel and Macko, S.A. (eds.), Plenum Press, New York, p. 593-607.
- Finkelman, R.B., 1993, Trace and minor elements in coal, In: M.H. Engel and Macko, S.A. (eds.), Plenum Press, New York, p. 593-607.
- Fontaine, H., 1986, The Permian of Southeast Asia : CCOP. Tech. Bull., vol. 18
- Gardner, L.S., 1967, The Mae Moh lignite deposit in Northwestern Thailand.Rept. of Invest. No. 12,DMR, 72p.
- Garrels, R. M., and Christ, C. L., 1965, Solutions minerals and equilibria Harper and Row, New York, 450 p.
- Gatinsky., Y. G., Mischina, A. V., Vinogradov, I.V., and Kovalev, A. A., 1978, The main metallogenic belts of Southeast Asia as the result of different geodynamic conditions interference 3rd Reg. Conf. Min. Res. SE Asia p. 313-318.
- Gibling, M.R. and Ratanasthien, B., 1980, Cenozoic basins of Thailand and their coal deposits: a preliminary report. Geol. Soc. Malaysia Bull. 13, p. 27-42.
- Ginsburg, L., 1983, The land vertebrates and plants of the Tertiary of northern Thailand : stratigraphic and tectonic implication, Conference on Geology and Mineral Resources of Thailand, Department of Mineral Resources, Thailand, Bangkok.
- Ginsburg, L., 1989, The fossil mammals of Pong (Phayao) and the age of some intermontane basins of northern Thailand, In: Proc. Int. Symp. On Intermontane Basins: Geology and Resources, Chiang Mai, Thailand, 30 January – 2 February 1989, edited by Thanasuthipitak, T. and Ounchanum, P., Chiang Mai Univ., Dept. of Geol. Sci., Chiang Mai Thailand., p. 196-204.
- Ginsburg, L., and Ukkakimapan, Y., 1983, Un Cervide nouveau du Miocene d' Asie et l'age des lignites des bassins intramontagneux du Nord de la Thailande: C. R. Acad. Sc. Paris, 297, II, p. 297-300
- Ginsburg, L., and Tassy, P., 1985, The fossil mammals and the age of the lignite beds in the intramontane basins of northern Thailand: J. Geol. Soc. Thailand, 8, 1-2, p. 13-27.
- Ginsburg, L., Mein, D. and Thomas, H., 1988, The Miocene of Thailand. Recent contributions to vertebrate palaeontology and stratigraphy: Proceedings of the 2nd International Conference on the Palaeoenvironment of East Asia, vol. 2, p. 897-907.

- Gloe,C., 1955, Report of lignite investigations, Mae Moh basin, Northern Thailand, Thai Lignite Thermal Power Organisation,Bangkok, ,unpublished 40 p.
- Gluskoter, H.J., 1975, Mineral matter and trace elements in coal, In: S.P. Babu (ed.), Trace elements in fuel: American Chemical Society, Washington, D.C., Advances in Chemistry Series no. 141, p.1-22.
- Gluskoter, H.J., Ruch, R.R., Miller, W.G., Cahill, R.A. Dreher, G.B. and Kuhn, J.K., 1977, Trace elements in coal, occurrence and distribution. Illinois State Geological Survey Circular, 499, 154p.
- Goldschmidt, V. M., 1935, Rare elements in coal ashes: Industrial and Engineering Chemistry, vol. 27, no. 9, p. 1100-1102.
- Goodarzi, F., 1987, Concentration of elements in lacustrine coals from Zone A Hat Creek deposit No. 1, British Columbia, Canada, International Journal of Coal Geology, vol. 8, p. 247-268.
- Goodarzi, F., 1988, Elemental distribution in coal seams at the Fording coal mine, British Columbia, Canada. Chem. Geol., vol. 68, p. 129-154.
- Haihong, C., Dobson J., Heller F. and Jie F, 1995, Paleomagnatic evidence for clockwise rotation of the simao region since the Cretaceous: a consequence of India-asia collision, Earth and planetary Science Letters, vol. 134, p. 203-217.
- Harvey, R.D. and Ruch, R.R., 1986, Mineral matter in Illinois and other U.S. coals, inK.S. Vorres (ed.) Mineral Matter and Ash in Coal. A.C.S. Symposium Series 301, p. 10-40.
- Hoefs, J., 1973, Ein Beitrag zur Isotopengeochemie des Kohlenstoffs in magmatischen Gesteinen. Contrib Mineral Petrol, v. 41, p.277-300.
- Hower, J.C., and Bland, A.E., 1989, Geochemistry of the Pond Creek coal bed eastern Kentucky, Int., J., Coal Geol., vol.11, p. 205-226.
- Hower, J.C., Rimmer, S.M., and Bland, A.E., 1991, Geochemistry of the Blue Gem coal bed, Knox county, Kentucky. Int., J., Coal Geol., vol. 18, p. 221-231.
- Huang, K. and Opdyke N., 1993, Paleomagnatic results from Cretaceous and Jurassic rocks from South-West Yunnan: evidence for large clockwise rotations in the indochina and ShanThai-Malay terranes, Earth and Planetary Science Letters, vol. 117, p. 507-524.

- Jitapunkul, S., Charussuriyong, P., Jantanachotivont, S., 1985, Geology of Tertiary Deposits of Mae Moh basin, Proc. Conference on Lignite Industry in Thailand EGAT, Thailand, p. 1/16-16/16.
- Johnson B. D., Powell, C.M. and Veevers, J.J., 1976, Spreading history of the eastern Indian Ocean and Giant India's northward flight from Antarctica and Australia, Geol. Soc. Am. Bull. Vol. 87, p. 1560-1566.
- Kaplan., I. R., K. O. Emery, and S. C. Rittenburg, 1963, The distribution and isotopic abundance of sulfur in recent marine sediments off southern California, Geochim. Cosmochim, Acta, v. 27, p. 297-331.
- Karner, F.R. Schobert, H.H., Falcone, S.K. and Benson, S.A., 1986, Elemental distribution and association with inorganic and organic components in North Dakota lignites, In: K.S. Vorres (ed.) Mineral Matter and Ash in Coal. A.C.S. Symposium Series 301, p. 70-89.
- Krauskopf, K. B., 1967, Introduction to geochemistry, McGraw-Hill Inc., 721 p.
- Kuhn, J.K., Fiene, F.L., Cahill, R.A., Gluskoter, H.J., and Shimp, N.F., 1980, Abundance of trace and minor elements in organic and mineral fractions of coal. Illinois State Geological Survey, Environmental Geology Notes 88, 67p.
- Lyons, P. C., C. A. Palmer, N. H. Bostick, J. D. Fletcher, F. T. Dulong, F. W. Brown, Z. A. Brown, M. R. Krasnow and L. A. Romankiw, 1988, Chemistry and origin of Minor and Trace Elements in Vitrinite Concentrates from a Rank Series from the Eastern United States, England and Australia, International Journal of Coal Geology, 13, p. 481-527.
- Longworth-CMPS Engineering, 1981, Assessment of lignite reserves in the Mae Moh basin for the electricity Generating Authority of Thailand, Appendix vol. 1, 244p.
- Mahatanachai, T., 1996, Floating Rocks Deposited with J-zone Lignite Mae Moh Mine Amphoe Mae Moh Changwat Lampang, Independent study for B.S. Requirement Dept. of Geological Sciences, Faculty of Science, Chiang Mai University, 53p.
- Metcalfe, I., 1993, South-East Asian terranes: Gondwana land origins and evolution, In: Findlay. R. H., Unrug. R., Banks M. R., and Veevers, J. J., (eds.), Gondwana Eight : Assembly, Evolution and Dispersal, Proceedingd of the eighth Gonwana symposium, Hobart, Australia, 21-24 June., p. 181-200.

- Miller, R. N., and Given, P. H., 1986, The association of major, minor and trace inorganic elements with lignites, I., Experimental approach and study of a Northern Dakota lignite, *Geochimica et Cosmochimica Acta*, vol. 50, p. 2033-2043.
- Miller, R.N., Yarzab, R.F. and Given, P.H., 1979, The association of major and trace inorganic elements with lignites, II. Minerals, and major and minor element profiles, in four seams. *Geochemica et Cosmochimica Acta*, vol. 51, p. 1311-1322.
- Mitchell, A. H. G., 1981, Phanerozoic plate boundaries in mainland S.E. Asia, the Himalayas and Tibet *J. Geol. Soc. Lond.* 138, p. 109-122.
- Molnar, P. and Tapponnier, P., 1975, Cenozoic tectonics of Asia, effects of a continental collision *Science*, 189, p. 419-426.
- Mukherjee, K.N., Dutta, N.R., Chandra, D., and Singh, M.P., 1993, Geochemistry of trace elements of Tertiary Coals of India. *Int. J. Coal, Geol.* Vol. 20, p. 99-113.
- Nakai., N., and M. L. Jensen, 1964, The kinetic isotope effect in the bacterial reduction and oxidation of sulfur, *Geochim. Cosmochim. Acta*, v. 28, p. 1893-1912.
- Natasilapa, S. and Sucontanikorn, B., 1979, Lignite (in Thai): Engineering and Argricultural Energy Ann. Conf. Of Royal Energy Soc. of Thailand section 5, 26 pp.
- Palmer, C.A., and Filby, R. H., 1984, Determination of mode of occurrence of trace elements in the Upper Freeport coal bed using size and density separation procedures, International Conference on Coal; Science Proceedings, p. 365-368.
- Piyasin S., 1971, Marine Triassic sediments of northern Thailand. Geological society of Thailand Newsletter, vol. 4, p. 4-6.
- Powell, M.A. Fyfe, W.S., Landsberger, S. Sahu, K.C. and Tripathy, S., 1990, Coal utilization in India, mobilization of selected elements to the surface environment. *Energy Sources*, vol.12, p. 297-314.
- Puchelt, H., Sabels, BR., Hoering, TC., 1971 Preparation of sulfur hexafluoride for isotope geochemical analysis, *Geochim Cosmochim Acta*, v.35, p.625-628.
- Querol, X., Feruandez Turiel, J.L., Lopez Soler, A., and Duran, M.E., 1992, Trace elements in high-S subbituminous coals from the Turel mining district, northeast Spain. *Appl. Geochem.*, vol.7, p.547-561.
- Ratanasthien, B., 1990, Neogene Events Recorded in coalfields in Northern thailand, Proc. Development Geology of Thailand into the Year 2000, Charusiri, P., Pisutha-Arnond, V., and Jarupongsakul, S., (eds.), Dept. geology, Faculty of Science, Chulalongkorn University, Bangkok, p. 462-476.

- Ratanasthien, B, Chompoosri, S., and Mahatthanachai, 1997, Deposition environment of Mae Moh Basin as indicated by coal petrography, The International Conference on Stratigraphy and Tectonic Evolution of Southeast Asia and the South Pacific, Bangkok, Thailand, 19-24 August 1997, p.596-605.
- Ratanasthien, B., and Kandharosa, W., 1986, Pre and Post Depositional Environment in Northern Thailand Tertiary Coal Bearing Formation, Department of Geological Sciences, Faculty of Science, Final Report Submitted to Chiang Mai, 122 p.
- Ratanasthien, B., and Reungwathanasirikul, K., 1987, The effect of depositional environments on the properties of northern Thailand coals: In Thanasuthipitak, P., Editor, Proc. Annual technical Meeting, 1984, The symposium on Cenozoic basin, Thailand Geology and Resources, Special Publication No. 6 Chiang Mai University, p. 81-105.
- Renton J.J., 1982, Mineral matter in coal, In: R. A. Meyers (ed.) Coal structure, Academic Press NY, p. 283-327.
- Ridd. M. F., 1980, Possible Palaeozoic drift of Southeast Asia and Triassic Collision with China J., Geol. Soc. Lond. 137, p. 635-660.
- Rimmer, S. M. and Davis, A., 1986, Geologic controls on the inorganic composition of lower kittanning coal, In: K. s. Vorres (ed.) Mineral Matter and Ash in Coal. A. C. S. Symposium Series, 301, p. 41-52.
- Royal Thai Survey Department, 1983, Topographic map, Changwat Lampang, 1:50000, Series L 7017, sheet 4945IV.
- Ruch, R.R., Gluskoter, H.J., and Shimp, N.F., 1974, occurrence and distribution of potentially volatile trace elements in coal: A final report. Illinois Geological Survey Environmental Geology Note 72, 96p.
- Rui Lin, 1998, Tertiary coals and oil shales in northern Thailand (Li and Mae moh Basins) : with reference to the dual petroleum systems in the Pattani basin, Tertiary Depositional Systems of northern Thailand field trip. P.145-166.
- Sakai, H., 1957, Fractionation of sulfur isotopes in nature, Geochim Cosmochim Acta, v.12, p. 150-169.
- Sawyer, R. K., and Griffin, G. M., 1983, The source and origin of the mineralogy of the northern Florida Everglades, In: R. Raymond and M. Andrejko (eds.), Mineral matter in peat, its occurrence, form and distribution, Los Alamos National Laboratory, LA-9907-OBES, Los Alamos, New Mexico, p. 189-198.

- Sayer, R.K., and Griffin., 1983, The source and origin of the mineralogy of the northern Florida Everglades,: In, R. Raymond and M., Andrejko (eds.), Mineral matter in peat, its occurrence, form and distribution, Los Alamos, National Laboratory, LA-9907-OBES, Los Alamos, New Mexico, p. 189-198.
- Sithiprasasna, D., 1959, Occurrence of Mae Moh Fossils, Department of Mineral Resources, Bangkok, Report of Investigations, vol. 2, p. 29-34.
- Spears, D.A., and Martinez-Tarazona, M. R., 1993, Geochemical and mineralogical characteristics of power station feed coal, Eggborough, England, Int, J. Coal Geol., vol.22 p. 1-20.
- Srinivasan, M. S., 1987, Neogene sequences of Andaman-Nicobar and DSDP Selection in northern Indian Ocean; Their bearing on volcanism Sea floor tectonism and global sea level change: In Tsuchi, R., Editor, Pacific Neogene Event Studies, IGCP 246, Kurofune Printing Co. Ltd., Shizuoka, Japan, p. 94-96.
- Stauffer, P. H., 1983, Unravelling the mosaic of Paleozoic crustal blocks in South-East Asia, Geologisches und Rundschau, vol. 72: p. 1061-1080.
- Swaine, D. J., 1990, Trace elements in Coal, Butterworths, London, 278p
- Tapponier, P., Peltzner, G., Le Dain, A. Y., Armijo, L., and Cobbold, P., 1982, Propagating extrusion tectonics in Asia; New insights from simple experiments with plasticine Geology, vol.10, p. 611-616.
- Taylor, S.R. and McLennen, S.M., 1985, The continental crust: It's composition and evolution. Blankwell Scientific Pub. Oxford, 312p.
- Teichmuller, M., and Teichmuller, R., 1982, Fundamentals of coal petrology In: E. Stach, M-Th., Mackowsky, M. Teichmuller, G. H. Tayler, and D. Chandra, Coal Petrology. R. Gebruder Borntraeger, Berlin-Stuttgart, p. 5-86.
- Thode, H. G., A. G. Harrison., and J. Monster., 1960, Sulfur isotope fractionation in early diagenesis of recent sediments of north-east Venezuela, Bull. Amer. Assoc. Petrol. Geologists, v.44, p.1809-1817.
- Unocal, 1998, Tertiary depositional systems of northern Thailand field trip, In : Greene, L., Solomon, G., Lin, R., and Sindhushen, S. (eds.), 207 p.
- Upchurch, S. B., Strom, R. N., and Andrejko. M. J., 1983, A model for silification in peat-forming environments. In: R. Raymond and M. Andrejko (eds.), Mineral matter in peat, its occurrence, form and distribution. Los Alamos National Laboratory, LA-9907-OBES, Los Alamos, New Mexico, p. 235-242.

- Uttamo, W., 1998, Lithofacies of Mae Moh and Li basins, Northern Thailand. Southeast Asia Research Group, Royal Holloway, University of London.
- Van Der Flier-Keller and Fyfe, W. S., 1987, Geochemistry of two Cretaceous coal-bearing sequences: James Bay Lowlands, northern Ontario and Peace River Basin, north east British Columbia, Can, Jour, Earth Sci., vol. 24, p. 1038-1052.
- Valkovic, V., 1983, Trace Elements in Coal, vol. 2, CRC Press, Boca Renton, Fla, 281p.
- Vinogradov., A.P., V.A., Grinenko., and V.I. Ustinov., 1962, Isotopic composition of sulfur compounds in the black sea, Geokhimiya, v. 10, p. 973-997.
- Von Koenigswald, G. H. R., 1959, A mastodon and other fossil mammals from Thailand. Department of Mineral Resources, Bangkok, Report of Investigations, vol. 2, p. 25-28.
- Ward, C.R., 1980, Mode of occurrence of trace elements in some Australian bituminous coals. Coal Geology, vol.2, p. 77-98.
- Ward, C. R., 1989, Minerals in bituminous coal in the Sydney basin (Australia) and the Illinois basin (U. S. A.), In: P. C. Lyons and B. Alpern (eds.), Coal, mineralogy, classification, coalification, trace-element chemistry and oil and gas potential, Int. J. Coal Geol., vol. 13, p. 455-479.
- Ward, C. R., 1991, Mineral matter in low-rank coals and associated strata of the Mae Moh basin, northern Thailand. Int. J. Coal, Geol., vol. 17, p. 69-93.
- Ward, C. R., and Christie, P. L., 1994, Clays and other minerals in coal seams of the Moura-Baralaba area, Bowen Basin, Australia, Int, Jour. Of coal Geol., vol. 25, p. 287-309.
- Watanasak, M., 1988, Mid-Tertiary palynology of onshore and offshore Thailand: University of Adelaide, Australia, Ph. D. Thesis.
- Watanasak, M., 1989, Palynological zonation of Mid-Tertiary intermontane basins in northern Thailand. Proc. Int. Symp. On Intermontane Basins: Geology and resources (T. Thanasuthipitak and P. Ounchanum, eds.), Chiang Mai University. p. 216-225.
- Wielchowsky, C. C., and Young, J. D., 1985, Regional facies variations in Permian rocks of the Phetchabun fold and thrust belt, Thailand Proc. Conf. Geol. Geol. Min. Res. Dev. Thailand, Khon Kaen, p. 41-55.
- Yang, Z., and Besse, J., 1993, Paleomagnetic study of Permian and Mesozoic sedimentary rocks from Northern Thailand supports the extrusion model for Indochina, Earth and Planetary Science Letters, vol.117, p. 525-552.

Yang, Z., and Besse, J., 1993, Paleomagnetic study of Permian and Mesozoic sedimentary rocks from northern Thailand supports the extrusion model for Indochina, Earth and Planetary Science Letters, 117, p. 525-552.