

## REFERENCES

1. กองวางแผนทรัพยากรมนุษย์. (2543). การคาดประมาณประชากรของประเทศไทย 2523-2558. กรุงเทพฯ: สำนักงานคณะกรรมการพัฒนาเศรษฐกิจและสังคมแห่งชาติ.
2. สำนักงานสถิติแห่งชาติ. (2540). รายงานสถิติประจำปี ปั้งหวัดเชียงใหม่. กรุงเทพฯ: สำนักนายกรัฐมนตรี.
3. Bunker, V.W. (1992). Free radicals, antioxidants and aging. *Med. Lab. Scien.*, 49, 299- 312.
4. Halliwell, B. and Gutteridge, J.M.C. (1999). *Free radical in biology and medicine*. 3<sup>rd</sup> ed. New York: Oxford University Press Inc.
5. Aruoma, O.I. (1994). Free radicals and antioxidant strategies in sports (review). *J. Nutr. Biochem.*, 5, 370-381.
6. Yu, B.P. (1994). Cellular defense against damage from reactive oxygen species. *Physiol. Rev.*, 24, 139-162.
7. Halliwell, B. (1997). Antioxidants and human disease: a general introduction. *Nutrition Review*, 55, S44- S52.
8. Jenkins, R.R. (1993). Exercise, oxidative stress, and antioxidants: a review. *Int. J. Sport Nutr.*, 3, 356-375.
9. Traber, M.G., Serbinova, E.A. and Packer, L. (1999). Biological activity of tocotrienols and tocopherol, in L. Packer, M. Hiramatsu, T.Yeshikava (Ed.), *Antioxidant food supplements in human health*. (pp.55–67), Philadelphia: Academic Press.

10. Horwitt, M.K. (1986). Interpretations of requirements for thiamin, riboflavin, niacin-tryptophan, and vitamin E plus comments on balance studies and vitamin B6. *Am. J. Clin. Nutr.*, 44, 973-985.
11. Kanter, M.M. (1994). Free radicals, Exercise, and antioxidant supplementation. *Int. J. Sport Nutr.*, 4, 205-220.
12. Kanter, M.M., Nolte, L.A., and Holloszy, J. O. (1978). Effect of an antioxidant vitamin mixture on lipid peroxidation at rest and post exercise. *J. Appl. Physiol.*, 74, 965-969.
13. Kim, J.D., Yu, B.p., McCarter, R.J.M., Lee, S.Y., and, Herlihy, T. (1996). Exercise and diet moderate cardiac lipid peroxidation and antioxidant defenses. *Free. Radic. Biolo. Med.*, 20, 83-88.
13. Kanter, M.M., Hamlin, R.L., Unverferth, D.V., Davis, H.W., and McRoly, A.J. (1985). Effect of exercise training on antioxidant enzymes and cardiotoxicity of doxorubicin. *J. Apply. Physiol.*, 59, 1298-1303.
15. Davice, K.J.A. (1995). Oxidative stress: the paradox of aerobic life. in C. Rice Evans (Ed.), *Free radicals and oxidative stress: environment and food additives* ( pp. 1-25), London: Port land Press.
16. Kretzschmar, M., Muller, D., Hubscher, J., Marin, E., and Klinger, W. (1991). Influences of aging, training an acute physical exercise on plasma glutathione in lipid peroxidase in man. *Int. J. sports Med.*, 12, 281-222.
17. Brites, F.D., Evelson, P.A., Christiansen, M.G., Nicol, M.F., Basilico, M.I., and Wikinski, W.R. (1999). Soccer players under regular training show oxidative stress but an improved plasma antioxidant status. *Clinical Science*, 96, 381-385.

18. Goldfarb, A.H., McIntosh, K.M., Boyer, B.T., and Fatouros, J. (1994). Vitamin E effects on indexes of lipid peroxidation in muscle from DHEA-treated and exercise rats. *J. Appl. Physiol.*, 76, 1630-1635.
19. Dillaed, C.J., Litov, R.E., Savin, W.M., Durnelin, E.E., and Tapple, A.L. L. (1978). Effects of exercise, vitamin E, and ozone on pulmonary function and lipid peroxidation. *J. Appl. Physiol.*, 45, 927-932.
20. Wartanowicz, M., Panczenko - Kresowska, B., Ziemska, S., Kawalska, M., and Okolska, G. (1984). The effect of  $\alpha$ -tocopherol and ascorbic acid on the serum lipid peroxidation level in elderly people. *Ann. Nutr. Metab.*, 28, 186-191.
21. Meydani, M., Evans, W.J., Handelman, G., Biddle, L., Fielding, R.A., Mydani, S.N., et al. (1993). Protective effect of vitamin E on exercise-induced oxidative damage in young and adult. *Am. J. Physiol.*, 264, R992-R998.
22. Mydani, S.N., Meydani, M., Blumberg, J.B., Leka, L.S., Pedrosa, M., and Dimond, R. (1998). Assessment of safety of supplementation with different amount of vitamin E in healthy older adult. *Am. J. Clin. Nutr.*, 68, 311-318.
23. Cannon, J.G., Orencole, S.F., Fielding, R.A., Meydani, M., Meydani, S.N., Fiatavone, M.A., et al. (1990). Acute phase response in exercise: interaction of age and vitamin E on neutrophils and muscle enzyme release. *Am. J. Physiol.*, 259, R1214-R1219.
24. Schwartz, R.S., and Buchner, D.M. (1994). Exercise the elderly: physiologic and function effect. In Hazzard, W.R., Bierman, E.L., Blass, J.P., Ettinger, W.H., and Halter, J.B. (Ed.), *Principles of geriatric medicine and gerontology* (pp.91-113), New York: McGraw-Hill, Inc.

25. McArdle, W.D., Katch, F.T. and Katch, V.L. (2000). *Essentials of exercise physiology*. 2<sup>nd</sup> ed. Philadelphia. Lippincott williams and wilkins.
26. Fleg, J.L., and Lakatta, E.G. (1988). Role of muscle loss in the age-associated reduction in VO<sub>2</sub>max. *J. Appl. Physiol.*, 65, 1147-1151.
27. Rosen, M.J., Sorkin, J.D., Goldberg, A.P., Hagberg, J.M., and Katzel, L.J. (1998). Predictors of age-associated decline in maximal aerobic capacity: a comparison of four statistical models. *J. Appl. Physiol.*, 84, 2163-2170.
28. Rivera, A.M., Pels, A.E., Sady, S.P., Sady, M.A., Cullinane, E.M., and Thompson, P.D. (1989). Physiological factors associated with the lower maximal oxygen consumption of master runners. *J. Appl. Physiol.*, 66, 949-954.
29. Hagberg, J.M., Yerg, J.E., and Seals, D.R. (1988). Pulmonary function in young and older athletes and untrained men. *J. Appl. Physiol.*, 65, 101-105.
30. Lakatta, E.G. (1994). Alterations in circulatory function. In Hazzard, W.R., Bierman, E.L., Blass, J.P., Ettinger, W.H., and Halter, J.B. (Ed.), *Principles of geriatric medicine and gerontology* (pp. 493-508), New York: McGraw-Hill, Inc.
31. Hagberg, J.M., Allen, W.K., Seals, D.R., Hurley, B.F., Ehsani, A.A., and Holloszy, J.O. (1985). A hemodynamic comparison of young and older endurance athletes during exercise. *J. Appl. Physiol.*, 58, 2041-2046.
32. Kuta, I., Parizkova, J., and Dycka, J. (1970). Muscle strength and lean body mass in older men of different physical activity. *J. Appl. Physiol.*, 29, 168-171.
33. Ventidit, P., and DiMeo, S. (1997). Effect of training on antioxidant capacity, tissue damage and endurance of adult male rat. *Int. J. Sports Med.*, 18, 479-592.

34. McArdle, W.D., Katch, F.I., and Katch, V.L. (1991). *Exercise physiology: energy, nutrition and human performance*. London: Leg and Febiger.
35. Parizkova, J., Eiselt, E., Sprynarova, S., and Waehllova, M. (1971). Body composition, aerobic capacity, and density of muscle capillaries in young and old men. *J. Appl. Physiol.*, 31, 323-325.
36. Snead, D.B., Birge, S.J., and Kohrt, W.M. (1993). Age related difference in body composition by hydrodensitometry and dual-energy X-ray absorptiometry. *J. Appl. Physiol.*, 74, 770-775.
37. Lavie, L., Reznick, A.Z., and Gershon, D. (1982). Decreased protein and puromycinyl-peptid degradation in livers of senescent mice. *Biochem. J.*, 202, 47-51.
38. Fielding, R.A., and Meydani, M. (1997). Exercise, free radical generation and aging. *Aging clin. Exp. Res.*, 9, 12-18.
39. Timiras, P.S. (1994). *Physiological basis of aging and geriatrics*. 2<sup>nd</sup> ed. Florida: CRC Press.
40. Kretzschmar, M., Muller, D. (1993). Aging, training and exercise: a review of effect on plasma glutathione and lipid peroxidase. *Sports Med.*, 15, 196-209.
42. Wildman Robert, R.E. and Medeiros, D.M. (2000). *Advance human nutrition*. Florida. CRC Press LCC., 173-177.
43. Cheeseman K.H., and Slater, T.F. (1993). An introduction to free radical biochemistry. *Brit. Med. Bull.*, 49, 481-493.
44. Halliwell, B., and Chirico, S. (1993). Lipid peroxidation: its mechanism, measurement, and significance. *Am. J. Clin. Nutr.*, 57, 715S-725S.
46. Boveris, A., and Chance, B. (1973). The mitochondria generation of hydrogen peroxide. *Biochem. J.*, 134, 707-716.

47. Leibovitz, B.E., and Siegel, B.V. (1980). Aspects of free radical reactions in biological system: Aging. *J. Geront.*, 35, 45-56.
45. Sjoden, B., Westing, Y. H., and Apple, F.S. (1990). Biochemical mechanism for oxygen free radical formation during exercise. *Sports Med.*, 10, 236-254.
48. Halliwell, R., and Gutteridge, J. M. C. (1989). *Free radicals in biology and medicine*, 2<sup>nd</sup> ed. New York : clarendon Press.
49. Mark, D.B., Mark, A.D., Smith, C.M. (1996). Oxygen metabolism and oxygen toxicity, in D.B. Marks, A.D. Marks, and C.M. Smith (Ed.), *Basic medical biochemistry: A clinical approach*. Maryland: Williams and Wilkins, 327-339.
50. Alessio, H.M., and Glodforb, A.H. (1988). Lipid peroxidation and scavenger enzymes during exercise: adaptive response to training. *J. Appl. Physiol.*, 64, 1333-1336.
51. Opie, L.H. (1999). Cell death: Myocardial infarction. in L.H. Opie (Ed.), *the heart: physiology, from cell circulation* (PP.543-561), Philadelphia: Lippincott- Raven.
52. Witztum, J.L. and Steinberg, D. (1991). Role of oxidized low density-lipoprotein in atherogenesis. *J. Clin. Inv.*, 88, 1785-1792.
53. Halliwell, B. (1997). Antioxidant: antioxidants in disease mechanisms and therapy. in B. Halliwell (Ed.), *the basics – what they are and how to evaluate them* (pp. 3-20 ); London: Academic press.
54. Cadena, E. (1997). Basic mechanisms of antioxidant activity. *Bio Fact.*, 4 , 391-397.
55. Sen, C.K. (1995). Oxidants and antioxidant in exercise. *J. Appl. Physiol.*, 79, 675-686.

56. Ji, L. L. (1993). Antioxidant response to exercise and aging. *Med. Sci. Sports Exerc.*, 25, 225-231.
57. Ji, L. L. (1995). Exercise and oxidation stress : Role of the cellular antioxidant system. *Exer. Sport Scie. Rev.*, 23, 135-166.
58. Meister, A., and Anderson, M.E. (1983). Glutathione. *Ann. Rev. Biochem.*, 52, 711-760.
59. Traber, M.G., and Sies, H. (1996). Vitamin E in humans: demand and deliverly. *Ann. Rev. Nutr.*, 16, 321-347.
60. Burton, G.W., and Traber, M.G. (1990). Vitamin E: antioxidant activity, biokinetics, and bioavailability. *Ann. Rev. Nutr.*, 10, 357-382.
61. Abbasi, A. (1998). Nutrition. in D. Katz (Ed.), *Practice of geriatrics* (PP.145-157). Philadelphia: W.B. Saunders Company.
62. Halkerston, Lan, D.K. (1988). Biochemistry. New York: John wiley and son.
63. Mayes, P.A. (2000). Lipids of Physiologic significant. In R.K.Murray, D.K.Granner, P.A.Mayes, and V.W. Rodwell (Ed.), *Harper's Biochemistry* (pp.160-171), New York: McGraw- Hill.
64. Mayes, P.A. (2000). Lipid transport and storage. In R.K. Murray, D.K.Granner, P.A. Mayes, and V.W. Rodwell (Ed.), *Harper's Biochemistry* (pp.160-171), New York: McGraw- Hill.
65. Mayes, P.A. (2000). Cholesterol synthesis, transport and excretion. In R.K. Murray, D.K.Granner, P.A.Mayes, and V.W. Rodwell (Ed.), *Harper's Biochemistry* (pp.160-171), New York: McGraw- Hill.
66. Thompson, P.D., Cullinane, E.M., Sady, S.P., Flynn, M.M., Bernier, D.N., Kantor, M.M., et al. (1987). Modest changes in High-density Lipoprotein concentration and metabolism with prolonged exercise training. *Circulation*, 78, 25-34.

67. Brownell, K.D., Bachorik, P.S., and Aerle, R.S. (1982). Change in plasma lipid and lipoprotein levels in men and women after a program moderate exercise. *Circulation*, 65, 477-484.
68. Huttunen, J.K., Lansimies, E., Voutilainen, E., Ehnholm, C., Hietanen, E., Penttila, J., et. al. (1979). Effect of moderate physical exercise on serum lipoproteins. *Circulation*, 60, 1220-1228.
69. Alessio, H.M., and Blasi, E.R. ( 1997). Physical activity as a natural antioxidant booster and its effect on a healthy life span. *Res.Quar.Exer.Sport.*, 68, 292-302.
70. Paffenbarger, R.S., Wing, A.L., and Hyde, R.T. (1978). Physical activity as an index of heart attack risk in college alumni. *Am.J.Epidemiol.*, 108, 161- 175.
71. Giuliani, A. and Cestaro, B. (1997). Exercise, free radical generation and vitamins. *Eur.J.Cancer.Prev.*, 6 (suppl), S55-S67.
72. Haskell, W.E. and Kiernan, M. (2000). Methodologies issues in, ensuring physical activity and physical fitness when evaluating the role of the dietary supplements for physically active people. *Am.J.clin.Nutr.*, 72 (suppl), 541S-550S.
73. Howley, E.T. and Franks, B.D. (1997). *Health fitness instructor's handbook*. 3<sup>rd</sup> ed. New york: Human kinetics.
74. Stone, W.J. (1987). *Adult fitness program: planing, designing, managing and improving fitness programs*. London: Scott, Foresman and company.
75. Pate, R.R., Blair, S.N., Durstine, J.L., Eddy, D.O., Hanson, P., and Painter, P. (1991). *Guidelines for exercise testing and prescription*. Philadelphia: Lea and Febiger.

76. Tessier, F., Margaritis,I., Richard, M.I., Moynot, C. and Narconnet, P. (1995). Selenium and training effects on the glutathione system and aerobic performance. *Med.Sci.Sports Exer.*, 27, 390-396.
77. American College of Sports Medicine. (1990). The recommended quantity and quality of exercise for developing and maintaining muscular fitness in health adult. *Med. Sci. sports exerc.*, 22, 265-274.
78. Kohrt, W.M., Malley, M.T., Coggan, A.R., Spina, P.T., Ogawa, T., Ehsani, A.A., et al. (1991). Effects of gender, age and fitness level on response of  $\text{VO}_2\text{max}$  to training in 60-71 yr olds. *J. Appl. Physiol.*, 71, 2001-2004.
79. Blumenthal. J.A., Emery, C.F., Madden, D.J., Coleman, R.E., Riddle, M.W., Schnieblok, S., et al. (1991). Effect of exercise training on cardiorespiratory function in men and women > 60 years of age. *Am. J. Cardiol.*, 15, 633-639.
80. Hagberg, J.M., Graves, J.E., Limacher, M., Woods, D.R., Leggett, S.H., Conone, C., et al. (1989). Cardiovascular responses of 70-to79-yr-old men and women to exercise training. *J. Appl. Physiol.*, 66, 2589-2594.
81. Ogawa, T., Spina, R.J., Martin, W.H., Kohrt, W.M. Sohechtman, K.B., Holloszy, J.O., et al. (1992). Effects of aging, sex, and physical training on cardiovascular response to exercise. *Circulation*, 86, 494-503.
82. Sidney, K.H., Shephard, R.J., and Harrison, J.E. ( 1977). Endurance training and body composition of the elderly. *Am. J. Clin. Nutr.*, 30, 326-333.
83. Kohrt, W. M. Obert, K.A., Holloszy, J.O. (1992). Exercise training improve fat distribution in 60- to-70- year- old men and women. *J. Gerontol.*, 47, M99-M55.
84. Sidney, K.H., Shephard, R.J., and Harrison, J.E. ( 1977). Endurance training and body composition of the elderly. *Am. J. Clin. Nutr.*, 30, 326-333.

85. Charette, S.L., McEvoy, L., Pyka, J. Harter, C.S., Guido, D., Wiswell.A., et al. (1991). Muscle hypertrophy response to resistance training in older women. *J. Appl. Physiol.*, 70, 1912-1922.
86. Tracy, B.L., Ivey, F.M., Hurlbut, D., Marttel, G.F., Lemmer, J.T., siegel, E.L., Metter, E.J., et al. (1991). Muscle quality. II. Effects of strength training in 65-to 75-yr-old men and women. *J. Appl. Physiol.*, 86, 195-201.
87. Kennedy, E.T. (1988). Dietary assessment. In P. David (Ed.), *Clinical Nutrition* (PP. 148-164), Missouri: The C.V. Mosby Company.
88. รัตนานปันนท์, วิญญาลัย. (2527) วิธีการประเมินภาวะโภชนาการ. เชียงใหม่ : มหาวิทยาลัยเชียงใหม่
89. Durnin J.V., and Womersley J. (1974). Body fat assessed from total body density and its estimation from skinfold thickness ; measurements on 481 men and women aged from 16 to 72 years. *Br. J. Nutri.*, 32, 77-97.
90. Tiidus , P.M., Pushkarenko, J., and Houston, M.E. (1996). Lack of antioxidant adaptation to short term aerobic training in human muscle. *Am. J. Physiol.*, 271, R832-R836.
91. Papas, M.A. (1996). Determines of antioxidant statutes in human. *Lipid*, 31, 877-882.
92. Miller, N.J., Rice-evans, C., Davis, M.J., Gopinahan, V., and Milner, A. (1993). A novel method for measuring antioxidant capacity and its application to vitamin E (total tocopherol) in serum. *Clin. Chem.*, 10, 1078-1086.
93. ณอนอนันต์กุล, พิวาร. (1991). การปรับวิธีการหา total antioxidant capacity (TAC) เพื่อใช้กับเครื่องเทียบสีธรรมชาติ. ภาคนิพนธ์วิทยาศาสตรบัณฑิต (เทคนิคการแพทย์) มหาวิทยาลัยเชียงใหม่.

94. Santos, M.T., Valler, J., Aznar,J., and Viches. (1980). Determination of plasma malondialdehyde-like material and its clinical application in stoke patients. *J. Clin. Patho.*, 33, 973-976.
95. Martinek, R.G. (1994). Method for the determination of vitamin E (total tocopherol) in serum. *Clin. Chem.*, 10,1078-1086.
96. Chanarat, N., Boonmee, Y., Jitrthai, S., and Haesungchareon. A. (1981). Serum vitamin E. I. A simple method. *Bull. Chiang Mai AMS.*, 14, 89-99.
97. Bejma, J., and Ji, L.L. (1999). Aging and acute exercise enhance free radical generation in rat skeletal muscle. *J. Appl. Physiol.*, 87, 465-470.
98. Higuchi, M., Cartier, L.J., Chen, M., and Holloszy, J.O.(1985). Superoxide dismutase and catalase in skeletal muscle: adaptive response to exercise. *J. Gerontol.*, 40, 281-286.
99. Hammeren, J., Power, S., Lawler, J., Criswell, D., and Martin, D. (1992). Exercise training-induced alterations in skeletal muscle oxidative and antioxidant enzymes activity in senescent rats. *Int. J. Sports Med.*, 13, 412-416.
100. Benzi, G., Panceri, P. deBernardi, M., Villa, R., Arcelli, E., and D'Angelo, L. (1975). Mitochondrial enzymatic adaptation of skeletal muscle to endurance training. *J. Appl. Physiol.*, 38, 565-569.
101. Poehlman, E.T., Arciero, P.J.,and Goran.M.I. (1996). Endurance exercise in aging humans : effects on energy metabolism. *Exer. Sport Scie Rev.*, 24,251-238.
102. Alessio, H.M. (1993). Exercise-indrced oxidative stress. *Med. Sci. Sports Exerc.*, 25, 218-224.
103. Viguie, C.A., Frei, B., Shigenaga, M.K., Ames, B.N., Packer, L., and Brooks, G.A. (1993). Antioxidant status and indexes of oxidative stress during consecutive day of exercise. *J. Appl. Physiol.*, 75, 566-572.

104. Merdith, C.N., Frontera, W.R., Fisher, E.C., Hughes, V.A., Herland, J.C., and Edwards, J. (1989). Peripheral effect of endurance training in young and old subjects. *J. Appl. Physiol.*, 66, 2844-2849.
105. Smith, J.J., and Kampine, J.P. (1990). Physiology of exercise and the effect of aging. In (Ed.), *Circulatory Physiology* (PP. 233-251), Philadelphia : Williams and Wilkins.
106. Scheur, J. (1977). Cardiovascular adaptations to physical training. *Ann. Rev. Physiol.*, 39, 221-51.
107. Seal, D.R., Hagberg, J.M., Hurley, B.F., Ehsani, A.A., and Holloszy, J.O. (1984). Endurance training in older men and women I. Cardiovascular response to exercise. *J. Appl. Physiol.*, 57, 1024-1029.
108. Miller, N.T., Rice-Evans, C., Davies, M.J., Gopinathan, V., and Milner, A. (1993). A novel method for measuring antioxidant capacity and its application to monitoring the antioxidant status in premature neonates. *Clin. Sci.*, 84, 407-412.
109. Kostka, T., Drai, J., Berthouze, S.I., Lacour, J.R., and Bonnefoy, M. (1998). Physical activity, fitness and integrated antioxidant system in healthy active elderly women. *Int. J. Sports Med.*, 19, 462-467.
110. Criswell, D., Powers, S., Dodd, S., Lawler, J., Edwards, W., and Renshler, K. (1993). High intensity training-induced changes in skeletal muscle antioxidant enzyme activity. *Med. Sci. Sport. Exerc.*, 25, 1135-1140.
111. Ji, L. L., Wu, E., and Thomas, D. P. (1991). Effect of exercise training on antioxidant and metabolic function in senescent rat skeletal muscle. *Gerontology*, 37, 317-325.

112. Power, S.K., Criswell, D., Lawler, J., Ji, L.L., Martin, D., Herb, R.A., and Dudley, G. (1994). Influence of exercise and fiber type on antioxidant enzyme activity in rat skeletal muscle. *Am. J. Physiol.*, 266, R375-R380.
113. Somani, S.M., and Husain, K. (1996). Exercise training alters kinetics of antioxidant enzymes in rat tissues. *Biochem. Molecul. Biol. Int.*, 38, 587-595.
114. Laughlin, M.H., Simpson, T., Sexton, W.L., Brown, O.R., Smith, J.K., and Korthuis, R.J. (1990). Skeletal muscle oxidative capacity, antioxidant enzymes, and exercise training. *J. Appl. Physiol.*, 68, 2337-2343.
115. Ji, L.L., and Fu, R. (1992). Responses of glutathione system and antioxidant enzymes to exhaustive exercise and hydroperoxide. *J. Appl. Physiol.*, 72, 549-554.
116. Leeuwenburgh, Chris, Flebig, R., and Ji, L.L. (1994). Aging and exercise training in skeletal muscle: response of glutathione and antioxidant enzyme system. *Am. J. Physiol.*, 267, R439-R445.
117. Robertson, J.D., Maughan, R.J., Duthie, G.G., and Morrice, P.C. (1991). Increased blood antioxidant systems of runners in response to training load. *Clin. Sci.*, 80, 611-618.
118. Kihlstrom, M., Ojala, J., and Salminen, A. (1989). Decreased level of cardiac antioxidants in endurance-trained rats. *Acta Physiol. Scand.*, 135, 549-554.
119. Sumida, S.K., Tanaka, H.K., and Nakadomo, F. (1989). Exercise induced lipid peroxidation and leakage of enzymes before and after vitamin E supplementation. *Int. J. Sport Nutr.*, 4, 205-220.

120. Santos, M.T., Valler, J, Aznar, J., and Viches. (1980). Determination of plasma malondialdehyde-like material and its clinical application in stroke patients. *J. Clin. Pathol.*, 33, 973-976.
121. Robertson, J., Maughan, R., Duthie, G., and Morrice, P. (1991). Increased blood antioxidant systems of runners in response to training load. *Clin. Sci.*, 80, 611-8.
122. Kanter, M.M., Hamlin, R.L., Unverferth, D.V., Davis, H.W., Merola, A.J. (1985). Effect of exercise training on antioxidant enzymes and cardiotoxicity of doxorubicin. *J. Appl. Physiol.*, 59, 1298-1303.
123. Dernbach, A.R., Sherman, W.M., Simonsen, J.C., Flowers, K.M., and Lamb, D.R. (1993). No evidence of oxidant stress during high-intensity rowing training. *J. Appl. Physiol.*, 74, 2140-2145.
124. Salminen, A., and Vihko, V. (1993). Endurance training reduces the susceptibility of muscle skeletal muscles to lipid peroxidation in vitro. *Acta Physiol. Scand.*, 117, 109-113.
125. Harris, E.D. (1992). Regulation of antioxidant enzymes. *FASEB J.*, 6, 2675-2683.
126. Somani, S.M., and Rybak, L.P. (1996). Comparative effects of exercise training on transcription of antioxidant enzymes and the activity in old rat heart. *Ind. J. Physiol. Pharmacol.*, 40, 205-212.
127. Durstine, J.L., and Haskell, W.L. (1994). Effects of exercise training on plasma lipids and lipoproteins. *Exer. Sports Sci. Rev.*, 22, 477-521.
128. Leeuwenburgh, Chris, Flebig, R., and Ji, L.L. (1994). Aging and exercise training in skeletal muscle: response of glutathione and antioxidant enzyme system. *Am.J. Physiol.*, 267, R439-R445.

129. Seals, D.R., Hagberg, J.M., Hurley, B.F., Ehsani, A.A., and Holloszy, J.O. (1984). Effects of endurance training on glucose tolerance and plasma lipid levels in older men and women. *JAMA*, 252, 645-649.
130. Wei, M., Macera, C.A., Hornung, C.A., and Blari, S.N. (1997). Changes in Lipids associated with change in regular exercise in free-living men. *J. Clin. Epidemiol.*, 50, 1137-1142.
131. Hurter, R., Swale, J., Peyman, M.A., and Barnett, C.W.H. (1972). Some immediate and long-term effect of exercise on the plasma lipids. *Lancet*, 30, 671-674.
132. Lawrence, J.D., Bower, R.C., Riehl, W.P., and Smith, J.L. (1975). Effects of  $\alpha$ -tocopherol acetate on the swimming endurance of trained swimmers. *Am. J. Clin. Nutr.*, 28, 205-208.
133. Tiidus , P.M., and Houston, M.E. (1995). Vitamin E status and response to exercise training. *Sports Med.*, 20, 12-23.
134. Tiidus , P.M., and Houston, M.E. (1995). Vitamin E status and response to exercise training. *Sports Med.*, 20, 12-23.
135. Warren, J. A., Jenkins, R.R., Packer, L. Witt, E. H., and Armstrong, R.B. (1992). Elevated muscle vitamin E does not attenuate eccentric exercise-induced muscle injury. *J. Appl. Physiol.*, 72, 2168-2175.
136. Meydani, S.N., Meydani, M., Rall, L.C., Morrow, F. and Blumberg, J.B. (1994). Assessment of safety of high dose, short term supplementation with vitamin E in healthy older adult. *Am. J. Clin. Nutr.*, 60, 704-709.
137. Niki, E., Noguchi, N., Tsuchihashi, H., and Gotoh, N. (1995). Interaction among vitamin C, vitamin E, and  $\beta$ -carotene. *Am. J. Clin. Nutr.*, 62, 1322S-1326S.
138. Sies, H., and Wilhelm, S. (1995). Vitamin E and C,  $\beta$ -carotene, and other carotenoids as antioxidants. *Am. J. Clin. Nutr.*, 62, 1315S-1321S.

139. Kanter, M.M., Nolte, L.A., and Holloszy, J. O. (1993). Effects of an antioxidant vitamin mixtute on lipid peroxidation at rest and postexercise. *J. Appl. Physiol.*, 74, 965-969.