

## REFERENCES

- [1] Arokiarani I., Balachandran K. and Dontchev T., *Some characterizations of gp-irresolute and gp-continuous maps between topological spaces*, Mem. Fac. Sci. Kochi Univ. (Math.) **20** (1999), 93-104.
- [2] Baker C.W., *On preserving g-closed sets*, Kyungpook Math. J. **36** (1996), 195-199.
- [3] Chantamontree S., *Generalization of regular and normal spaces*, Master of thesis, Department of Mathematics, Faculty of Science, Chiang Mai University, 1999.
- [4] Dugundji J., *Topology*, Boston, Allyn Bacon, 1966.
- [5] Noiri T., *Mildly normal space and some function*, Kyungpook Math. J. **36** (1996), 183-190.
- [6] Noiri T., Maki H. and Umehara J., *Generalized preclosed functions*, Mem. Fac. Sci. Kochi Univ. (Math.) **19** (1998), 13-20.
- [7] Palaniappan N. and Rao K.C., *Regular generalized closed set*, Kyungpook Math. J. **33** (1993), 211-219.
- [8] Perrin W. J., *Foundation of general topology*, New York, Academic, Press, 1964.
- [9] Singal M.K. and Singal A.R., *Mildly normal space*, Kyungpook Math. J. **13** (1973), 27-31.
- [10] Willard S., *General topology*, London, Addison-Wesley Publishing Company, 1970.