

REFERENCES

- Aksoy M. Hematotoxicity and carcinogenicity of benzene. *Environ Health Perspect* 1989;82:193-7.
- Alfheim I, Lofroth G, Moller M. Bioassay of extracts of ambient particulate matter. *Environ Health Perspect* 1983;47:227-38.
- Amacher DE, Turner GN. Mutagenic evaluation of carcinogens and non-carcinogens in the L5178Y/TK assay utilizing postmitochondrial fractions (S9) from normal rat liver. *Mutat Res* 1982;97:49-65.
- Ames BN, Mccann J, Yamasaki E. Methods for detecting carcinogens and mutagens with the Salmonella/mammalian-microsome mutagenicity test. *Mutat Res* 1975;31:347-64.
- Atkinson RW, Bremner SA, Anderson HR, Strachan DP, Bland JM, De Leon AP. Short-term associations between emergency hospital admissions for respiratory and cardiovascular disease and outdoor air pollution in London. *Arch Environ Health* 1999;54:398-411.
- Awang MB, Jaafar AB, Abdullah AM, Ismail MB, Hassan MN, Abdullah R, Johan S, Noor H. Air quality in Malaysia: impacts, management issues and future challenges. *Respirology* 2000;5:183-96.
- Bartsch H, Malaveille C, Tierney B, Grover PL, Sims P. The association of bacterial mutagenicity of hydrocarbon-derived 'bay-region' dihydrodiols with the Iball indices for carcinogenicity and with the extents of DNA-binding on mouse skin of the parent hydrocarbons. *Chem Biol Interact* 1979;26:185-96.
- Betti C, Davini T, Giannessi L, Loprieno N, Barale R. Comparative studies by comet test and SCE analysis in human lymphocytes from 200 healthy subjects. *Mutat Res* 1995;343:201-7.

- Boffetta P, Dosemeci M, Gridley G, Bath H, Moradi T, Silverman D. Occupational exposure to diesel engine emissions and risk of cancer in Swedish men and women. *Cancer Causes Control* 2001;12:365-74.
- Buschini A, Cassoni F, Anceschi E, Pasini L, Poli P, Rossi C. Urban airborne particulate: genotoxicity evaluation of different size fractions by mutagenesis tests on microorganisms and comet assay. *Chemosphere* 2001;44:1723-36.
- Claxton LD, Warren S, Zweidinger R, Creason J. A comparative assessment of Boise, Idaho, ambient air fine particle samples using the plate and microsuspension *Salmonella* mutagenicity assays. *Sci Total Environ* 200;275:95-108.
- Clive D, Johnson KO, Spector JF, Batson AG, Brown MM. Validation and characterization of the L5178Y/TK+/- mouse lymphoma mutagen assay system. *Mutat Res* 1979;59:61-108.
- Clive D, Spector JF. Laboratory procedure for assessing specific locus mutations at the TK locus in cultured L5178Y mouse lymphoma cells. *Mutat Res* 1975;31:17-29.
- De Meo M, Laget M, Castegnaro M, Dumenil G. Genotoxic activity of potassium permanganate in acidic solutions. *Mutat Res* 1991;260:295-306.
- Don Porto Carero A, Hoet PH, Verschaeve L, Schoeters G, Nemery B. Genotoxic effects of carbon black particles, diesel exhaust particles, and urban air particulates and their extracts on a human alveolar epithelial cell line (A549) and a human monocytic cell line (THP-1). *Environ Mol Mutagen* 2001;37:155-63.
- Felsenfeld G. Chromatin as an essential part of the transcriptional mechanism. *Nature* 1992;355:219-24.

- Frank EG and Perry JJ. Introduction to Environmental Toxicology. Chapter 29, Elsevier North Holland, Inc;1980. p. 376-7.
- Fukuhara K, Miyata N. Chemical oxidation of nitrated polycyclic aromatic hydrocarbons: hydroxylation with superoxide anion radical. *Chem Res Toxicol* 1995;8:27-33.
- Meltzer EO. Air pollution. In: Nasptiz C.K. and D.G. Tinkelman, eds. Childhood rhinitis and sinusitis pathophysiology and treatment. New York:Maecle Dekker Inc; 1991. p.65.
- Garshick E, Schenker MB, Munoz A, Segal M, Smith TJ, Woskie SR, Hammond SK, Speizer FE. A retrospective cohort study of lung cancer and diesel exhaust exposure in railroad workers. *Am Rev Respir Dis* 1988;137:820-5.
- Gavett SH, Madison SL, Stevens MA, Costa DL. Residual oil fly ash amplifies allergic cytokines, airway responsiveness, and inflammation in mice. *Am J Respir Crit Care Med* 1999;160:1897-904.
- Gibson TL. Sources of direct-acting nitroarene mutagens in airborne particulate matter. *Mutat Res* 1983;122:115-21.
- Gil L, Adonis M, Caceres D, Moreno G. Impact of outdoor pollution on indoor air quality. The case of downtown Santiago (Chile). *Rev Med Chil* 1995;123:411-25.
- Gluck U, Gebbers JO. The comet assay of nasal epithelia: measurement of DNA damage for the assessment of genotoxic air pollution. *Laryngoscope* 2000;110:123-5.
- Guo YL, Lin YC, Sung FC, Huang SL, Ko YC, Lai JS, Su HJ, Shaw CK, Lin RS, Dockery DW. Climate, traffic-related air pollutants, and asthma prevalence in middle-school children in taiwan. *Environ Health Perspect* 1999;107:1001-6.

- Hajat S, Haines A, Goubet SA, Atkinson RW, Anderson HR. Association of air pollution with daily GP consultations for asthma and other lower respiratory conditions in London. *Thorax* 1999;54:597-605.
- Hartmann A, Bojar H, Zamboglou N, Pape H, Schnabel T, Schmitt G. The significance of clinical prodromes for dosage estimation after whole-body radiation exposure. *Strahlenther Onkol* 1994;170:538-44.
- Hong YC, Leem JH, Ha EH, Christiani DC. PM(10) exposure, gaseous pollutants, and daily mortality in Inchon, South Korea. *Environ Health Perspect* 1999;107:873-8.
- Hsiao WL, Mo ZY, Fang M, Shi XM, Wang F. Cytotoxicity of PM(2.5) and PM (2.5--10) ambient air pollutants assessed by the MTT and the Comet assays. *Mutat Res* 2000;471:45-55.
- Hueper WC, Kolin P, Tabor EC, Payne W, Falk HL, Sawicki E. Carcinogenic bioassays on air pollutants. *Arch Perspect* 1965;74:89-116.
- Huff JE, Haseman JK, DeMarini DM, Eustis S, Maronpot RR, Peters AC, Persing RL, Chrisp CE, Jacobs AC. Multiple-site carcinogenicity of benzene in Fischer 344 rats and B6C3F1 mice. *Environ Health Perspect* 1989;82:125-63.
- IARC. Evaluation of carcinogenic risk to humans. Diesel and gasoline engine exhausts and some nitroarenes. Vol 46 Lyon, France, 1989.
- Ishii S, Hisamatsu Y, Inazu K, Aika K. Environmental occurrence of nitrotriphenylene observed in airborne particulate matter. *Chemosphere* 2001;44:681-90.
- Kamens R. Particle concentration spread sheet of Quattro-Pro for Windows Version 6. Department of Environmental Sciences and Engineering. University of North Carolina at Chapel Hill, USA 1994.

- Kamens RM, Jaoui M. Modeling aerosol formation from alpha-pinene + NO_x in the presence of natural sunlight using gas-phase kinetics and gas-particle partitioning theory. *Environ Sci Technol* 2000;35:1394-405.
- Lewis C, Baumgardner R, Claxton L, Lewtas J, Stevens R. The contribution of woodsmoke and motor vehicle emissions to ambient aerosol mutagenicity. *Environ. Sci. Technol* 1988;22:968-971.
- Lofroth G, Stensman C, Brandhorst-Satzkorn M. Indoor sources of mutagenic aerosol particulate matter: smoking, cooking and incense burning. *Mutat Res* 1991;261:21-8.
- Marino F, Cecinato A, Siskos PA. Nitro-PAH in ambient particulate matter in the atmosphere of Athens. *Chemosphere* 2000;40:533-7.
- Martin N, Changwaitit W, Srisukho S, Trakultivakorn H, Sumitswan S, Suttajit M. Population-based cancer incidence and mortality rate in Chiang Mai Province during five years, 1983-1987. *Cancer Review* 1991;1:3-10.
- McCarthy PJ, Sweetman SF, McKenna PG, McKelvey-Martin VJ. Evaluation of manual and image analysis quantification of DNA damage in the alkaline comet assay. *Mutagenesis* 1997;12:209-14.
- Monarca S, Feretti D, Zanardini A, Moretti M, Villarini M, Spiegelhalder B, Zerbini I, Gelatti U, Lebbolo E. Monitoring airborne genotoxicants in the rubber industry using genotoxicity tests and chemical analyses. *Mutat Res* 2001;490:159-69.
- Mutsushima T, Sugimura T, Nagao T, Shirai A, Sawamura M. Factors modulating mutagenicity in microbial test. In K.H. Norpoth and R.C. Garner (eds). *Short-term testing system for detecting mutagens and carcinogens*. Springer, Berlin; 1980. p.237-285.

- Mutsushima T. Utility and application of short-term mutation assay for prediction of carcinogens. Environmental mutagens, carcinogens and teratogens: principle and short-term assays. Thai Environmental Mutagen Society; 1991. p.105-111.
- Olive PL, Banath JP, Fjell CD. DNA strand breakage and DNA structure influence staining with propidium iodide using the alkaline comet assay. *Cytometry* 1994;16:305-12.
- Olive PL, Banath JP. Detection of DNA double-strand breaks through the cell cycle after exposure to X-rays, bleomycin, etoposide and 125I-dUrd. *Int J Radiat Biol* 1993a;64:349-58.
- Olive PL, Banath JP. Induction and rejoining of radiation-induced DNA single-strand breaks: "tail moment" as a function of position in the cell cycle. *Mutat Res* 1993b;294:275-83.
- Ostling O, Johanson KJ. Microelectrophoretic study of radiation-induced DNA damages in individual mammalian cells. *Biochem Biophys Res Commun* 1984;123:291-8.
- Pankow D, Damme B, Schror K. Acetylsalicylic acid--inducer of cytochrome P-450 2E1. *Arch Toxicol* 1994;68:261-5.
- Paranjape SM, Kamakaka RT, Kadonaga JT. Role of chromatin structure in the regulation of transcription by RNA polymerase II. *Annu Rev Biochem* 1994;63:265-97.
- Particia EL. Introduction to Biochemical Toxicology. Chapter 10, Reactive Matabolites and Toxicity, 1994. p. 219.
- Perera FP, Jedrychowski W, Rauh V, Whyatt RM. Molecular epidemiologic research on the effects of environmental pollutants on the fetus. *Environ Health Perspect* 1999;107:451-60.

- Peters A, Liu E, Verrier RL, Schwartz J, Gold DR, Mittleman M, Baliff J, Oh JA, Allen G, Monahan K, Dockery DW. Air pollution and incidence of cardiac arrhythmia. *Epidemiology* 2000;11:11-7.
- Puaninta C, Mevatee U, Vinitketkumnuen U, Suthakon N, Aungsuchawan S, Bumroongkit K. Effect of lanate, tamaron and furadan on human DNA as evaluated of chromosome aberration and Comet assay. Poster P-03 at the 1st ASEAN conference on medical science. Kota Bharu, Kelantan, Malaysia, May 18-21, 2001.
- Qian Z, Zhang J, Wei F, Wilson WE, Chapman RS. Long-term ambient air pollution levels in four Chinese cities: inter-city and intra-city concentration gradients for epidemiological studies. *J Expo Anal Environ Epidemiol* 2001;11:341-51.
- Reist, P. C., Aerosol Science and Technology, 2nd Ed. McGraw Hill. Inc., New York; 1993. p.91-104.
- Samet JM, Zeger SL, Dominici F, Curriero F, Coursac I, Dockery DW, Schwartz J, Zanobetti A. The National Morbidity, Mortality, and Air Pollution Study. Part II: Morbidity and mortality from air pollution in the United States. *Res Rep Health Eff Inst* 2000;94:5-70.
- Schwartz J, Neas LM. Fine particles are more strongly associated than coarse particles with acute respiratory health effects in schoolchildren. *Epidemiology* 2000;11:6-10.
- Shinkura R, Fujiyama C, Akiba S. Relationship between ambient sulfur dioxide levels and neonatal mortality near the Mt. Sakurajima volcano in Japan. *J Epidemiol* 1999;9:344-9.
- Singh NP, Danner DB, Tice RR, Brant L, Schneider EL. DNA damage and repair with age in individual human lymphocytes. *Mutat Res* 1990;237:123-30.

- Singh NP, Danner DB, Tice RR, Pearson JD, Brant LJ, Morrell CH, Schneider EL. Basal DNA damage in individual human lymphocytes with age. *Mutat Res* 1991;256:1-6.
- Sram RJ, Binkova B, Rossner P, Rubes J, Topinka J, Dejmeek J. Adverse reproductive outcomes from exposure to environmental mutagens. *Mutat Res* 1999;428:203-15.
- Takafuji S, Suzuki S, Koizumi K, Tadokoro K, Ohashi H, Muranaka M, Miyamoto T. Enhancing effect of suspended particulate matter on the IgE antibody production in mice. *Int Arch Allergy Appl Immunol* 1989;90:1-7.
- Takenaka H, Zhang K, Diaz-Sanchez D, Tsien A, Saxon A. Enhanced human IgE production results from exposure to the aromatic hydrocarbons from diesel exhaust: direct effects on B-cell IgE production. *J Allergy Clin Immunol* 1995;95:103-15.
- Trosic I, Brumen V, Horvat D. In vitro assessment of asbestos fibers genotoxicity. *Zentralbl Hyg Umweltmed* 1997;199:558-67.
- Tsai FC, Smith KR, Vichit-Vadakan N, Ostro BD, Chestnut LG, Kungskulniti N. Indoor/outdoor PM10 and PM2.5 in Bangkok, Thailand. *J Expo Anal Environ Epidemiol* 2000;10:15-26.
- Tuo J, Loft S, Thomsen MS, Poulsen HE. Benzene-induced genotoxicity in mice in vivo detected by the alkaline comet assay: reduction by CYP2E1 inhibition. *Mutat Res* 1996;368:213-9.
- Turner KJ. Epidemiology of the allergic response. *Ciba Found Symp* 1989;147:205-22.
- USEPA. PM2.5 General Information. Office of Air Quality Planning and Standards, USEPA 1998.
- USEPA. Standard method 3550, USEPA 1996.

USEPA. Table AIII.2 Particulate Matter, USEPA 2000.

Villarini M, Moretti M, Pasquini R, Scassellati-Sforzolini G, Fatigoni C, Marcarelli M, Monarca S, Rodriguez AV. In vitro genotoxic effects of the insecticide deltamethrin in human peripheral blood leukocytes: DNA damage ('comet' assay) in relation to the induction of sister-chromatid exchanges and micronuclei. *Toxicology* 1998;130:129-39.

Wei YH, Chang KT, Chiang PC, Chang SC. Analysis and tracing of polycyclic aromatic hydrocarbons and mutagenicity of airborne particulates from the Taipei area. *Proc Natl Sci Counc Repub China B* 1991;15:53-62.

Wordley J, Walters S, Ayres JG. Short term variations in hospital admissions and mortality and particulate air pollution. *Occup Environ Med* 1997;54:108-16.

Yakiashi K. The characteristic and the usage of various short-term test systems. *Environmental mutagens, carcinogens and teratogens: principle and short-term assays*. Thai Environmental Mutagen Society; 1991. p.40-59.

Yamazaki H, Hatanaka N, Kizu R, Hayakawa K, Shimada N, Guengerich FP, Nakajima M, Yokoi T. Bioactivation of diesel exhaust particle extracts and their major nitrated polycyclic aromatic hydrocarbon components, 1-nitropyrene and dinitropyrenes, by human cytochromes P450 1A1, 1A2, and 1B1. *Mutat Res.* 2000;472:129-38.

Zhang R. Polycyclic aromatic hydrocarbons and mutagenicity of airborne particulate in Chiang Mai. M.S. thesis, Graduate school, Chiang Mai University 1996.