

REFERENCES

- Assouline-Cohen, M., and Beitner, R. (1999) Effects of Ca^{2+} on erythrocyte membrane skeleton-bound phosphofructokinases, ATP levels and hemolysis. *Mol Genet Metab.* 66(1), 56-61.
- Appenzeller, O., and Atkinson, R.R. (1983) *Sport medicine (2nd ed)*. Urban & Schwarzenberg, U.S.A.
- Arnone, A. (1972) X-ray diffraction study of binding of 2,3-Bisphosphoglycerate to human deoxyhemoglobin. *Nature.* 237, 148-150.
- Austin, P. L., Stegink, L. D., Gisolfi, C. V., and Lause, R. M. (1973) The effect of exercise on red blood cell 2,3-diphosphoglycerate in children. *J pediatrics.* 83(1), 41-45.
- Awan, M. M., and Saggerson, E. D. (1993) Malonyl CoA metabolism in cardiac myocytes and its relevance to the control of fatty acid oxidation. *Biochem J.* 295, 61-66.
- Banister, E. W., Griffiths, J., and Licorisk, K. (1972) Blood levels of adrenergic amine during exercise. *J Appl Physiol.* 33, 674-676.
- Bauer, J.D. (1982) *Clinical laboratory methods: Carbohydrates and nitrogen compounds (9th ed.)*. CV Mosby, U.S.A.
- Benesch, R., and Benesch, R.E. (1967) The effect of organic phosphates from the human erythrocyte on the allosteric properties of hemoglobin. *Biochem Biophys Res Commun.* 26, 162-164.
- Benesch, R., and Benesch, R. E. (1969) Intracellular organic phosphates as regulators of oxygen release by hemoglobin. *Nature.* 221, 618-622.
- Benesch, R., and Benesch, R.E. (1974) Homos and Heteros among the hemoglobins: Interaction of two unlike subunits is essential for physiological competence in hemoglobins. *Science.* 185 (4155), 905-908.
- Beulter, E., Forman, L., and West, C. (1987) Effect of oxalate and malonate on red cell metabolism. *Blood.* 70(5), 1389-1393.

- Bonner, H.W., Tate, C.A., and Buffington, C.K. (1975) Changes in erythrocyte 2,3-diphosphoglycerate in women following short-term maximal exercise. *Eur J Appl Physiol Occup Physiol.* 34 (4), 227-232.
- Bove, A. A., and Lowenthal, D. T. (1983) Exercise Medicine: Energy metabolism. Academic press Co., Ltd. U.S.A.
- Brooks, G. A., and Mercier. (1994) Balance of carbohydrate and lipid utilization during exercise: the "crossover concept". *J Appl Physiol.* 76, 2253-2261.
- Brown, B.A. (1988) *Hematology: Principles and procedures (5th ed.)*. Lea & Febbiger Philadelphia. U.S.A.
- Buc, H., Demangre, F., and Leroux, J.P. (1978) The kinetic effects of oxalate on liver and erythrocyte pyruvate kinase. *Biochem Biophys Res Commun.* 85, 774.
- Bunn, H.F., Forget, B.G., and Ranney, H.M. (1977) *Human hemoglobin*. Saunders, Philadelphia.
- Butler, E. (1978) *Hemolytic anemia in disorder of red cell metabolism; The red cell*. Plenum Publishing Corporation, U.S.A.
- Chan, A. Y. W., Ho, C. S., Chan, T. Y. K., and Swaminathan, R. (1992) D-mannose as a preservative of glucose in blood samples. *Clin Chem.* 38(3), 411-413.
- Chanutin, A., and Curnish, R. R. (1967) Effect of organic and inorganic phosphate on the equilibrium of human erythrocytes. *Arch Biochem Biophys.* 121, 96-101.
- Chiba, H., Sugimoto, E., Ikura, and Sasaki, R. (1975) Purification of Bisphosphoglyceromutase, 2,3-Bisphosphoglycerate phosphatase and phosphoglycerate mutase from human erythrocytes. *Eur J Biochem.* 50, 581-593.
- Clark, M. R., Mohandas, M., Feo, C., and Jacobs, M. S. (1981) Separate mechanism of deformability loss in ATP-depleted and Ca-loaded erythrocytes. *J Clin Invest.* 67, 531-539.
- Dacie, J.V., and Lewis, S.M. (1984) *Practical Haematology (4th ed.)*. Stratton, Newyork.
- Diprampero, P. E. (1981) Energetics of muscular exercise. *Rev Physiol Biochem Pharmacol.* 89, 143-222.
- Donovan, C. A., and Pagliassotti, M. J. (1990) Enhance efficiency of lactate removal after endurance training. *J Appl Physiol.* 68, 1053-1058.
- Douglas, M. S. (1974) *The red blood cell (2nd ed)*, vol I. Academic Press. Newyork.

- Dunley, G.A., Abraham, W.M., and Terjung, R.L. (1982) Influence of exercise intensity and duration on biochemical adaptations in skeletal muscle. *J Appl Physiol.* 53(4), 844-850.
- Editor. (1972) Clinical implications of erythrocyte 2,3-Diphosphoglycerate. *Lancet.* 26, 414-415.
- Emerson, P. M., and Wilkison, J. H. (1965) Urea and oxalate inhibition of the serum lactate dehydrogenase. *J Clin Pathol.* 18, 803-806.
- Fabio, C., Klein, S., Rosenblat, J. I., and Wolfe, R. R. (1989) Effect of dichloroacetate on lactate concentration in exercising humans. *J Appl Physiol.* 66(2), 591-597.
- Foster, L.W., and Dunn, R.T. (1973) Stable reagents for determination of serum triglycerides by a colorimetric hantzsch condensation method. *Clin Chem.* 19(3), 338-340.
- Gerlach, F., and Duhm, J. (1972) Regulation of the concentration of 2,3-diphosphoglycerate in the erythrocyte. *Scand J Clin Lab Invest.* 29(suppl 126), 54-56
- Greenwald, I. (1925) A new type of phosphoric acid compound isolated from blood, with some remarks on the effect of substitution on the rotation of L-glyceric acid. *J Biol Chem.* 63, 339-342.
- Grimes, A. J. (1973) Annotation: Red cell 2,3-diphosphoglycerate. *Br J Hematol.* 25, 555-562.
- Grimes, A. J. (1980) *Human red cell metabolism*. Blackwell Scientific, Oxford, London.
- Harkness, D. L., and Roth, S. (1969) Purification and properties of 2,3-diphosphoglyceric acid phosphatase from human erythrocytes. *Biochem Biophys Res Commun.* 34, 849-852.
- Harkness, D. L., Isaacks, R. E., and Roth, S. C. (1977) Purification and properties of 2,3-Bisphosphoglycerate phosphatase-mutase from erythrocytes of day-old chicks. *Eur J Biochem.* 78, 343-351.
- Helge, J.W., Ayre, K., Chaunchaiyakul, S., Hulbert, A.J., Kiens, B., and Storlien, L.H. (1998) Endurance in high-fat-fed rats: effects of carbohydrate content and fatty acid profile. *J Appl Physiol.* 85(4), 1342-1348.
- Hespel, P., Lijnen, p., Fagard, R., Van Hoof, R., Goossens, W., and Amery, A. (1988) Effects of training on erythrocyte 2,3-diphosphoglycerate in normal men. *Eur J Appl Physiol.* 57, 456-461.
- Hurley, B. F., Nemeth, P. M., MartinIII, W.H., and Dalsky, G. P. (1986) Muscle triglyceride utilization during exercise: effect of training. *J Appl Physiol.* 60, 562-567.

- Hutber, C. A., Hardie, D. G., and Winder, W. W. (1997) Electrical stimulation inactivates muscle acetyl CoA carboxylase and increases AMP-activated protein kinase. *Am J Physiol.* 272, E262-266.
- Issekutz, B. W., Shaw, A. S., and Issekutz, A. C. (1976) Lactate metabolism in resting and exercising dogs. *J Appl Physiol.* 40, 312-319.
- Jandl, J. H. (1987) *Blood: Physiology of red blood cells.* (1st ed). Brown Company, U.S.A.
- Kappel, W. K., and Hass, L. F. (1976) The isolation of partial characterization of diphosphoglycerate mutase from human erythrocytes. *Biochemistry.* 15(2), 290-295.
- Karger, A.G. (1971) *Genetical, functional and physical studies of hemoglobins:* The effect of 2,3-diphosphoglycerate on the oxygenation of various human hemoglobins. National-Zeitung AG, Basel, Switzerland.
- Keitt, A. S. (1971) Reduced nicotinamide adenosine dinucleotide-linked analysis of 2,3-diphosphoglyceric acid: spectrophotometric and fluorometric procedure. *J Lab Clin Med.* 77, 470-474.
- Klein et al., (1980) Hemoglobin affinity for oxygen during short-term exhaustive exercise. *J Appl Physiol.* 48(2), 236-242.
- Lenfant, C., Torrance, J., English, E., Finch, C. A., Reynafarje, J., Ramos, J., and Faura, J. (1968) Effect of altitude on oxygen binding by hemoglobin and on organic phosphate levels. *J Clin Invest.* 47, 2652-2658.
- Lijnen, P., Hespel, P., Van Oppens, S., Fiocchi, R., Goossens, W., Vander Eynde, E., and Amery, A. (1986) Erythrocyte 2,3-diphosphoglycerate and serum enzyme concentrations in trained and sedentary men. *Med Sci Sports Exerc.* 18, 174-179.
- Lijnen, P., Hespel, P., Fargard, R., Lysens, R., Vanden, E. E., Goris, M., and Amery, A. (1988) Erythrocyte 2,3-diphosphoglycerate concentration before and after a marathon in men. *Eur J Appl Physiol.* 57, 452-455.
- Lowney, P., Stern, J. S., Gershwin, M. E., and Keen, C. L. (1990) Magnesium deficiency and blood 2,3-Bisphosphoglycerate concentrations in sedentary and exercise male Osborne-Mendel rats. *Metabolism.* 39(8), 837-841.
- MacRae, H. S., Dennis, S. C., Bosch, A. N., and Noakes, T. D. (1992) Effects of training on lactate production and removal during progressive exercise in humans. *J Appl Physiol.* 72(5), 1649-1656.

- Mairbanurl, H., Humpeler, E., Schwabeger, G., and Pessenhofer, H. (1983) Training-dependent changes of red cell density and erythrocytic oxygen transport. *J Appl Physiol.* 55, 1403-1407.
- Mairbanurl, H., Schobersberge, W., Humpeler, E., Hasibede, W., Fischer, W., and Raas, E. (1986) Beneficial effects of exercising at moderate altitude on red cell oxygen transport and on exercise performance. *Pflugers Arch.* 406(6), 594-9.
- Marbach, E.P., and Weil, M.H. (1967) Rapid enzymatic measurement of blood lactate and pyruvate. *Clin Chem.* 13(4), 314-325.
- Momsen, G., and Vestergaard-Bogind, B. (1978) Human erythrocyte 2,3-bisphosphoglycerate metabolism. Influence of 1,3-bisphosphoglycerate and Pi. *Arch Biochem Biophys.* 190 (1), 67-84.
- Mulquiney, P. J., Bobb, W. A., and Kuchel, P. W. (1999) Model of 2,3-bisphosphoglycerate metabolism in the human based on detailed enzyme kinetic equations: *in vivo* kinetic characterization of 2,3-bisphosphoglycerate synthase/phosphase. *Biochem J.* 342, 567-580.
- Mulquiney, P. J., and Kuchel, P. W. (1999) Model of 2,3-bisphosphoglycerate metabolism in the human based on detailed enzyme kinetic equations: equations and parameter refinement. *Biochem J.* 342, 581-596.
- Mulquiney, P. J., and Kuchel, P. W. (1999) Model of 2,3-bisphosphoglycerate metabolism in the human based on detailed enzyme kinetic equations: computer simulation metabolic control analysis. *Biochem J.* 342, 581-596.
- Murray, R. K., Granner, D. K., Mayes, P. A. and Rodwell, V. W. (1993) *Harper's Biochemistry; Proteins: Myoglobin and hemoglobin (23th ed)*. Appleton and Lange, U.S.A.
- Odie, O.E., and Ramsey, J.M. (1995) Effects of short-term strenuous exercise on erythrocyte 2,3-diphosphoglycerate in untrained: a time course study. *Eur J Appl Physiol.* 71, 53-57.
- Oser, B.L. (1965) *Hawk's Physiological Chemistry: Blood Analysis (14th ed)*. McGraw-Hill, Newyork.
- Pels, A.E., White, T.P., Block, W.D. (1995) Effects of exercise training on plasma lipids and lipoproteins in rats. *J Appl Physiol.*, 58(2), 612-618.

- Phillips, S. M., Green, H. J., Tarnopolsky, M. A., Heigenhauser, G. J. F., Hill, R. E., and Grant, S. M. (1996) Effects of training duration on substrate turnover and oxidation during exercise. *J Appl Physiol.* 81(50), 2182-2191.
- Pressman, B.C. (1976) Biological applications of ionophores. *Ann. Rev. Biochem.* 45, 501-530.
- Rames, K., Vuopio, P., and Harkonen, M. (1979) Effect of long-term training and acute physical exercise on red cell 2,3-diphosphoglycerate. *Eur J Appl Physiol.* 42, 199-207.
- Rapoport, L., Berger, H., Elsner, R., and Rapoport, S. M. (1977) pH-dependent changes 2,3-bisphosphoglycerate in human red cells during transiyional and steady states *in vitro*. *Eur J Biochem.* 73, 421-427.
- Rasmussen, B. B., and Wider, W. W. (1997) Effect of exercise intensity on skeletal muscle malonyl- CoA and acetyl-CoA carbohydrate. *J Appl Physiol.* 83(4), 1104-1109.
- Rasmussen, B. B., Hancock, C. R., and Winder, W. W. (1998) Post-exercise recovery of skeletal muscle malonyl CoA, acetyl CoA carboxylase, and AMP-activated protein kinase. *J Appl Physiol.* 85(5), 1629-1634.
- Ravel, P., Craescu, C. T., Arous, N., Rosa, J., and Garel, M. C. (1997) Critical role of human Bisphosphoglycerate mutase Cys²² in the phosphatase activator-binding site. *J Biol Chem.* 272(22), 14045-14050.
- Reed, P.W., and Lardy, H.A. (1972) A23187: A divalent cation ionophore. *J Biol Chem* 247(21), 6970-6977.
- Rennie, M. J., Winder, W. W., and Holloszy, J. O. (1976) A specific effect of increased plasma fatty acids on muscle and liver glycogen content in the exercising rat. *Biochem J.* 156, 647-655.
- Resina, A., Brettoni, M., Gatteschi, L., Galvan, P., Orsi, F., and Rubenni, M. G. (1994) Changes in the concentrations of plasma and erythrocyte magnesium and of 2,3-diphosphoglycerate during a period of aerobic training. *Eur J Appl Physiol.* 68(5), 390-394.
- Ricci, G., Masotti, M., Vitali Paoli De, E., Vedovato, M., and Zanotti, G. (1988) Effects of exercise on hematologic parameters, serum iron, serum ferritin, red cell 2,3-BPG and creatin contents and serum erythropoietin in long-distance runner during basal training. *Acta Haemat.* 80, 95-98.

- Rosa, R., Gaillardon J., and Rosa, J. (1973) Diphosphoglycerate mutase and 2,3-diphosphoglycerate phosphatase activity of red cells: comparative electrophoretic study. *Biochem Biophys Res Commun.* 51, 536-539.
- Rose, Z.B., and Liebowitz, J. (1970) 2,3-Diphosphoglycerate phosphatase from human erythrocytes. *J Biol Chem.* 245, 3232.
- Russel, J. P. (1996) *Genetic*. Harper Collins, New York.
- Saddik, M., Gamble, J., Witters, L. A., and Lopaschuk, G. D. (1993) Acetyl CoA carboxylase regulation of fatty acid oxidation in the heart. *J Biol Chem.* 268, 25836-25845.
- Sarkadi, B. (1980) Active calcium transport in human red cell. *Biochim Biophys Acta.* 604, 159-190.
- Sasaki, R., Ikura, K., Sugimoto, E., and Chiba, H. (1975) Purification of Bisphosphoglycerate, 2,3-Bisphosphoglycerate phosphatase and Phosphoglyceromutase from human erythrocytes: Three enzyme activity in one protein. *Eur J Biochem.* 50, 581-586.
- Seaman, C., Wyss, S., and Piomelli, S. (1980) The decline in energetic metabolism with aging of the erythrocyte and its relationship to cell death. *Am J Haematol.* 8, 31-42.
- Shappell, S. D., Murray, J. A., Bellingham, A. J., Woodson, R. D., Detter, J. C., and Lenfant, C. (1971) Adaptation to exercise: role of hemoglobin affinity for oxygen and 2,3-Diphosphoglycerate. *J Appl Physiol.* 30(6), 827-832.
- Stein, S. C., Woods, A., Jones, N. A., Davison, M. A., and Carling, D. (2000) The regulation of AMP-activated protein kinase by phosphorylation. *Biochem J.* 345, 437-443.
- Stewart, I., McNaughton, I, M Davies, P., and Tristram, S. (1990) Phosphate loading and the effects on VO_2 max in trained cyclists. *Res Q Exerc Sport.* 61(1), 80-84.
- Stryler, L. (1995) *Biochemistry*. W.H. Freeman and company, New York.
- Tanaka, K. A., and Paglia, D. E. (1971) Pyruvate kinase deficiency. *Semin Hematol.* 8, 367-385.
- Taunton, J. E., Taunton, C. A., and Banister, E. W. (1974) Alteration in 2,3-bisphosphoglycerate and P50 with maximal and submaximal and exercise. *Med Sci Sport.* 6, 238-241.
- Turner, M. j., Howley, E. T., Tanaka. H., Ashraf, M., Bassett, D. R., and Keefer, D. J. (1995) Effect of graded epinephrine infusion on blood lactate response to exercise. *J Appl Physiol.* 79(4), 1206-1211.
- Tyuma, I., and Shimizu, K. (1969) Different response to organic phosphates of human fetal and adult hemoglobins. *Arch Biochem Biophys.* 129, 404-408.

- Vavvas, D., Apazidis, A., Saha, A. K., Gamble, J., and Patel, A. (1997) Contraction induced changes in acetyl CoA carboxylase and 5'-AMP-activated kinase in skeletal muscle. *J Biol Chem.* 272(2), 13255-13261.
- White, A., Handler, P., and Smith, E.L. (1968) *Principals of Biochemistry* (4th ed). McGraw-Hill, U.S.A.
- Winder, W. W. (1998) Malonyl CoA: regulator of fatty acid oxidation in muscle during exercise. *Exerc. Sport Sci. Rev.* 26, 117-132.
- Winder, W. W., Arogyasami, J., Barton, R. J., Elayan, J. M., and Vehrs, p. R. (1986) Muscle malonyl-CoA decreases during exercise. *J Appl Physiol.* 67(6), 2230-2233.
- Winder, W. W., and Hardie, D. G. (1996) Inactivation of acetyl CoA carboxylase and activation of AMP-activated protein kinase in muscle during exercise. *Am J Physiol.* 270, E299-304.
- Williams, W.J., Beutler, E., Erslev, A. J., and Lichtman, M. A. (1983) *Hematology* (3rd ed). McGraw-Hill, U.S.A.