

REFERENCES

- Adhi, T.P., Korus, R.A. and Crawford, D.L. (1989). Production of major extracellular enzymes during lignocellulose degradation by two *Streptomyces* in agitated submerged culture. *Appl. Environ. Microb.* 55:1165-1168.
- Archana, A. and Satyanarayana, T. (1997). Xylanase production by thermophilic *Bacillus licheniformis* A99 in solid-state fermentation. *Enz. Microb. Technol.* 21: 12-17.
- Avalos, O.P., Noyola, T.P., Plaza, I.M. and Torre, M.L. (1996). Induction of xylanase and β -xylosidase in *Cellulomonas flavigena* growing on different carbon sources. *Appl. Microbiol. Biotechnol.* 46: 405-409.
- Bahkali, A. H. (1996). Influence of various carbohydrates on xylanase production in *Verticillium tricorpus*. *Biores. Technol.* 57:265-268.
- Baraznenok, V. A., Becker, E. G., Ankudimova, N. V. and Okunev, N. N. (1999). Characterization of neutral xylanases from *Chaetomium cellulolyticum* and their biobleaching effect on eucalyptus pulp. *Enz. Microb. Technol.* 25: 651-659.
- Beauchemin, K.A., Yang, W.Z. and Rode, L.M. (1999). Effects of grain source and enzyme additive on site and extent to nutrient digestion in dairy cows. *J. Dairy Sci.* 82: 378-90.
- Beg, Q. K., Bhushan, B., Kapoor, M. and Hoondal, G. S. (2000). Enhanced production of a thermostable xylanase from *Streptomyces* sp. QG-11-3 and its application in biobleaching of eucalyptus kraft pulp. *Enz. Microb. Technol.* 27:459-466.
- Belfaouh, N. and Penninckx, M. J. (2000). A bifunctional β -xylosidase-xylose isomerase from *Streptomyces* sp. EC 10. *Enz. Microb. Technol.* 27:114-121.
- Bérenger, J.F., Frixon, C., Bigliardi and Creuzet. (1985). Production, purification, and properties of thermostable xylanase from *Clostridium sterocoraium*. *Can. J. Microbiol.* 31: 635-643.
- Boyd, R. F. (1998). General Microbiology, 2nd ed. Times Mirror/Mosby Collage Publishing: St Louis. pp. 285-586
- Breccia, J. D., Sineriz, F., Baigori, M. D., Castro, G. R. and Hatti-Kaul, R. (1998). Purification and characterization of a thermostable xylanase from *Bacillus amyloliquefaciens*. *Enz. Microb. Technol.* 22: 42-49.

- Bush, J. E. and Stutzenberger, F. J. (1997). Short Communication: xylanase biosynthesis in *Thermomonospora curvata* is not repressed by glucose. *Biores. Technol.* 60 : 81-85.
- Cesar, T. and Mrsa, V. (1996). Purification and properties of the xylanase produced by *Thermomyces lanuginosus*. *Enz. Microb. Technol.* 19: 289-296.
- Christakopoulos, P., Mamma, D., Nerinckx, W., Kekos, D., Macris and Claeysens, M. (1996). Production and partial characterization of xylanase from *Fusarium oxysporum*. *Biores. Technol.* 58: 115-119.
- Christov, L., Biely, P., Kalogeris, E., Christakopoulos, P., Prior, B. A. and Bhat, M. K. (2000). Effects of purified endo- β -1,4-xylanases of family 10 and 11 and acetyl xylan esterases on eucalypt sulfite dissolving pulp. *J. Biotechnol.* 83:231-244.
- Christov, L.P., Szakacs, G. and Balakrishnan, H.(1999). Production, partial characterization and use of fungal cellulase-free xylanases in pulp bleaching. *Proc. Biochem.* 34: 511-517.
- Clark, E. M., Tankanen, M., Setala, T. N. and Penttila, M. (1996). Cloning of Gene Encoding α -L-arabinofuranosidase and β -xylosidase from *Trichoderma reesei* by expression in *Saccharomyces cerevisiae*. *Appl. Environ. Microbiol.* 62: 3840-3846.
- Debeche, T., Cummings, N., Connerton, I., Debeire, P. and O'Donnel, M. J. (2000). Genetic and biochemical characterization of a highly thermostable α -L-arabinofuranosidase from *Thermobacillus xylanolyticus*. *Appl. Environ. Microbiol.* 66 : 1734-1736.
- Dhillon, A., Gupta, J. K. and Khanna, S. (2000). Enhanced production, purification and characterization of a novel cellulase-poor thermostable, alkalitolerant xylanase from *Bacillus circulans* AB 16. *Proc. Biochem.* 35: 849-856.
- ECS. (2001b). *Enzyme in Baking* [Online]. Available: http://www.enzymes.co.uk/index_enzymes_in_industry.htm [2001, February 11]
- Elegir, G., Szakacs, G. and Jeffries, T. W. (1994). Purification, characterization, and substrate specificities of multiple xylanases from *Streptomyces* sp. strain B-12-2. *Appl. Environ. Microbiol.* 60: 2609-2615.

- Eriksson, K. E. L., Blanchette, R. A. and Ander, P. (1990). *Microbial and Enzymatic Degradation of Wood and Wood Components*. Springer-Verlag Berlin Heidelberg Berlin: Germany, pp.102-112,147,175-180.
- Ganga, M. A., Pinaga, F., Valles, S., Ramon, D. and Querol, A. (1999). Aroma improving in microvinification processes by the use of a recombinant wine yeast strain expressing the *Aspergillus nidulans xln A* gene. *Int. J. Food Microbiol.* 47: 171-178.
- Georis, J., Biannotta, F., Buyl, E.D., Granier, B. and Frere, J.M. 2000. Purification and properties of three endo- β -1,4-xylanases produced by *Streptomyces* sp. strain S38 which differ in their ability to enhance the bleaching of kraft pulps. *Enz. Microb. Tech.* 26: 178-186.
- Gessesse, A. (1998). Purification and properties of Two thermostable alkaline xylanases from an alkaliphilic *Bacillus* sp. *Appl. Environ. Microb.* 64: 3533-3535.
- Gilead, S. and Shoham, Y. (1995). Purification and characterization of α -L-arabinofuranosidase from *Bacillus stearothermophilus* T-6. *Appl. Environ. Microbiol.* 61: 170-174.
- Gokhale, D. V., Patil, S. G. and Bastawde, K. B. (1998). Potential application of yeast cellulase-free xylanase in agrowaste material treatment to remove hemicellulose fractions. *Biores. Technol.* 63: 187-191.
- Grag, A.P., McCarthy, A.J. and Roberts, J.C. (1996). Biobleaching effect of *Streptomyces thermoviolaceus* xylanase preparation on birchwood kraft pulp. *Enz. Microb. Technol.* 18: 261-267.
- Grag, A.P., Roberts, J.C. and McCarthy, A.J. (1998). Bleach boosting effect of cellulase-free xylanase of *Streptomyces thermoviolaceus* and its comparison with two commercial enzyme preparations of birchwood kraft pulp. *Enz. Microb. Tech.* 22: 594-598.
- Gubitz, G. M., Mansfield, S. D., Bohm, D. and Saddler, J. N. (1998). Effect of endoglucanases and hemicellulases in magnetic and flotation deinking of xerographic and laser-printed papers. *J. Biotechnol.* 65: 209-215.
- Haapala, R., Parkkinen, E., Suominen, P. and Linko, S. (1996). Production of endo-1,4- β -glucanase and xylanase with nylon-web immobilized and free *Trichoderma reesei*. *Enz. Microb. Technol.* 18: 495-501.

- Haltrich, D., Nidetzky, B., Kulbe, K. D., Steiner, W. and Zupancic, S. (1997). Production of fungal xylanases. *Biores. Technol.* 58: 137-161.
- Harchand, R.K. and Singh, S. (1997). Extracellular cellulase system of a thermotolerant streptomycete: *Streptomyces albaduncus*. *Acta. Microb. Immuno. Hung.* 44: 229-239.
- Hespell, R.B. (1996). Fermentation of xylan, corn fiber, or sugars to acetoin and butanediol by *Bacillus polymyxa* strain. *Curr. Microbiol.* 32: 291-296.
- Hew, L. I., Ravindran, V., Mollah, Y. and Bryden, W. L. (1998). Influence of exogenous xylanase supplementation on apparent metabolisable energy and amino acid digestibility in wheat for broiler chickens. *Anim. Feed Sci. Technol.* 75: 83-92.
- Hristov, A. N., McAllister, T. A. and Cheng, K-J. (1998). Stability of exogenous polysaccharide-degrading enzymes in the rumen. *Anim. Feed Sci Technol.* 76: 161-168.
- Ismail, A. M. S. (1996). Utilization of orange peels for the production of multienzyme complexes by some fungal strain. *Proc. Biochem.* 31: 645-650.
- Jain, A., Grag, S. K. and Johri, B. N. (1998). Properties of thermostable xylanase produced by *Melanocarpus albomyces* ISS-68 in solid-state fermentation. *Biores. Technol.* 64: 225-228.
- Jeffries, T.W. (1996). *Enzyme Technology for pulp bleaching and deinking* [Online]. Available: http://www2.biotech.wise.edu/jeffreis/enztech/enztech_toc.html. [1996, September 26]
- Kaneko, S., Kuno, A., Muramatsu, M., Iwamatsu, S., Kusakabe, I. and Hayashi, K. (2000). Purification of a family G/11 beta-xylanase from *Streptomyces olivaceoviridis* E-86. *Biosci. Biotechnol. Biochem.* 64: 447-451.
- Keskar, S. S., Srinivasan, M. C. and Deshpande, V. V. (1989). Chemical modification of a xylanase from a thermotolerant *Streptomyces*. *Biochem. J.* 261: 49-55.
- Kitamoto, N., Yoshino, S., Ohmiya, K. and Tsukagoshi, N. (1999). Sequence analysis, overexpression, and antisense inhibition of a β -xylosidase gene, *xyl A*, from *Aspergillus oryzae* KBN616. *Appl. Environ. Microbiol.* 65: 20-24.
- Kluepfel, D., Shareck, F. , Mondou, F. and Morosoli, R. (1986). Characterization of cellulase and xylanase activities of *Streptomyces lividans* *Appl. Microbiol. Biotechnol.* 24; 230-234.

- Kohli, U., Nigam, P., Singh, D. and Chaudhary, K. (2001). Thermostable, alkalophilic and cellulase free xylanase production by *Thermoactinomyces thalophilus* subgroup C. *Enz. Microb. Technol.* 28: 606-610.
- Kuhad, R. C., Manchanda, M. and Singh, A. (1998). Optimization of xylanase production by a hyperxylanolytic mutant strain of *Fusarium oxysporum*. *Proc. Biochem.* 33: 641-647.
- Kulkarni, N. and Rao, M. (1996). Application of xylanase from alkaliphilic thermophilic *Bacillus* sp. NCIM 59 in biobleaching of bagasse pulp. *J. Biotechnol.* 51: 167-173.
- Kulkarni, N., Shendye, A. and Rao, M. (1999). Molecular and biotechnological aspects of xylanases. *FEMS Microbiol. Rev.* 23: 411-456.
- Li, K., Azadi, P., Collins, R., Tolan, J., Kim, J. S. and Eriksson, K. E. L. (2000). Relationship between activities of xylanases and xylan structures. *Enz. Microb. Technol.* 27:89-94
- Liu, W., Zhu, W., Lu, Y., Kong, J. and Ma, G. (1997). Characterization of xylanase from *Trichosporon cutaneum* SL409. *Proc. Biochem.* 33: 331-336.
- Liu, W., Zhu, W., Lu, Y., Kong, J. and Ma, G. (1998). Production, partial purification and characterization of xylanase from *Trichosporon cutaneum* SL409. *Proc. Biochem.* 33: 331-336.
- MacCabe, A. P., Fernandez-Espinar, M. T., de Graaaff, L. H., Visser, J. and Ramon, D. (1996). Identification, isolation and sequence of the *Aspergillus nidulans xlnC* gene encoding the 34-kDa xylanase. *Gene.* 175: 29-33.
- Mackenzie, C.R., Bilous, D., Schneider, H. and Johnson, K.G. (1987). Induction of cellulolytic and xylanolytic enzyme systems in *Streptomyces* spp. *Appl. Environ. Microb.* 53: 2835-2839.
- Magnuson, T. S. and Crawford, D. L. (1997). Purification and characterization of an alkaline xylanase from *Streptomyces viridosporous* T7A. *Enz. Microb. Technol.* 21: 160-164.
- Marquardt, R. R., Brenes, A., Zhang, Z. and Boros, D. (1996). Use of enzymes to improve nutrient availability in poultry feed stuff. *Anim. Feed Sci. Technol.* 60: 321-330.

- Matsuno, N., Kaneko, S., Kuno, A., Kobayashi, H. and Kusakabe, I. (2000). Purification, characterization and gene cloning of two α -L-arabinofuranosidases from *Streptomyces chartreusis* GS901. *Biochem. J.* 346:9-15.
- Morosoli, R., Bertrand, J.L., Mondou, F., Shareck, F. and Kluepfel, D. (1986). Purification and properties of a xylanase from *Streptomyces lividans*. *Biochem. J.* 239: 587-592.
- Naiyat P., Ampin, K., Supawat, S., Charin, T. and Chartchai, K. (1998). Progressive Report of Agricultural Waste Utilization Project: Isolation and Identification of Thermophilic Cellulase Producing Bacteria Obtained From Natural Sources Phase 1.
- Nogawa, M., Yatsui, K., Tomioka, A., Okada, H. and Morikawa, Y. (1999). An α -L-arabinofuranosidase from *Trichoderma reesei* containing a non-catalytic xylan-binding domain. *Appl. Environ. Microbiol.* 65: 3964-3968.
- Palma, M.B., Milagres, A.M.F., Prata, A.M.R. and de Mancilha, I.M. (1996). Influence of aeration and agitation rate on the xylanase activity from *Penicillium janthinellum*. *Proc. Biochem.* 31: 141-145.
- Patel, B. N. and Ray, R. M. (1994). Short Note: Production and characterization of xylanase from a *Streptomyces* species grown on agricultural waste. *World J. Microbiol. Biotechnol.* 10: 599.
- Pham, P.L., Strehaiano, P. and Taillandier, P. (1998). Effect of aeration on xylanase production by *Bacillus* sp. I-1018. *Bioproc. Eng.* 18: 41-43.
- Prescott, L.M., Harley, J.P. and Klein, D.A. (1993). Microbiology 2nd edition. W.C.Brown Communication Inc.: New York. pp.507-517.
- Rajoka, M. I., Bashir, A. and Malik, K. A. (1997). Mutagenesis of *Cellulomonas biazotea* for enhanced production of xylanases. *Biores. Technol.* 62: 99-108.
- Ramsay, J. A., Hassan, M.-C. A. and Ramsay, B. A. (1998). Biological conversion of hemicellulose to propionic acid. *Enz. Microb. Technol.* 22: 292-295.
- Rani, D. S. and Nand, K. (2000). Production of thermostable cellulase-free xylanase by *Clostridium absonum* CFR-702. *Proc. Biochem.* 36: 355-362.

- Ruiz-Arribas, A., Sanchez, P., Calvete, J. J., Raida, M., Fernandez-Abalos, J. M. and Santamaria, R. I. (1997). Analysis of *xysA*, a gene from *Streptomyces halstedii* JM8 that encodes a 45-kilodalton modular xylanase, Xys1. *Appl. Environ. Microbiol.* 63: 2983-2988.
- Samain, E., Bebeire, P. and Touzel, J. P. (1997). High level production of a cellulase-free xylanase in glucose-limited fed batch cultures of a thermophilic *Bacillus* strain. *J. Biotechnol.* 58: 71-78.
- Saxena, S., Fierobe, H.P., Gaudin, C., Guerlesquin, F. And Belaich, J.P. (1995). Biochemical properties of a β -xylosidase from *Clostridium cellulolyticum*. *Appl. Environ. Microbiol.* 61: 3509-3512.
- Schingoethe, D.J., Stegeman, G.A. and Treacher, R.J.(1999). Respose of lactating dairy cows to a cellulase and xylanase enzyme mixture applied to forages at the time of feeding. *J. Dairy Scil.* 82: 996-1003.
- Shah, A. K., Sidid, S. S., Ahmad, A. and Rele, M. V. (1999). Treatment of baggase pulp with cellulase-free xylanases from an alkalophilic *Bacillus* sp. Sam-3. *Biores. Technol.* 68: 133-140.
- Sidenberg, D., Gerlach, S. R., Czwalinna, A., Schugerl, K., Giuseppin, M. L. F. and Hunik, J. (1997). Production of xylanase by *Aspergillus awamori* on complex medium in stirred tank and airlift tower loop reactors. *J. Biotechnol.* 56: 205-216.
- Singh, S., Pillay, B. and Prior, A. B. (2000a). Thermal stability of β -xylanases produced by different *Thermomyces lanuginosus* strain. *Enz. Microb. Technol.* 26:502-508.
- Singh, S., Preez, J.C.D., Pillay, B. and Prior, A.(2000b). The production of hemicellulases by *Thermomyces lanuginosus* strain SSBP: influence of agitation and dissolved oxygen tension. *Appl. Microbiol Biotechnol.* 54:698-704.
- Spagnuolo, M., Crecchio, C., Pizzigallo, M. D. R. and Ruggiero, P. (1999). Fractionation of sugar beet pulp into pectin, cellulose, and arabinose by arabinose combined with ultrafiltration. *Biosci. Biotech. Bioeng.* 64: 685-691.
- Sunna, A and Antranikian, G.(1997). Xylanolytic enzymes from fungi and bacteria. *Crit. Rev. Biotech.* 17: 39-67.
- Tenkanen, M and Siika-aho, M. (2000). An α -glucuronidase of *Schizophyllum commune* acting of polymeric xylan. *J. Biotechnol.* 78: 149-161.

- Tenkanen, M., Buchert, J. and Viikari, Liisa. (1995). Binding of hemicellulases on isolated polysaccharide substrates. *Enz. Microb. Technol.* 17:499-505
- Torronen, A. and Rouvinen, J. (1997). Structural and functional properties of low molecular weight endo-1,4- β -xylanases. *J. Biotechnol.* 57: 137-149.
- Totoro, G. J., Funke, B. R. and Case, C. L. C. (1995). Microbiology, 5th ed. The Benjamin/ Cummings Publishing Company, Inc. : New York. pp. 291-292.
- Tsujibo, H., Miyamoto, K., Kuda, T., Minami, K., Sakamoto, T., Hasegawa, T., Inamori, Y.(1992). Purification, properties and partial amino acid sequences of thermostable xylanase from *Streptomyces thermoviolaceus* OPC-25. *Appl. Environ. Microbiol.* 58: 371-375
- Tuncer, M., Ball, A. S., Rob, A. and Wilson, M. T. (1999). Optimization of extracellular lignocellulolytic enzyme production by a thermophilic actinomycetes *Thermomonospora fusca* BD25. *Enz. Microb. Technol.* 25:38-47.
- Van Zyl, W. H. (1985). A study of the cellulase produced by three mesophilic *Actinomyces* grown on baggase as substrate. *Biotech. Bioeng.* 27: 1367-1373.
- Vlaev, S. D., Gjejeva, G., Raykovska. V and Schugerl, K. (1997). Cellulase production by *Trichoderma* sp. grown on corn fibre substrate. *Proc. Biochem.* 32: 561-565.
- Wong, K. K. Y., Tan, L. U. L. and Saddler, J. N. (1998). Multiplicity of β -1,4-Xylanases in microorganisms: functions and applications. *Microbiological.. Rev.* 52: 305-317.
- Yang, W.Z. Beauchemin, K.A. and Rode, L.M. (1999). Effects of an enzyme feed additive on extent of digestion and milk production of lactating dairy cows. *J. Dairy Sci.* 82: 391-403.
- Zilliox, C. and Debeire, P. (1998). Hydrolysis of wheat straw by a thermostable Endoxylanase: Adsorption and kinetic studies. *Enz. Microb. Technol.* 22: 58-63.