

REFERENCES

- Ablerts D. S., Einspahr J., Rees-McGee S. (1992) Effects of dietary wheat bran on rectal epithelial cell proliferation in patients with resection for colorectal cancers. *J Natl Cancer Inst* **84**: 1887–1896.
- Abraham S. N., Sun D., Dale J. B., Beachey E. H. (1988) Conservation of the D-mannose-adhesion protein among type 1 fimbriated members of the family *Enterobacteriaceae*. *Nature* **336**: 682-4.
- Aldercreutz M. (1990) Western diet and western diseases: Some humoral and biochemical mechanisms and associations. *Scand J Lab Invest* **50** (suppl 201): 3-23.
- Ames B. N., Gold L. S., Willett W. C. (1995) The causes and prevention of cancer. *Proc Natl Acad Sci USA* **92**: 5258-8265.
- Anderson B.F., Baker H.M., Dodson E.J., Norris G.E., Rumball S.V., Waters J.M. and Baker E.N. (1987) Structure of human lactoferrin at 3.2 Å^o resolution. *Proc Natl Acad Sci USA* **84**: 1769-1773.
- Anti M., Marra G., Armelao F., Bartoli G. M., Ficarelli R., Percesepe A., De Vitis I., Maria G., Sofo L., Rapaccini G. L. (1992) Effect of w3 fatty acids on rectal mucosal cell proliferation in subjects at risk for colon cancer. *Gastroenterology* **103**: 883-891.
- Appelmek B. J., An Y. Q., Geerts M., Thijs B. G., deBoer H. A., Maclaren D. M., deGraaf J., Nuijens J. H. (1994) Lactoferrin is a lipid A-binding protein. *Infect Immun* **62**: 2628-2632.
- Appleton G. V. N., Owen R. W., Wheeler E. E., Challacombe D. N., Williamcon R. C. N. (1991) Effect of dietary calcium on the colonic luminal environment. *Gut* **32**: 1374-1377.
- Arimochi H., Kataoka K., Kuwahara T., Nakayama H., Misawa N., Ohnishi Y. (1999) Effects of β-glucuronidase-deficient and lycopene-producing *Escherichia coli* strains on formation of Azoxymethane-induced aberrant crypt foci in the rat colon. *Biochim Biophys Res Comm* **262**: 322-327.

- Arimochi T., Kinouchi T., Kataoka K., Kuwahara T., Ohnishi Y. (1997) Effect of intestinal bacteria on formation of azoxymethane-induced aberrant crypt foci in the rat colon. *Biochem Biophys Res Commun* **238**: 753-757.
- Arnold R. R., Brewer M., Gauthier J. J. (1980) Bactericidal activity of human lactoferrin: sensitivity of a variety of microorganisms. *Infect Immun* **28**: 893-8.
- Arnold R. R., Russell J. E., Champion W. J., Brewer M., Gauthier J. J. (1982) Bactericidal activity of human lactoferrin : differentiation from the stasis of iron deprivation. *Infect Immun* **35**:792-9.
- Atkin W. S., Morson B. V., Cuzik J. (1992) Long-term risk of colorectal cancer after excision of rectosigmoid adenomas. *N engl J Med* **326**: 658-662.
- Bellamy W., Takase M., Wakabayashi H., Kawase K., Tomita M. (1992b) Antibacterial spectrum of lactoferricin B, a potent bactericidal peptide derived from the N-terminal region of bovine lactoferrin. *J Appl Bacteriol* **73**: 72-9.
- Bellamy W., Takase M., Yamauchi K., Wakabayashi H., Kawase K., Tomita M. (1992a) Identification of the bactericidal domain of lactoferrin. *Biochim Biophys Acta* **1121**: 130-136
- Belury M. A. (1995) Conjugated dienoic linoleate: A polyunsaturated fatty acid with unique chemopreventive properties. *Nutr Rev* : 83-89.
- Bertangnolli M. M., McDougall J. C., Newmark L. H. (1997) Colon cancer prevention: Intervening in a multistage process. *Proc Soc Exp Biol Med* **216**: 266-274.
- Bezault J., Bhimani R., Wiprovnick J., Furmanski P. (1994) Human lactoferrin inhibits growth of solid tumors and development of experimental metastasis in mice. *Cancer Res* **54**: 2310-2312.
- Bird R.P. (1987) Observation and quantification of aberrant crypts in the murine colon treated with a colon carcinogen: preliminary findings. *Cancer Lett* **37**: 147-151.
- Bird R. P. (1995) Role of aberrant crypt foci in understanding the pathogenesis of colon cancer. *Cancer Lett* **93**: 55-71.
- Boone C. W., Kelloff G. J. (1993) Intraepithelial neoplasia, surrogate endpoint biomarkers , and cancer prevention. *J Cell Biochem* **17**: 37-48.

- Boxer L. A., Haak R. A., Yang H. H., Wolach J. B., Whitcomb J. A., Butterick C. J. (1982) Membrane-bound lactoferrin alters the surface properties of polymorphonuclear leukocytes. *J Clin Invest* **70**: 104+-57.
- Boyer H. and Roulland-Dussoix D. (1969) A complementation analysis of the restriction and modification of DNA in *Escherichia coli*. *J Mol Biol* **41**: 459-472
- Brines R. D., Brock J. H. (1983) The effect of trypsin and chymotrypsin on the in vitro antimicrobial and iron-binding properties of lactoferrin in human milk and bovine colostrum: unusual resistance of human lactoferrin to proteolytic digestion. *Biochim Biophys Acta* **759**: 229-35.
- Brock J. H. (1985) Lactoferrin in human milk: its role in iron absorption and protection against enteric infection in the newborn infant. *Arch Dis Child* **55**: 417-21.
- Brock J. H., Arzabe F., Lampreave F., Pineia A. (1976) The effect of trypsin on bovine transferrin and lactoferrin. *Biochim Biophys Acta* **446**: 214-25.
- Bruce W.R., Varghese A. J., Furrer R., Land P. C. (1977) A mutagen in the feces of normal humans. In "Origins of Human Cancer" (H. H. Hiatt and J. D. Watson, eds.), pp. 1641-1646. Cold Spring Harbor Lab., Cold Spring Harbor, New York.
- Bry L., Falk P. G., Midtvedt T. and Gordon J. I. (1996) A model of host-microbial interaction in an open mammalian ecosystem. *Science* **273**: 1380-1383.
- Bullen C. L., Tearle P. V. (1976) Bifidobacteria in the intestinal tract of infants: an in vitro study. *J Med Microbiol* **9**: 335-344.
- Buset M., Lipkin M., Winawer S., Swaroop S., Friedman E. (1986) Inhibition of human colonic epithelial cell proliferation in vivo and in vitro by calcium. *Cancer Res* **46**: 5426 – 5430.
- Campbell T., Skilton R. A., Coombes R. C., Shousha S., Graham M. D., Luqmani Y. A. (1992) Isolation of a lactoferrin cDNA clone and its expression in human breast cancer. *Br J Cancer* **65**:19-26.

- Chewonarin T., Kinouchi T., Kataoka K., Arimochi H., Kuwahara T., Vinitketkumnuen U., Ohnishi Y. (1999) Effects of roselle (*Hibiscus sabdariffa* Linn.), a Thai medicinal plant, on the mutagenicity of various known mutagens in *Salmonella typhimurium* and on formation of aberrant crypt foci induced by the colon carcinogens azoxymethane and 2-amino-1-methyl-6-phenylimidazo[4,5-b]pyridine in F344 rats. *Food Chem Toxicol* **37**: 591-601.
- Chung K. T., Fulk G. E, Slein M. W. (1975). Tryptophanase of fecal flora as a possible factor in the etiology of colon cancer. *J Natl Cancer Inst* **54**: 1073 – 78.
- Craven P. A., DeRubertis F. R. (1992) Effect of aspirin on 1,2-dimethylhydrazine-induced colonic carcinogenesis. *Carcinogenesis* **13**: 541-546.
- Craven P. A., Thornburg K., DeRubertis F. R. (1988) Sustained increase in the proliferation of rat colonic mucosa during chronic treatment with aspirin. *Gastroenterology* **94**: 567-575.
- Craven P.A., Pfanstiel J., DeRubertis F.R. (1987) Role of activation of protein kinase C in the stimulation of colonic epithelial proliferation and reactive oxygen formation by bile acids. *J Clin Invest* **79**: 532-541.
- Crouch S. P., Slater K. J., Fletcher J. (1992) Regulation of cytokine release from mononuclear cells by the iron-binding protein lactoferrin. *Blood* **80**:235-40.
- Damiens E, Mazurier E, El Yazidi I., Masson M., Duthille I., Spik G. (1998) Effects of human lactoferrin on NK cell cytotoxicity against haematopoietic and epithelial tumour cells. *Biochem Biophys Acta* **1402**: 277-87.
- Damiens E., El Yazidi I., Mazurier J., Duthille I., Spik G., Boilly-Marer Y. (1999) Lactoferrin inhibits G1 cyclin-dependent kinases during growth arrest of human breast carcinoma cells. *J Cell Biochem* **74**: 486-498.
- Damiens E., Mazurier J., El Yazidi I., Masson M., Duthille I., Spik G., Boilly-Marer Y. (1998) Effects of human lactoferrin on NK cell cytotoxicity against haematopoietic and epithelial tumor cells. *Biochim Biophys Acta* **1402**: 277-287.
- Deschner E. E., Ruperto J., Wong G., Newmark H. L. (1991) Quercetin and rutin as inhibitors of azoxymethanol – induced colonic neoplasia. *Carcinogenesis* **12**: 1193-1196.
- Doll R., Peto R. (1981) The causes of cancer: quantitative estimates of avoidable risks of cancer in the United States today. *J Natl Cancer Inst* **66**(6):1191-308.

- Draser B. S., Hill J. M. (1974) *Human intestinal flora*. Academic Press Inc., New York: 193-222.
- Druekery H., Preussmann R., Matzkies F., Ivankovic, S. (1967) Selektive Erzeugung von Darmkrebs bei Ratten durch 1,2-dimethylhydrazine. *Naturwissenschaften* 54: 285 – 286.
- Du Toit M., Knopf s., Skowronek F. A., Specht I., Bockeler W., Holzapfel W. H. (1998) A modified continuous flow system for studying microbial interactions related to the gastrointestinal tract: Application of the probiotic organism *Enterococcus faecium* SF68. *Biosci Microflora* (in press).
- Ducluzeau R. (1989) Role of experimental ecology in gastroenterology. In Bergogone-Berezin E. ed., microbial ecology and Intestinal Infection. Springer, Paris: 1-5.
- Elass-Rochard E., Roseanu A., Legrand D., Trif M., Salmon V., Motas C. (1995) Lactoferrin-lipopolysaccharide interaction: involvement of the 28-34 loop region of human lactoferrin in the high-affinity binding to E. coli O55B5 lipopoly-saccharide. *Biochem J* 312: 839-45.
- Ellison R. T. 3rd, Giehl T. J., LaForce F. M. (1988) Damage of the outer membrane of enteric Gram-Negative bacteria by lactoferrin and transferrin. *Infect Immun* 56: 2774-81.
- Ellison R. T. 3rd, Luo Q., Reller L. B. (1990a) Enhancement of activity of cefotaxime by iron-binding proteins. *J Antimicrob Chemother* 25: 479-481.
- Ellison R. T. 3rd, LaForce F. M., Giehl T. J., Boose D. S., Dunn B. E. (1990b) Lactoferrin and transferin damage of gram-negative outer membrane is modified by Ca^{2+} and Mg^{2+} . *J Gen Microbiol* 136(pt 7): 1437-1446.
- Ellison R. T. 3rd, Giehl T., J. (1991) Killing of gran negative bacteria by lactoferrin and lysozyme. *J Clin Invest* 88: 1080-1091.
- Erdei J., Forsgren A., Naidu A. S. (1994) Lactoferrin binds to porins ompF and OmpC in Escherichia coli. *Infect Immun* 62: 1236-1240.
- Fernandes C. F., Shahani K. M. (1990) Anticarcinogenic and immunological properties of dietary lactobacilli. *J Food Prot* 53: 704-710.
- Finegold S. M. (1977) Anaerobic bacteris in human disease. Academic Press Inc., New York: 586-588.
- Finegold S. M. (1983) Normal indigenous intestinal flora. In *Human Intestinal Microflora in Health and disease*. Hentges D. J. ed. Academic Press Inc., London: 3-31.

- Finkelstein R. A., Scortino C. V., McIntosh M. A. (1983) Role of iron in microbe-host interactions. *REV Infect Dis* 5: S759-77.
- Fraser A. G., Brown R. (1981) Neuraminidase production by Bacteroidaceae. *J Med Microbiol* 14: 63-76.
- Fuller R. (1985) Intestinal bacteria--passengers or partners? *Nutr Health* 3(4):241-6
- Gardner R. G., Russell J. B., Wilson D. B., Wang G. R., Shoemaker N. B. (1996) Use of a modified *Bacteroides-Prevotella* shuttle vector to transfer a reconstructed beta-1,4-D-endoglucanase gene into *Bacteroides uniformis* and *Prevotella ruminicola* B(1)4. *Appl Environ Microbiol* 62:196-202.
- Gedek B. (1993) Darmflora-Physiologic and Okologie. *Chemother J* 1 (Suppl): 2-6.
- Gibson R. G. (1998) Dietary modulation of the human gut microflora using probiotics. *British J Nutr* 80 (Suppl 2): S209-S212.
- Gibson G. R., Roberfroid M. B. (1995) Dietary modulation of the human colonic microbiota: introducing the concept of prebiotics. *J Nutr* 125: 1401-1412.
- Gilbertsen V. A. (1974) Proctosigmoidoscopy and polypectomy in reducing the incidence of rectal cancer. *Cancer* 34: 936-939.
- Giovannucci E., Rimm E. B., Ashierio A, Stampfer MJ, Colditz CA, Willett WC. (1995) Alcohol, low – methionine, Low – folate diets, and risk of colon cancer. *J Natl Cancer Inst* 87: 265-273.
- Goldin B. R., Gorbach S. L. (1967) The relationship between diet and rat fecal bacterial enzymes implicated in colon cancer. *J Natl Cancer Inst* 57: 371 – 375.
- Goldin B.R., Swenson L., Dwyer J., Sexton M., Gorbach S. L. (1980) Effect of diet and lactobacillus supplements on human fecal bacterial enzymes. *J. Natl. Cancer Inst.* 64, 255-262.
- Godoy V. G., Dallas M. M., Russo T. A., Malamy M. H. (1993) A role for *Bacteroides fragilis* neuraminidase in bacteria growth in two model systems. *Infect Immun* 61: 4415-4426.
- Goodman R. E., Schanbacher F. L. (1991) Bovine lactoferrin mRNA: sequence analysis and expression in the mammary gland. *Biochem Biophys Res Commun* 180: 75-84.
- Greenwald H. P. (1994) Managing diversity: the best for everyone. *Front Health Serv Manage* 11 (2):41-45.

- Gupta I., Baptista J., Bruce W. E., Che C. T., Furrer. R. (1983) Structures of fecapentaenes. The mutagens of bacterial origin isolated from human feces. *Biochemistry* **22**: 241 – 245.
- Hasegawa K., Motosuchi W., Tanaka S., Dosaka S. (1994) Inhibition with lactoferrin of in vitro infection with human herpes virus. *Jpn J Med Sci Biol* **47**: 73-85.
- Heckbert S. R., Weiss N. S., Harmung S. K. (1992) Glutathione s-transferase and epoxide hydrolase activity in human leukocytes in relation to risk of lung cancer and other smoking-related cancers. *J Natl Cancer Inst* **84**: 414.
- Hentges D. J. (1989) Anaerobe as normal flora. In Finegold M. S., Gorge L. W. (eds.), *Anaerobe infections in humans*. Academic press, San deago, 37-53.
- Hirayama K., Rafter J. (1999) The role of lactic acid bacteria in colon cancer prevention: Mechanistic consideration. *Antonie van Leeuwenhoek* **76**: 391-394.
- Hirai N., Kingston D. G. I., Van Tassell R. L., Wilkins T. D. (1982) Structure elucidation of a potent mutagen from human feces. *J Am Chem Soc* **104**: 6149 – 6150.
- Hoverstad Y. (1989) The normal microflora and short chain fatty acids In Grubb R., Midtvedt T., Norin T. eds., *The regulatoty and Prospective Role of The Normal Microflora*. MacMillan, London: 89-108.
- Hu W. L., Regoecezi E., Chindemi P. A., Bolyos M. (1993) Lactoferrin interfees with uptake of iron from transterrin and asialotransferrin by the rat liver. *Am J Physiol* **254**: G112-117.
- Hutchens T. W., Magnuson J. S., Yip T. T. (1989) Rapid purification of porcine colostral whey lactoferrin by affinity chromatography on single-stranded DNA agarose. Characterization, amino acid composition and N-terminal amino acid sequence. *Biochim Biophys Acta* **999**: 323-329.
- Intiyot Y. (1999) Effects of *Murdannia loriformis* extract on azoxymethane-induced DNA-adducts and aberrant crypt foci in rat colons. Master thesis, Faculty of Medicine Chiang Mai University, Chiang Mai, Thailand.
- Isamida T., Tanaka T., Omata Y., Yamauchi K., Shimazaki K., Saiko A. (1998) Protective effect of lactoferricin against *Toxoplasma gondii* infection in mice. *J Vet Med Sci* **60**: 241-4.
- Ismil M., Brock J. H. (1993) Binding of lactoferrin and transferrin to the human promonocytic cell line U937. *J Biol Chem* **268**:21618-21625.

- Iyer S., Lonnerdal B. (1993) Lactoferrin, lactoferrin receptors and iron metabolism. *Eur J Clin Nutr* **47**:232-241.
- Janssen P. T., Van Bijsterveld O. P. (1983) Origin and biosynthesis of human tear fluid proteins. *Invest Ophthalmol Vis Sci* **24**: 523-530.
- Jen J., Powell S. M., Papadopoulos N., Smith J. A., Hamilton S. R., Vogelstein B., Kinsler K. W. (1994) Molecular determinants of dysplasia in colorectal lesions. *Cancer Res* **54**: 5523-5526.
- Karmali R. A. (1980) Prostaglandin and cancer. *Prostaglandins Med* **5**: 11.
- Kawakami H., Shinmoto H., Dasako S., Sogo Y. (1987) One-step isolation of lactoferrin using immobilized monoclonal antibodies. *J Dairy Sci* **70**: 752-759.
- Kennedy A. R., Beazer-Barclay Y., Kinzler K. W., Newbome P. M. (1996) Suppression of carcinogenesis in the intestines of Min mice by the soybean derived Bowman-Birk inhibitor. *Cancer Res* **56**: 679-682.
- Kijlstra A., Jeurissen S. H. (1982) Modulation of classical C3 convertase of complement by tear lactoferrin. *Immunology* **47**:263-270.
- Kinsella T. J. (1993) Soft tissue sarcoma: combined modality approaches. *Front Radiat Ther Oncol* **27**:186-199.
- Klubes P., Cerna I., Rabinowitz A. D., Jondorf W. R. (1972) Factors affecting dimethylnitrosamine formation from simple precursors by rat intestinal bacteria. *Food Cosmet Toxicol* **16**: 307 – 330.
- Kotarski S. F., Salyers A. A. (1984) Isolation and characterization of outer membranes of *Bacteroides thetaiotaomicron* on different carbohydrate. *J Bacteriol* **158**: 102-109
- Kraus E. R., Vaerten M., Ruffin M. T. (1994) Effect of aspirin on the generation of prostaglandinE2 and F2a in human rectal tissue. *Gastroenterology* **106**:A405.
- Krimpenfort P. (1993) The production of human lactoferrin in the milk of transgenic animals. *Cancer Detect Prev* **17**: 301-305.
- Krishnan K., Brenner E. D. (1996) Chemoprevention of colorectal cancer. *Gastroenterol Clin North America* **25**: 821-857.

- Kulkarni N., Reddy B.S. (1994) Inhibitory effect of *Bifidobacterium longum* cultures on the azoxymethane-induced aberrant crypt foci formation and fecal bacterial beta-glucuronidase. *Proc Soc Exp Bio Med* **207**: 278-283.
- Kurose I., Yamada T., Wolf R., Granger D. N. (1994) P- selectin – dependent leukocyte recruitment and intestinal mucosal injury induced by lactoferrin. *J Leukoc Biol* **55**: 771-7.
- Kvietys P. R., Granger D. N. (1981) Effect of volatile fatty acids and blood flow and oxygen uptake by the dog colon. *Gastroenterology* **80**: 962-969.
- Labayle D., Fischer D., Vielh .P, Drouhin F., Patiente A., Bories C., Dhamel O., Trosset M., Attali P. (1991) Sulindac causes regression of rectal polyps in familial adenomatous polyposis. *Gastroenterology* **101**: 635-639.
- Laqueur G. L., McDaniel, E. G., and Mastumoto, H. (1967). Tumor induction in germfree rats with methylazoxymethanol (MAM) and synthetic MAM acetate. *J. Natl. Cancer Inst* **39**, 355 – 371.
- Laqueur G. L., Spatz, M. (1975) Oncogenicity of cycasin and methylazoxymethanol. *Gann Monogr Cancer Res* **17**: 189 – 204.
- Levay P. F., Viljoen M. (1995) Lactoferrin: a general review. *Haematologica* **80**:252-67.
- Liang Q and Richardson T. (1993) Expression and characterization of human lactoferrin in yeast *Saccharomyces cerevisiae*. *J Agri Food Chem* **41**: 1800-1807.
- Lidbeck A., Nord C. E., Gustafsson J. A., Rafter J. (1992) Lactobacilli; anticarcinogenic activities and human intestinal microflora. *Eur J Cancer Prev* **1**: 341-353.
- Lipkin M. (1994) Current trends in chemoprevention research. *Eur J Cancer Prev* **3**: 368-371.
- Lipkin M., Levin B., Kim Y. S. (1992) Intermediate biomarkers of precancer and their application in chemoprevention. *J. Cell Biochem* **16G** (suppl): 1-196.
- Lippman S. M., Lec J. S., Lotan R. (1990) Biomarkers as intermediate endpoints in chemoprevention trials. *J Natl Cancer Inst* **82**: 555.
- Lonnerdal B. and Iyer S. (1995) Lactoferrin: Molecular structure and biological function. *Annu Rev Nutr* **15**: 93-110.
- Love R. R., Carbone P. P., Vema A. K., Gilmore D., Carey P., Tutsch K. D., Pomplun M., Wilding G. (1993) Randomized phase I chemoprevention dose seeking study of difluoromethylornithine. *J Natl Cancer Inst* **85**: 732-737.

- Macfarlane G.T., Macfarlane S. (1997) Human colonic microbiota: ecology, physiology and metabolic potential of intestinal bacteria. *Scand J Gastroenterol* **32** (suppl.): 3-9.
- Magnuson B. A., Shirliff N., Bird R. P. (1994) Resistance of aberrant crypt foci to apoptosis induced by azoxymethane in rats chronically fed cholic acid. *Carcinogenesis* **15**: 1459-1462.
- Majerle A., Kidric J., Jerala R. (2000) Production of stable isotope enriched antimicrobial peptides in *Escheichia coli*: an application to the production of a ¹⁵N-enriched fragment of lactoferrin. *J Biomol NMR* **18**: 145-151.
- Maniatis T., Fritsch F. E., Sambrook J. (1982) Molecular cloning: a laboratory manual. Cold Spring Harbor Laboratory, Cold Spring Harbor, New York.
- Martin N., Srisukho S., Kunpradist O., Suttajit M. (1998) Survival from cancer in Chiang Mai, Thailand, In: Sankaranaraya R., Black R. J., Parkin D. M., (eds.) Cancer in developing countries (IARC) Scientific publication No45, Lyon, IARC.
- Martin N., Chindavijal K., Khuaprema T. (1999) Colon and rectum. In: Deerasame, Martin N., Sontipong S., Sriamporn S., Sriplung H., Sriratanakul P., Vatanasapt V., Parkin D. M. (eds.) Cancer in Thailand 1992-1994, IARC technical report No34, IARC.
- Masson P. L., Heremans J. F. (1966) Studies on lactoferrin, the iron-binding protein of secretions. *Pro tides Biol Fluids* **14**:115-142.
- Matthews T. H. J., Nair C. D. G., Lawrence M. K., Tyrrell D. A. J. (1976) Antiviral activity in milk of possible clinical importance. *Lancet* **II**:1387-1389.
- Mattsby-baltzer I., Roseanu A., Motas C., El-verfors J., Engberg I., Hanson L. A. (1996) Lactoferrin or a fragment thereof inhibits the endotoxin induced interleukin-6 response in human monocyte cells. *Pediatr Res* **40**: 257-262.
- McCartney A. L., Wenzhi W., Tannock G. W. (1996) Molecular analysis of composition of the *Bifidobacterial* and *Lactobacillus* microflora of humans. *Appl Environ Microbiol* **62**: 4608-4613.
- Mead P. E., Tweedie J. W. (1990) cDNA and protein sequence of bovine lactoferrin. *Nucleic Acid Res* **18**: 7167.
- Modler H. W., McKellar R. C., Yaguchi M. (1990) *Bifidobacteria* and bifidogenic factors. *Can Inst Food Sci Technol J* **23**: 29-41.

- Moore W. E. C., Moore L. H. (1995) Intestinal floras of populations that have a high risk of colon cancer. *Appl Environ Microbiol* **61**: 3202-3207.
- Moorghen M., Ince P., Finney K. J. (1990) The effect of sulindac on colonic tumor formation in dimethylhydrazine-treated mice. *Acta Histochem* **39** (suppl): 195-199.
- Morotomi M., Guillem J.G., LoGerfo P. and Weinstein I.B. (1990) Production of diacylglycerol, an activator of protein kinase C, by human intestinal microflora. *Cancer Res* **50**: 3595-3599.
- Morotomi M., LoGerfo P., Weinstein I.B. (1991) Fecal excretion, uptake and metabolism by colon mucosa of diacylglycerol in rats. *Biochem Biophys Res Commun* **181**: 1028-1034.
- Morotomi M., Nanno M., Watanabe T., Sakurai T., Mutai M. (1985) Mutagenic activation of biliary metabolites of 1-nitropyrene by intestinal microflora. *Mutat Res* **149**: 171 – 178.
- Morotomi M., Sakaitani Y., Satou M., Takahashi T., Takagi A., Onoue M. (1997) Effects of a high-fat diet on azoxymethane-induced aberrant crypt foci and fecal biochemistry and microbial activity in rats. *Nutr Cancer* **27**: 84-91.
- Nagaoka H. M., Maitani T. (2000) Differed preferential iron-binding lobe in human transferrin depending on the press bicarbonate detected by HPLC/High resolution inductively coupled plasma mass spectrometry. *Biochim Biophys Acta* **1535**: 182-188.
- Naidu S. S., Svensson U., Kishore A. R., Naidu A. S. (1993) Relationship between antibacterial activity and porin binding of lactoferrin in *Escherichia coli* and *Salmonella typhimurium*. *Antimicrob Agents Chemother* **37**:240-245.
- National Cancer Institute (1996) Cancer Registry in 1996. National Cancer Institute, Department of Medical Service, Ministry of Public Health, Bangkok.
- National Cancer Institute (1997) Cancer Registry in 1997. National Cancer Institute, Department of Medical Service, Ministry of Public Health, Bangkok.
- Newcomb P. A., Norfleet R. G., Storer B. E., Suranwicz T. S., Marcus P. M. (1992) Screening sigmoidoscopy and colorectal cancer mortality. *J Natl Cancer Inst* **84**: 1572-1575.
- Newmark H. L. (1984) A hypothesis for dietary components as blocking agents of chemical carcinogenesis : Plant phenolics and pyrrole pigments. *Nut Cancer* **6**: 58 – 70.
- Olofsson T., Olofsson I., Venge P. (1997) Myeloperoxidase and lactoferrin of blood neutrophils and plasma in chronic granulocyte leukaemia. *Scand J Haematol* **18**:113 –120.

- Olsson I., Lantz M., Persson A. M., Arnljots K. (1988) Biosynthesis and processing of lactoferrin in bone marrow cells, a comparison with processing of myeloperoxidase. *Blood* **71**:441-447.
- Ono T., Akimoto S., Kinouchi T., Kataoka K., Ohnishi Y. (1994) Cloning and expression of *Bacteroides fragilis* YHC46 neuraminidase gene in *Escherichia coli* and *Bacteroides uniformis*. *FEMS Microbiol Lett* **121**: 153-158.
- Onoue M., Kado S., Sakaitani Y., Uchida K., Morotomi M. (1997) Specific species of intestinal bacteria influence the induction of aberrant crypt foci by 1,2-dimethylhydrazine in rats. *Cancer Lett* **113**: 179-186
- Osawa T., Namiki M., Suzuki K., Mitsuoka T. (1983) Mutagen formation by intestinal bacteria. *Mutat Res* **122**: 299-304
- Oshima M., Dinchuk J. E., Kargman S. L., Oshima H., Hancock B., Kwong E., Trzaskos J. M., Evans J. F., Taketo M. M. (1996) Suppression of intestinal polyposis in *Apc* knockout mice by inhibition of cyclooxygenase 2. *Cell* **87**: 803-809.
- Parkin D.M., Whelan S.L., Ferlay J., Raymond L., Young J. (1997) Cancer incidence in five continents . *IARC scientific publication* vol. VII, Lyon.
- Paster B. J., Dewhirst F. E., Olsen I., Fraser G. J. (1994) Phylogeny of *Bacteroides*, *Prevotella* and *Porphyromonas* spp. And related bacteria. *J Bacteriol* **176**: 725-732.
- Petschow W. B., Talbott D. R., Betema P. R. (1999) Ability of lactoferrin to promote the growth of *Bifidobacterium* spp. In vitro is independent of receptor binding capacity and iron saturation level. *J Med Microbiol* **48**: 541-549.
- Petrow T. P., Barrow B. B., Ashton W. S., O'Riordan M. A., Pretlow T. G., Jurcisek J. A., Stellato T. A. (1991) Aberrant crypt: Putative preneoplastic foci in human colonic mucosa. *Cancer Res* **51**: 1564-1567.
- Petrow T. P., O'Riordan M. A., Petrow T. G., Stellato T. A. (1992) Aberrant crypts in human colonic mucosa: putative preneoplastic lesion. *J Cell Biochem* **16G** (suppl): 55-62.
- Petrow T. P., Rastitus T. A., Fulton N. C., Chayer C., Kaplan F., I. (1993) *K-ras* mutation in putative preneoplastic lesion in human colon. *J Natl Cancer Inst* **85**: 2004-2007.
- Pollard M., Luckert P. H. (1981) Effect of indomethacin on intestinal tumor induced in rats by acetate derivative of dimethylnitrosamine. *Science* **214**: 558-559.

- Polland M., Luckert P. H. (1981) Treatment of chemically-induced intestinal cancer with indomethacin. *Proc Soc Exp Bio Med* **167**: 161-164.
- Polland M., Luckert P. H., Schmidt M. A. (1983) The suppressive effect of piroxicam on autochthonous intestinal tumors in rat. *Cancer Lett* **21**: 57-61.
- Potter J. D. (1996) Nutrition and colorectal cancer. *Cancer Causes Control* **7**(1):127-46
- Potter M. A. (1992) Taxation of nonprofit hospitals: a cost impact model. *Hosp Health Serv Adm* **37**(1):89-102.
- Powell M. J., Ogden J. E. (1990) Nucleotide sequence of human lactoferrin cDNA. *Nucleic Acids Res* **18**:4013.
- Pretlow T P., Barrow B. B., Ashton W. S., O'Riordan M. A., Petrow T. G., Jurcisek J. A., Stellato T. A. (1991) Aberant crypts: putative preneoplastic foci in human colonic mucosa. *Cancer Res* **51**: 1564-1567.
- Rado T. A., Bollekens J., St Laurent G., Parker L., Benz E. J. (1984) Lactoferrin biosynthesis during granulocytopoiesis. *Blood* **64**:1103-1109.
- Rado T. A., Wei X., Benz E. J. (1987) Isolation of lactoferrin cDNA from human myeloid library and expression of mRNA during normal and leukemic myelopoiesis. *Blood* **70**: 989-994.
- Rao C. V., Desai D., Simi B., Kulkarni N., Amin S., Reddy B. (1993) Inhibitory effect of caffeic acid esters on azoxymethane-induced biochemical changes and aberant crypt foci formation in rat colo. *Cancer Res* **53**: 4182-4188.
- Rao C. V., Rivenson A., Simi B., Reddy B. S. (1995) Chemoprevention of colon carcinogenesis by dietary curcumin, a naturally – occurring plant phenolic compound. *Cancer Res* **55**: 259 – 266.
- Rao C. V., Rivenson A., Katiwalla M., Kelloff G. J., Reddy B. S. (1993) Chemopreventive effect of oltipraz during different stages of experimental colon carcinogenesis induced by azoxymethane in male F 344 rats. *Cancer Res* **53**: 2502-2506.
- Reddy B. S., Rao C. V., Rivenson A., Kelloff G. J. (1993) Inhibitory effect of aspirin on azoxymethane-induced colon carcinogenesis in F344 rats *Carcinogenesis (Lond)* **14**: 1493-1497.

- Reddy B. S., Maeura T. (1984a) Tumor promotion by dietary fat in azoxymethane-induced colon cancer: Carcinogenesis in female F344 rats: Influence of amount and source of dietary fat. *J Natl Cancer Inst* **72**: 745-750.
- Reddy B. S., Maeura T. (1984b) Dose-response studies of the effect of dietary butylated hydroxyanisole on colon carcinogenesis induced by methylazoxymethane acetate in female CF1 mice. *J Natl Cancer Inst* **72**: 1181-1187.
- Reddy B. S., Rao C. B., Seibert K. (1996) Evaluation of cyclooxygenase – in – hibitor for potential chemopreventive properties in colon cacinogenesis. *Cancer Res* **56**: 4566 – 4569.
- Reddy B. S., Rao C. V., Rivenson A. (1993) Inhibitory effect of aspirin on azoxymethane-induced colon carcinogenesis in F344 rats. *Carcinogenesis* **14**: 1493-1497.
- Reddy B. S., Simi B., Engle A. (1994) Biochemical epidemiology of colon cancer : Effect of types of dietary fiber on colonic diacylglycerols in women. *Gastroenterology* **106** : 883 – 889.
- Reddy B.S., Rivenson A. (1993) Inhibitory effect of *Bifidobacterium longum* on colon, mammary, and liver carcinogenesis induced by 2-amino-3-methylimidazol[4,5-f]quinoline, a food mutagen. *Cancer Res* **53**: 3914-3918
- Rejman J. J., Hegarty H. M., Hurley W. L. (1989) Purification and characterization of bovine lactoferrin from secretions of involving mammary gland: identification of multiple molecular weight forms. *Comp Biochem Physio* **93B**: 929-934.
- Rekdal , Andersen J. , Vorland L. H., Svendsen J. S. (1999) Construction and synthesis of lactoferricin derivatives with enhanced antibacterial activity. *J Peptide Sci* **5**: 32-45.
- Rey M. W., Woloshuk S. L., deBoer M. A., Pieper F. R. (1990) Complete nucleotide sequence of human mammary gland lactoferin. *Nucleic Acids Res* **18**:5288.
- Rider A. A., Calkins B. M., Arthur R. S., Nair P. P. (1984) Diet, nutrient intake, and metabolism in populations at high and low risk for colon cancer. Concordance of nutrient information obtained by different methods. *Am J Clin Nutr* **40** (4 suppl): 906-913.
- Robinson M. F., Godfrey P. J., Thomson C. D., Rea H. M., van Rij A. M. (1979) Blood selenium and glutathione peroxidase activity in blood of New Zealand residents. *Am J Clin Nutr* **32**: 1477 – 1485.

- Roediger W. E. W. (1982) The effect of bacterial metabolites on nutrition and function of the colonic mucosa. Symbiosis between men and bacteria. In Kasper H., Goebell H.(eds.) Colon and Nutrition. *Proceedings of the Falk symposium*, Titisee. MTP Press, Lancaster. PA: 11-24.
- Roncucci I. (1992) Early events in human colorectal carcinogenesis. Aberrant crypt foci and microadenomas. *J gastroenterology* **24**: 498-510.
- Roncucci L., Stamp D., Medline A., Cullen J. B., Bruce W. R. (1991) Identification and quantification of aberrant crypt foci and microadenomas in the human colon. *Hum Pathol* **22**: 287-294.
- Ruffin M. T., Krishnan K., Kraus E. (1994) Aspirin as a chemopreventive agent for colorectal cancer: Modulation of gut epithelial prostaglandins to a single daily dose. *Proc Am Assoc Cancer Res* **35**: A1837.
- Saito K., Nakanuma Y. (1992) Lactoferrin and lysozyme in the intrahepatic bile duct of normal livers and hepatolithiasis. An immunohistochemical study. *J Hepatol* **15**:147-53.
- Salmon V., Legrand D., Georges B., Slomianny M. C., Coddeville B., Spik G. (1997) Characterization of human lactoferrin produced in the baculovirus expression system. *Protein Expr Purif* **9**: 303-210.
- Salamoto K., Venkatraman G., Shamsuddin A. M. (1993) Growth inhibition and differentiation of HT-29 cells in vitro by inositol. Hexaphosphate (phytic acid). *Carcinogenesis* **14**: 1815-1819.
- Selby J. V., Friedman G. D., Quesenberry C. P., Weiss N. S. (1992) A case-control study of screening sigmoidoscopy and mortality from colorectal cancer. *N Engl J Med* **326**:653-657.
- Serraino M, Thompson LU. (1992)The effect of flaxseed supplementation on the initiation and promotional stages of mammary carinogenesis. *Nutr Cancer* **17**:153-159.
- Shabahang M., Buras R. R., Davoodi F., Schmaker L. M., Nauta R. J., Evans S. R. (1993) 1,25-dihydroxyvitamin D₃ receptors as a marker of human colon carcinoma cell line differntiation and growth inhibition. *Cancer Res* **53**:3712-3718.
- Shau H., Kim A., Golub S.H. (1992) Modulation of natural killer and lymphokine-activated killer cell cytotoxicity by lactoferrin. *J Leukoc Biol* **51**: 343-349 .

- Sherlock P. and Winawer S. J. (1981) Colon and rectal cancer: etiology and screening. *Compr Ther* 17(12):28-35.
- Shinoda I., Takase M., Fukuwatari Y., Shimamura S., Koller M., Koing W. (1996) Effects of lactoferrin and lactoferricin on the release of interleukin 8 from human polymorphonuclear leukocytes. *Biophys Biotech Biochem* 47: 521-523.
- Shoemaker N.B., Getty C., Guthrie E.P. and Salyers A.A. (1986) Regions in *Bacteroides* plasmids pBFTM10 and pB8-51 that allow *Escherichia coli*-*Bacteroides* shuttle vectors to be mobilized by *IncP* plasmids and by a conjugative *Bacteroides* tetracycline resistance element. *J Bacteriol* 166: 959-965.
- Simon G. L., Gobach S. L. (1982) Intestinal microflora. *Ned Clin North Am* 66: 557-574.
- Singh J., Hamid R., Reddy B. S. (1997) Dietary fat and colon cancer: Modulating effect of types and amount of dietary fat on ras-p21 function during promotion and progression stages of colon cancer. *Cancer Res* 57: 253-258.
- Sitaram M.P., Moloney B, McAbee D.D. (1998) Prokaryotic expression of bovine lactoferrin deletion mutants that bind to the Ca^{2+} -dependent lactoferrin receptor on isolated rat hepatocytes. *Protein Expr Purif* 14: 229-236.
- Spik G., Brunet B., Mazunier-Dehaine C., Fontaine G., Montreuil T. (1982) Characterization and properties of the human and bovine lactotransferrins extracted from the feces of newborn infants. *Acta Paediatr Scand* 71: 979-85.
- Smith A. J., Stern H. S., Penner M., Hay K., Mitri A., Bapat B. V., Gallinger S. (1994) Somatic APC and K-ras codon 12 mutations in aberrant crypt foci from human colon. *Cancer Res* 54: 5527-5530.
- Smith C. J., Parker A., Rogers M. B. (1990) Plasmid transformation of *Bacteroides* spp. By electroporation. *Plasmid* 24: 100-109.
- Stowell K. M., Rado T. A., Funk W. D., Tweedie J. W. (1991) Expression of cloned human lactoferrin in baby-hamster kidney cells. *Biochem J* 276 (Pt 2):349-55.
- Stryker S. J., Wolff B. G., Culp C. E., Libbe S. D., Ilstrup D. M., MacCarty R. L. (1987) Natural history of untreated colonic polyps. *Gastroenterology* 93: 109-1013.
- Stuart J., Norrel S., Harrington J. P. (1984) Kinetic effect of human lactoferrin on the growth of *Escherichia coli* O111. *Int J Biochem* 16: 1043-7.

- Suaeyun R., Kinouchi T., Arimochi H., Vinitketkumnuen U., Ohnishi Y. (1997) Inhibitory effects of lemon grass (*Cymbopogon citratus* Stapf) on formation of azoxymethane-induced DNA adducts and aberrant crypt foci in the rat colon. *Carcinogenesis* **18**: 949-955
- Suzuki K. and Mitsuoka T. (1987) Screening of neucleotoxic steroid-4-cholesten-3-one-forming bacteria in intestinal flora. *Bifidus* **1**: 129-131.
- Swidsinski A., Khilkin M., Kerjaschki D., Schreiber S., Ortner M., Weber J., Lochs H. (1998) Association between intraepithelial *Escherichia coli* and colorectal cancer. *Gastroenterology* **115**: 281-286.
- Takimura Y., Kato M., Ohta T., Yamagata H., Uda S (1997) Secretion of human interleukin-2 in biologically active form by *Bacillus brevis* directly into culture medium. *Biosci Biotechnol Biochem* **61**: 1858-1861.
- Tannenbaum S. R., Sinsky A. J., Weisman M., Bishop W. (1974) Nitrate in human saliva. Its possible relationship to nitrosamine formation. *J Natl Cancer Inst* **53**: 79-84.
- Tannock G. W. (1987) Probiotic properties of lactic acid bacteria: Plenty of Scope for fundamental R&D. *Trends Biotechnol* **15**: 270-274.
- Thomsom A. M., Flint H. J. (1989) Electroporation induced transformation of *Bacteroides rumenicola* and *Bacteroides uniformis* by plasmid DNA. *FEMS Microbiol Lett* **52**: 101-104.
- Tominaga S. and Kuroishi T. (1997) An ecological study on diet/nutrition and cancer in Japan. *Int J Cancer* **10** (suppl.): 2-6
- Tomita M., Bellamy W., Takase M., Yamauchi K., Wakabayashi H., Kawase K. (1991) Potent antibacterial peptides generated by pepsin digestion of bovine lactoferrin. *J Dairy Sci* **74**:4137-42.
- Tsuda H., Sekine K., Nakamura J., Ushida Y., Kuhara T., Takasuka N., Kim D.J., Asamoto M., Baba-Toriyama H., Moore M.A., Nishino H. and Kakizoe T. (1998) Inhibition of azoxymethane-initiated colon tumor and aberrant crypt foci development by bovine lactoferrin administration in F344 rats. *Adv Exp Med Biol* **443**: 273-284

- Tweedie J. W., Bain H. B., Day C. L., Nicholson H. H., Mead P. E., Sheth B. and Stowell (1994) Lactoferrin cDNA. Expression and in vitro mutagenesis. *Adv Exp Med Biol* **357**:197-208
- Ushida Y., Sekine K., Kuhara T., Takasuka N., Iigo M., Maeda M. (1999) Possible chemopreventive effects of bovine lactoferrin on esophagus and lung carcinogenesis in the rat. *Jpn J Cancer Res* **90**: 262-7.
- Valentine P.J., Shoemaker N.B., Salyers A.A. (1988) Mobilization of *Bacteroides* plasmid by *Bacteroides* conjugal elements. *J Bacteriol* **170**: 1319-1324.
- Van Snick J. L., Masson P. L. (1996) The binding of human lactoferrin to mouse peritoneal cells. *J Exp Med* **144**:1568-80.
- Van Snick J. L., Masson P. L., Heremans J. F. (1974) The involvement of lactoferrin in the hyposidermia of acute inflammation. *J Exp Med* **140**:1068-84.
- Van Tassel R.L., MacDonald D.K., Wilkins T.D. (1982) Production of a fecal mutagen by *Bacteroides* spp. *Infect Immun* **37**: 975-980
- Vogelstein B., Fearon E. R., Hamilton S. R., Kern S. E., Preisinger A. C., Leppert M., Nakamura Y., White R., Smits A. M., Bos J. L. (1988) Genetic alterations during colorectal-tumor development. *N Engl J Med* **319** (9):525-32.
- Vorland L. H., Ulvatne H., Andersen J., Haukland H. H., Rekdal , Svendsen J. S., Gutteberg T. J. (1998) Lactoferricin of bovine origin is more active than lactoferricins of human, murine and caprine origin. *Scand J Infect Dis* **30**: 513-7.
- Vorland L. H., Ulvatne H., Andersen J., Haukland H. H., Rekdal, Svendsen J. S., Gutteberg T. J. (1999) Antibacterial effects of lactoferricin B. *Scand J Infect Dis* **31**: 179-84.
- Vorland L.H. (1999) Lactoferrin: A multifunctional glycoprotein. *APMIS* **107**: 971-981.
- Wada T., Aiba Y., Shimizu K., Takagi A., Miwa T., Koga Y. (1999) The therapeutic effect of bovine lactoferrin in the host infected with *Helicobacter pylori*. *Scand J Gastroenterol* **34**:238-243.
- Waddell W. R., Loughry R. W. (1983) Sulindac for polyposis of the colon. *J Surg Oncol* **24**: 83-87.
- Wadell W. R., Ganser G. F., Cerise E. J., Loughry R. W. (1989) Sulindac for polyposis of the colon. *Am J Surg* **157**:175-179.

- Ward P. P., Lo J. Y., Duke M., May G. S., Headon D. R., Conneely O. M. (1992a) Production of biologically active recombinant human lactoferrin in *Aspergillus oryzae*. *Biotechnology (N Y)* **10**:784-789.
- Ward P. P., May G. S., Headon D. R., Conneely O. M. (1992b) An inducible expression system for the production of human lactoferrin in *Aspergillus nidulans*. *Gene* **122**: 219-223.
- Whitehead T. R., Hespell R. B. (1990) Heterologous expression of the *Bacteroides ruminicola* xylanase gene in *Bacteroides fragilis* and *Bacteroides uniformis*. *FEMS Microbiol Lett* **54**: 61-65.
- Willett W. C., MacMahon B. (1984) Diet and cancer--an overview. *N Engl J Med* **3** (10): 633-8.
- Wilkins T. D., Van Tassell R. L. (1983) Production of intestinal mutagens. In Hentges J. D. (ed.) *Human Intestinal Microflora in Health and Disease*. Academic Press, New York: 265-288.
- Wilkins T. D., Lederman M., Van Tassell R. L. (1981) Isolation of mutagen produced in human colon by bacteria action. In Bruce R. W., Correa P., Lipkins M., Tannenbum R. S., Wilkins D. T. Banbury report, *Gastrointestinal Cancer: Exogeneous factors*, Cold Spring Harbor Lab., Cold Spring Harbor, New York: 205-214.
- Winawer S. J., Fletcher R. H., Miller L., Godlee F., Stolar M. H., Mulrow C. D., Woolf S. H., Glick S. N., Ganiats T. G., Bond J. H. (1997) Colorectal cancer screening: Clinical guidelines and rationale. *Gastroenterology* **26**: 85-101.
- Yamada K., Yoshitake K., Sato M. (1992) Proliferating cell nuclear antigen in normal preneoplastic colonic epithelium in the rat. *Gastroenterology* **103**: 160-167.
- Yamaguchi K., Tomita., Giehl T. J., Ellison R. T. 3rd (1993) Antibacteria activity of lactoferrin and pepsin-derived lactoferrin peptide fragment. *Infect Immun* **61**: 719-728.
- Yoshida S. Wei Z., Shinmura Y., Fukunaga N. (2000) Separation of lactoferrin-a and -b from bovine colostrum. *J Dairy Sci* **83**: 2211-2215
- Yoo Y. C., Watanabe S., Watanabe R., Hata K., Shimazaki K., Azuma I. (1997) Bovine lactoferrin and lactoferricin, a peptide derived from bovine lactoferrin, inhibit tumor metastasis in mice. *Jpn J Cancer Res* **88**:184-90.

Zarkovic M., Qin X., Nakatsuru Y., Oda H., Nakamura T., Shamsuddin A.M. and Ishikawa T.

(1993) Tumor promotion by fecapentaene-12 in a rat colon carcinogenesis model.

Carcinogenesis **14**: 1261-1264.

Zhang Y., Talalay P. (1994) Anticarcinogenic activities of organic isothiocyanates: Chemistry

and mechanisms. *Cancer Res* **54**: 1976S-1981S.

Zucali J. R., Broxmeyer H. E., Levy D., Morse C. (1989) Lactoferrin decreases monocyte-induced fibroblast production of myeloid colony-stimulating activity by suppressing monocyte release of interleukin -1. *Blood* **74**:1531-6.